

LOCATION MAP ZONING DISTRICT: CIP GRAPHIC SCALE (IN FEET) 1 inch = 1000 ft.

> OWNER: B & R HOLDING COMPANY LLC 1358 BALDWIN HILL ROAD GALES FERRY, CT. 06335

APPLICANT: DIETER & GARDNER, INC. P. O. BOX 335 GALES FERRY, CT. 06335

RECEIVED

JUL 12 2023

SHEET 1 OF 4

LAND USE DEPARTMENT SHEET INDEX

SHEET 1 - 100 SCALE A-2 PLAN, LOCATION MAP & GENERAL NOTES

SHEET 2 - 40 SCALE PLAN WITH PROPOSED CONDITIONS

SHEET 3 - 40 SCALE PLAN WITH PROPOSED CONDITIONS

SHEET 4 - SCHEDULE AND EROSION/SEDIMENT CONTROL NARRATIVE AND DETAILS

PLAN PREPARED TO ACCOMPANY SPECIAL PERMIT APPLICATION PROPERTY OF

B & R HOLDING COMPANY, LLC 1340 BALDWIN HILL ROAD MAP 134 BLOCK 140 LOT 1340

LEDYARD, CONNECTICUT

SCALE: 1"=100'


MAY 2023


REVISED: MAY 10, 2023 REVISED: JULY 7, 2023


THIS MAP AND SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH SECTIONS 20-300B-1 THROUGH 20-300B-20 OF THE REGULATIONS OF CONNECTICUT STATE AGENCIES—"MINIMUM STANDARDS OF ACCURACY, CONTENT AND CERTIFICATION FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT", ADOPTED EFFECTIVE JUNE 21, 1996, REVISED OCTOBER 26, 2018. IT IS A BOUNDARY SURVEY BASED ON A DEPENDENT RESURVEY CONFORMING TO HORIZONTAL ACCURACY CLASS A-2. TO MY KNOWLEDGE AND BELIEF. THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.

TITLE: LAND SURVEYOR CT No. 14208


DATE: MAY 1, 2023









CONSTRUCTION OF A STRAW BALE BARRIER NOT TO SCALE





FILTER FABRIC SEDIMENT BARRIER
NOT TO SCALE



ROLL END & TOP ROLLSLEEVE BOND . TOP RAIL = 1-3/8" TO 1-5/8" (OD) GALVANIZED STEÉL TUBE TERMINAL POST -LINE POST -10'-0" MAX. TENSION BOND -LINK MESS 3"MAX.— 3"MAX.---CONCRETE FOOTING CHAIN LINK FENCE DETAIL NOT TO SCALE

TOP ROLL CAP

DIETER & GARDNER
LAND SURVEYORS • PLANNERS
1641 CONNECTICUT ROUTE 12
P.O. BOX 335
GALES FERRY, CT. 06335
(860) 464-7455
EMAIL: DIETER.GARDNER@YAHOO.COM



THE ACCOMPANYING PLANS PROVIDE THE FOLLOWING INFORMATION FOR THE IMPLEMENTATION OF THIS PLAN:

- LOCATION OF SEDIMENT CONTROL BARRIERS

- FINISHED GRADES TO BE ACHIEVED

PLAN HAS BEEN PREPARED TO ADDRESS SECTION 12.4 OF THE ZONING REGULATIONS USE OF THIS PROPERTY IS FOR PROCESSING AND REMOVAL OF ROCK/STONE/GRAVEL/SAND AND OTHER MATERIALS THAT HAS BEEN ONGOING SINCE PRIOR TO ZONING REGULATIONS BEING ENACTED. WHERE STONE IS BEING REMOVED, GRADES EXCEED 20% IN PLACES, WHEN STONE REMOVAL OPERATION IS COMPLETE, SITE WILL HAVE A GRADE OF LESS THAN 2%. THERE ARE INLAND WETLANDS ON THIS PROPERTY.

CHRISTOPHER McLAUGLIN 860-460-0767 WILL SERVE AS CONTACT PERSON FOR IMPLEMENTING EROSION AND SEDIMENT CONTROL MEASURES ON THIS PLAN.

CONSTRUCTION SEQUENCE:

1. REMOVE EXISTING VEGETATION AND TOPSOIL WITHIN THE LIMITS OF CONSTRUCTION.

2. STRIP TOPSOIL AND STOCKPILE AS SHOWN.

FOLLOWING REMOVAL OF ROCK/STONE/GRAVEL/SAND, FINISH GRADE ALL DISTURBED AREAS.
 LOAM AND SEED ALL DISTURBED AREAS.
 MAINTAIN ALL SEDIMENT AND EROSION CONTROL UNTIL ALL AREAS HAVE BEEN STABILIZED.

MAINTENANCE:

INSPECT SEDIMENT BARRIERS AFTER EACH STORM EVENT AND REPAIR OR REPLACE AS NECESSARY. CLEAN OUT OF ACCUMULATED SEDIMENT IS NECESSARY IF 1/2 OF THE ORIGINAL HEIGHT OF THE BARRIER BECOMES FILLED IN WITH SEDIMENT.

PERMANENT SEEDING:

SEED BED PREPARATION: FINE GRADE AND RAKE SOIL SURFACE TO REMOVE STONES LARGER THAN 2" IN DIAMETER. APPLY LIMESTONE AT A RATE OF 90 lbs./1000 S.F. FERTILIZE WITH 10-10-10, OR EQUIVALENT, AT A RATE OF 7.5 lbs./1000 S.F. WORK LIMESTONE AND FERTILIZER INTO SOIL UNIFORMLY TO A DEPTH OF 4" WITH A HARROW OR EQUIVALENT. SEED APPLICATION: APPLY LAWN SEED BY HAND, CYCLONE SEEDER OR HYDROSEEDER. LIGHTLY DRAG OR ROLL THE SEED SURFACE TO COVER SEED. SEEDING SHOULD BE DONE BETWEEN APRIL 15 AND JUNE 15 OR BETWEEN AUGUST 15 AND SEPTEMBER 30.
REPEAT MULCHING PROCEDURE BELOW UNTIL SEEDING CAN TAKE PLACE. NOTE: IF HYDROSEEDER IS USED, INCREASE SEED MIXTURE BY 10%. MULCHING: IMMEDIATELY FOLLOWING SEEDING, MULCH THE SEEDED SURFACE WITH STRAW OR HAY AT A RATE OF 70 lbs./1000 S.F. SPREAD MULCH BY HAND OR MULCH BLOWER. PUNCH MULCH INTO SOIL SURFACE WITH TRACK MACHINE OR DISK HARROW.

HOURS OF OPERATION MONDAY THROUGH FRIDAY 6:00 A.M. TO 6:00 P.M. AND SATURDAY 7:00 A.M. TO 5 P.M. IT IS EXPECTED THAT ROCK REMOVAL WILL BE COMPLETED BY 5/1/2027.

PLAN SHOWING
EROSION AND SEDIMENT CONTROL

NARRATIVE AND DETAILS

PREPARED TO ACCOMPANY

SPECIAL PERMIT APPLICATION

PROPERTY OF

B & R HOLDING COMPANY, LLC

1340 BALDWIN HILL ROAD

MAP 134 BLOCK 140 LOT 1340

LEDYARD, CONNECTICUT

MAY 2023
REVISED: MAY 10, 2023

