

DEEP TEST PIT DATA

AS RECORDED BY WENDY BROWN-ARNOLD, RS & DANIELLE HOLMES, REHS/RS LEDGE LIGHT HEALTH DISTRICT ON DECEMBER 5 & 13 2017 AND WITNESSED BY DAN QUINN.
& TEST PITS 4A, 5A & 5B, 19-34, 36A, 36B AND 38A AS RECORDED BY DANIELLE HOLMES, REHS/RS LEDGE LIGHT HEALTH DISTRICT ON FEBRUARY 5 & 6 2018 AND WITNESSED BY DAN QUINN.

1 MARTY'S WAY
TP 47
13" TOPSOIL
29" YELLOW-BR. FINE SANDY LOAM
37" ORANGE-GRAY SILTY FINE SAND, INCONSISTENT STAINING
94" LT. TAN FINE SAND, W/GRAVEL, SOME COBBLES

NO MOTTLING
NO GW
NO LEDGE
ROOTS TO 30"

5 MARTY'S WAY
TP 43
0-7" LEAF LITTER & TOPSOIL
7-25" ORANGE BROWN FINE SANDY LOAM
25-91" STRATIFIED LIGHT GRAY BROWN FINE-MEDIUM SANDY LOAM

MOTTLING POSSIBLE @ 54"
NO GW
NO LEDGE
ROOTS TO 28"

15 MARTY'S WAY
TP 25
0-10" LEAF LITTER & TOPSOIL
10-33" ORANGE BROWN MEDIUM COARSE SANDY LOAM
33-45" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 45"
ROOTS 31"

19 MARTY'S WAY
TP 33
0-8" LEAF LITTER & TOPSOIL
8-24" LIGHT ORANGE/YELLOW BROWN FINE-MEDIUM COARSE SANDY LOAM
24-94" LIGHT GRAY COARSE SAND & GRAVEL OVER DECOMPOSED/FRAGMENTED DIGGABLE LEDGE ROCK

46-94" NON-TYPICAL ROCK
NO REDOX
NO REF.

22 MARTY'S WAY CONTINUED
TP 17
10" TOPSOIL
10" LT. BR. FINE SANDY LOAM
39" LT. BR.-GRAY SILTY DEPOSIT, INCONSISTENT STAINING
100" LT. OLIVE-BR. MEDIUM SAND, W/GRAVEL

NO GW
NO REDOX
NO REF.

CONTINUED 27 MARTY'S WAY
TP 23
0-8" LEAF LITTER & TOPSOIL
8-17" ORANGE BROWN FINE SANDY LOAM, W/COBBLES
17-28" YELLOW BROWN VERY FINE SILTY SAND
28-69" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL, VERY ROCKY, DENSE

NO MOTTLING
NO GW
LEDGE @ 69"
ROOTS 29"

CONTINUED 28 MARTY'S WAY
TP 19A
0-9" LEAF LITTER & TOPSOIL
9-19" ORANGE BROWN FINE SANDY LOAM, ROCKY
19-29" YELLOW BROWN FINE-MEDIUM COARSE SANDY LOAM, SLIGHTLY DAMP, ROCKY
29-55" STRATIFIED GRAY BROWN VERY FINE SILTY SAND

STANDING WATER @ 82"
MOTTLING POSSIBLE @ 44"
GW 75"
NO LEDGE
ROOTS 40"

TP 48
9" TOPSOIL
22" LT.-BR. FINE SANDY LOAM
95" LT. TAN FINE TO MED. SAND, W/GRAVEL, SOME COBBLES
INCONSISTENT SILTY LAYERS 27" TO 37" W/STAINING

NO MOTTLING
NO GW
NO LEDGE
ROOTS TO 20"

TP 44
0-7" LEAF LITTER & TOPSOIL
7-34" ORANGE BROWN MEDIUM COARSE SANDY LOAM, TRACE GRAVEL, LOOSE
34-93" LIGHT GRAY BROWN MEDIUM COARSE SAND & GRAVEL, MODERATELY COMPACT

MOTTLING @ 38"
NO GW
NO LEDGE
ROOTS TO 34"

TP 25A
0-5" LEAF LITTER & TOPSOIL
5-14" ORANGE BROWN MEDIUM COARSE SANDY LOAM
14-43" YELLOW BROWN VERY FINE SILTY SAND
43-93" LIGHT GRAY BROWN COARSE SAND & GRAVEL, DENSE, ROCKY
POSSIBLE FRAGMENTED LEDGE ROCK @ 80"

MOTTLING @ 40"
NO GW
LEDGE POSSIBLE @ 80"
ROOTS 42"

TP 34
0-6" LEAF LITTER & TOPSOIL
6-12" YELLOW BROWN FINE SANDY LOAM
12-93" GRAY BROWN COARSE SAND & GRAVEL

STANDING WATER @ 77"
MOTTLING @ 38"
GW 70"
NO LEDGE
ROOTS 35"

TP 18
10" TOPSOIL
31" LT. BR. FINE SANDY LOAM
45" LT. BR.-GRAY SILTY DEPOSIT, SOME STAINING-INCONSISTENT
107" LT. OLIVE-BR.-GRAY MEDIUM SAND, W/GRAVEL

NO GW
NO REDOX
NO REF.

TP 55
MOTTLING LITTER & TOPSOIL
26" LIGHT ORANGE BROWN FINE SANDY LOAM
62" GRAY BROWN COARSE SAND & GRAVEL, ROCKY

NO MOTTLING
NO GW
LEDGE @ 62"
ROOTS TO 44"

TP 20
0-6" LEAF LITTER & TOPSOIL
6-26" YELLOW BROWN VERY FINE SILTY LOAM, SLIGHTLY DAMP
26-65" DECOMPOSED/ NON TYPICAL LEDGE/ROCK

NO MOTTLING
NO GW
LEDGE @ 26"
ROOTS 30"

2 MARTY'S WAY
TP 1
5" TOPSOIL
20" LT. BR. FINE SANDY LOAM
35" LT. BR. SILTY DEPOSIT, INCONSISTENT, STAINED
99" LT. TAN/GRAY MEDIUM SAND, GRAVEL, COBBLES, STONES

NO GW
NO REDOX
NO REF.

7 MARTY'S WAY
TP 41
0" LEAF LITTER & TOPSOIL
7-35" ORANGE BROWN FINE SANDY LOAM
35-97" GRAY BROWN MEDIUM COARSE SANDY LOAM, TRACE GRAVEL W/SOME ORANGE BANDED DEPOSITS

MOTTLING @ 52"
NO GW
NO LEDGE
ROOTS TO 38"

TP 26
0-11" LEAF LITTER & TOPSOIL
11-52" ORANGE BROWN MEDIUM COARSE SANDY LOAM, DAMP, MANY ROCKS
52-84" PARTIALLY DECOMPOSED, DENSE LEDGE ROCK, DIGGABLE

NO MOTTLING
NO GW
LEDGE @ 52"
ROOTS 52"

TP 35
10" TOPSOIL
17" LT. BR. FINE SANDY LOAM, SOME SILT
51" GRAY VERY FINE SILTY SAND
87" GRAY MED. SAND W/GRAVEL, COBBLES

NO GW
REDOX AT 34"
NO REF.
ROOTS TO 30"

23 MARTY'S WAY
TP 29
0-7" LEAF LITTER & TOPSOIL
7-24" STRATIFIED YELLOW BROWN FINE-MEDIUM SANDY LOAM
24-108" LIGHT GRAY MEDIUM COARSE SAND

MOTTLING @ 30"
NO GW
NO LEDGE
ROOTS 24"

TP 59
6" LEAF LITTER & TOPSOIL
6" LIGHT ORANGE BROWN FINE-MEDIUM SANDY LOAM, ROCKY
82" LIGHT GRAY BROWN COARSE SAND & GRAVEL ROCKY

NO MOTTLING
NO GW
LEDGE @ 62"
ROOTS TO 44"

29 MARTY'S WAY
TP 5
5" LEAF LITTER & TOPSOIL
27" LIGHT ORANGE BROWN FINE SANDY LOAM
93" LIGHT GRAY BROWN COARSE SAND & GRAVEL

NO MOTTLING
NO GW
NO LEDGE
ROOTS TO 27"

TP 1A
4" TOPSOIL
32" BR. FINE SANDY LOAM
53" LT. TAN-GRAY MED. SAND AND GRAVEL, SOME LOAM

NO GW
NO REDOX
LEDGE 30-53"

TP 42
0-6" LEAF LITTER & TOPSOIL
6-37" ORANGE BROWN FINE SANDY LOAM, TRACE GRAVEL, LOOSE
37-96" GRAY BROWN MEDIUM COARSE SAND & GRAVEL

MOTTLING @ 52"
NO GW
NO LEDGE
ROOTS TO 38"

TP 58
6" LEAF LITTER & TOPSOIL
31" LIGHT ORANGE BROWN VERY FINE SILTY LOAM
80" LIGHT GRAY COARSE, COMPACT, MANY ROCKS

NO MOTTLING
NO GW
LEDGE @ 52"
ROOTS 52"

20 MARTY'S WAY
TP 13
8" TOPSOIL
26" YELLOW BR. FINE SANDY LOAM, TR. SILT
49" LT. BR.-GRAY SILTY DEPOSITS, LIGHT STAINING
92" LT. OLIVE-BR. MED. SAND, W/GRAVEL, FEW ROCKS

NO GW
NO REDOX
ROOTS 24"

TP 30
0-9" LEAF LITTER & TOPSOIL
9-44" LIGHT YELLOW BROWN FINE-MEDIUM SANDY LOAM
44-82" GRAY BROWN FINE-MEDIUM SANDY LOAM

MOTTLING @ 41"
NO GW
NO LEDGE
ROOTS 45"

28 MARTY'S WAY
TP 19
0-9" LEAF LITTER & TOPSOIL
9-28" ORANGE BROWN MEDIUM COARSE SANDY LOAM
28-63" STRATIFIED GRAY BROWN VERY FINE SILTY SAND

STANDING WATER @ 63"
MOTTLING POSSIBLE @ 36"
GW 63"
LEDGE @ 63"
ROOTS 33"

TP 52
5" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN FINE SANDY LOAM
100" LIGHT GRAY BROWN COARSE SAND & GRAVEL

MOTTLING @ 38"
NO GW
NO LEDGE
ROOTS TO 43"

TP 2
10" TOPSOIL
31" BR. FINE SANDY LOAM
48" LT. BR. TO GRAY SILT DEPOSIT W/STAINING
96" LT. BR.-GRAY MEDIUM SAND, W/GRAVEL, COBBLES, STONES

NO GW
NO REDOX
NO REF.

TP 40
32" LT. BR. FINE SANDY LOAM
100" LT. TAN-GRAY MED. SAND W/GRAVEL, FEW COBBLES

MOTTLING POSSIBLE @ 52"
NO GW
NO LEDGE
ROOTS TO 50"

16 MARTY'S WAY
TP 8
8" TOPSOIL
24" LT. BR. FINE SANDY LOAM, TR. SILT
96" LT. TAN MED. SAND, W/GRAVEL, SOME COBBLES

NO GW
NO REDOX
NO REF.

TP 14
7" TOPSOIL
28" YELLOW-BR. FINE SANDY LOAM, TR. SILT
35" LT. BR.-GRAY SILTY DEPOSIT, INCONSISTENT STAINING
92" LT. OLIVE-BR. SAND, W/GRAVEL, SILT

NO GW
NO REDOX
NO REF.

24 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 202
0-7" TOPSOIL
7-28" LIGHT BROWN FINE SANDY LOAM
28-81" LIGHT TAN/GRAY VERY FINE SAND WITH SOME SILT
81-97" LIGHT TAN/GRAY MED SAND WITH GRAVEL & COBBLES

NO MOTTLING
NO GW
NO LEDGE

TP 50
6" LEAF LITTER & TOPSOIL
6" LIGHT ORANGE BROWN FINE-MEDIUM SANDY LOAM, ROCKY
82" LIGHT GRAY BROWN COARSE SAND & GRAVEL ROCKY

NO MOTTLING
NO GW
LEDGE @ 82"
ROOTS TO 44"

TP 53
7" LEAF LITTER & TOPSOIL
21" LIGHT ORANGE BROWN FINE SANDY LOAM
91" LIGHT GRAY BROWN COARSE SAND & GRAVEL

MOTTLING @ 31"
NO GW
NO LEDGE
ROOTS TO 31"

3 MARTY'S WAY
TP 45
0-10" LEAF LITTER & TOPSOIL
10-24" ORANGE BROWN FINE SANDY LOAM
24-49" POCKET OF STRATIFIED VERY FINE SILTY SAND, MOTTLLED
49-91" LIGHT GRAY BROWN FINE-MEDIUM SANDY LOAM

MOTTLING @ 32"
NO GW
NO LEDGE
ROOTS TO 29"

REDOX @ 66"
NO GW
NO LEDGE
ROOTS TO 30"

TP 40
32" LT. BR. FINE SANDY LOAM
100" LT. TAN-GRAY MED. SAND W/GRAVEL, FEW COBBLES

POSSIBLE REDOX @ 90"
NO GW
NO LEDGE
ROOTS TO 30"

17 MARTY'S WAY
TP 8
9" TOPSOIL
27" BR. FINE SANDY LOAM
90" LT. TAN MED. SAND, W/GRAVEL, SOME COBBLES

NO GW
NO REDOX
NO REF.

21 MARTY'S WAY
TP 31
0-11" LEAF LITTER & TOPSOIL
11-31" ORANGE BROWN MEDIUM COARSE SANDY LOAM
31-38" STRATIFIED YELLOW GRAY VERY FINE SANDY LOAM
38-99" LIGHT GRAY MEDIUM COARSE SAND & GRAVEL
99-104" COULD NOT READ DUE TO GW

STANDING WATER @ 99"
MOTTLING @ 50"
GW 99"
NO LEDGE
ROOTS 37"

TP 203
0-4" TOPSOIL
4-26" LIGHT BROWN FINE SANDY LOAM
26-46" LIGHT TAN/GRAY WITH FINE SAND WITH SOME SILT, SLIGHTLY STAINING
46-98" LIGHT GRAY MEDIUM COARSE SAND WITH GRAVEL & COBBLES MODERATELY COMPACT IN PLACES

NO MOTTLING
NO GW
NO LEDGE

TP 24
0-7" LEAF LITTER & TOPSOIL
7-21" LIGHT ORANGE BROWN FINE-MEDIUM COARSE SANDY LOAM, ROCKY
21-36" YELLOW BROWN VERY FINE SILTY LOAM
36-75" LIGHT GRAY BROWN MEDIUM COARSE SAND & GRAVEL, DENSE, ROCKY
75-82" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 60"
ROOTS 25"

TP 38
14" TOPSOIL
26" LT. TAN-GRAY SILTY LOAM, SOME FINE SAND
71" GRAY-TAN FINE SANDY LOAM W/SILT

GW 66"
REDOX AT 27"
NO REF.
ROOTS TO 15"

TP 46
0-7" LEAF LITTER & TOPSOIL
7-28" ORANGE BROWN FINE SANDY LOAM
28-90" LIGHT GRAY BROWN FINE-MEDIUM COARSE SAND, TRACE GRAVEL

MOTTLING POSSIBLE @ 54"
COMPACT @ 49"
NO GW
NO LEDGE
ROOTS TO 50"

11 MARTY'S WAY
TP 37
11" TOPSOIL
47" YELLOW-BR. TO GRAY SILTY LOAM, SOME FINE SAND
89" GRAY FINE TO MED. SAND, SOME GRAVEL

GW 38"
REDOX AT 24"
NO REF.

17 MARTY'S WAY
TP 36
4" TOPSOIL
23" BR. FINE SANDY LOAM, SOME SILT
40" GRAY FINE SANDY LOAM W/SILT
91" GRAY MED. SAND W/GRAVEL, COBBLES

GW 68"
REDOX AT 34"
NO REF.
ROOTS TO 36"

25 MARTY'S WAY
TP 23
0-7" LEAF LITTER & TOPSOIL
7-30" ORANGE BROWN MEDIUM COARSE SANDY LOAM
30-60" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL, VERY ROCKY, DENSE
60-77" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 60"
ROOTS 25"

26 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 200
0-7" TOPSOIL
7-26" LIGHT BROWN FINE SANDY LOAM
26-37" LIGHT TAN FINE SAND WITH GRAVEL, COBBLES, STONES

NO MOTTLING
NO GW
NO LEDGE

TP 38A
0-10" LEAF LITTER & TOPSOIL
10-25" ORANGE BROWN MEDIUM COARSE SANDY LOAM, DAMP
25-55" GRAY BROWN VERY FINE SILTY SAND
55-80" COULD NOT READ DUE TO GW

STANDING WATER @ 55"
MOTTLING @ 27"
GW 55"
NO LEDGE
ROOTS 32"

TP 36B
0-11" LEAF LITTER & TOPSOIL
11-30" ORANGE BROWN FINE SANDY LOAM, DAMP
30-58" STRATIFIED GRAY BROWN VERY FINE SILTY SAND, DAMP
58-83" COULD NOT READ DUE TO GW

STANDING WATER @ 58"
MOTTLING @ 42"
GW 58"
NO LEDGE
ROOTS 38"

4 MARTY'S WAY
TP 3
10" TOPSOIL
35" LT. BR. VERY FINE SANDY LOAM, W/SILT
75" LT. GRAY MEDIUM SAND, W/GRAVEL, COBBLES
94" DK. GRAY MED. SAND

NO GW
MOTTLING AT 32" (CONSISTENT AROUND HOLE)
NO REF.

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 34"
GW 28"
NO LEDGE
ROOTS TO 47"

17 MARTY'S WAY
TP 36A
0-10" LEAF LITTER & TOPSOIL
10-25" ORANGE BROWN MEDIUM COARSE SANDY LOAM, DAMP
25-55" GRAY BROWN VERY FINE SILTY SAND
55-80" COULD NOT READ DUE TO GW

STANDING WATER @ 55"
MOTTLING @ 27"
GW 55"
NO LEDGE
ROOTS 32"

25 MARTY'S WAY
TP 24
0-7" LEAF LITTER & TOPSOIL
7-21" LIGHT ORANGE BROWN FINE-MEDIUM COARSE SANDY LOAM, ROCKY
21-36" YELLOW BROWN VERY FINE SILTY LOAM
36-75" LIGHT GRAY BROWN MEDIUM COARSE SAND & GRAVEL, DENSE, ROCKY
75-82" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 75"
ROOTS 40"

26 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 200
0-7" TOPSOIL
7-26" LIGHT BROWN FINE SANDY LOAM
26-37" LIGHT TAN FINE SAND WITH GRAVEL, COBBLES, STONES

NO MOTTLING
NO GW
NO LEDGE

TP 38A
0-10" LEAF LITTER & TOPSOIL
10-26" YELLOW TO GRAY MEDIUM COARSE SANDY LOAM, W/GRAVEL, DAMP
46-80" COULD NOT READ DUE TO GROUNDWATER

STANDING WATER @ 46"
MOTTLING @ 35"
GW 46"
NO LEDGE
ROOTS 34"

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 34"
GW 28"
NO LEDGE
ROOTS TO 47"

TP 4A
0-10" LEAF LITTER & TOPSOIL
10-46" YELLOW TO GRAY MEDIUM COARSE SANDY LOAM, W/GRAVEL, DAMP
46-80" COULD NOT READ DUE TO GROUNDWATER

STANDING WATER @ 46"
MOTTLING @ 35"
GW 46"
NO LEDGE
ROOTS 34"

13 MARTY'S WAY
TP 27
0-6" LEAF LITTER & TOPSOIL
6-27" ORANGE BROWN MEDIUM COARSE SANDY LOAM
27-40" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL
40-80" DECOMPOSED/ROTTEN ROCK

NO MOTTLING
NO GW
LEDGE @ 40"
ROOTS 30"

18 MARTY'S WAY
TP 15
9" TOPSOIL
30" LT. BR. FINE SANDY LOAM
40" TAN TO GRAY SILTY FINE SAND
88" OLIVE GRAY MED. SAND, W/GRAVEL, COBBLES

NO GW
NO REDOX
NO REF.

22 MARTY'S WAY
TP 15
9" TOPSOIL
36" BR. FINE SANDY LOAM
100" LT. TAN FINE-MED SAND, W/GRAVEL COBBLES, ROCKS

NO GW
NO REDOX
NO REF.

27 MARTY'S WAY
TP 21
0-5" LEAF LITTER & TOPSOIL
5-29" ORANGE BROWN VERY FINE SANDY LOAM, VERY ROCKY
29-93" LIGHT GRAY COARSE SAND & GRAVEL OVER DECOMPOSED/FRAGMENTED DIGGABLE LEDGE ROCK
MANY LARGE ROCKS/BOULDERS THROUGHOUT

NO MOTTLING
NO GW
LEDGE @ 38"
ROOTS 28"

TP 201
0-4" TOPSOIL
4-21" LIGHT BROWN FINE SANDY LOAM
21-31" LIGHT BROWN/LIGHT TAN FINE SAND
31-90" LIGHT TAN/BROWN MED-COARSE SAND WITH GRAVEL & COBBLES

NO MOTTLING
NO GW
LEDGE @ 38"
ROOTS 28"

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 36"
NO GW
LEDGE @ 62"
ROOTS TO 40"

TP 4
10" TOPSOIL
24" LT. BR. FINE SANDY LOAM
42" BR. TO GRAY SILTY DEPOSIT W/STAINING, INCONSISTENT
75" LT. GRAY MED. SAND, W/GRAVEL, COBBLES
99" DK. GRAY MED. SAND

NO GW
NO REDOX
NO REF.

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 34"
GW 28"
NO LEDGE
ROOTS TO 47"

17 MARTY'S WAY
TP 36
4" TOPSOIL
23" BR. FINE SANDY LOAM, SOME SILT
40" GRAY FINE SANDY LOAM W/SILT
91" GRAY MED. SAND W/GRAVEL, COBBLES

GW 68"
REDOX AT 34"
NO REF.
ROOTS TO 36"

25 MARTY'S WAY
TP 23
0-7" LEAF LITTER & TOPSOIL
7-30" ORANGE BROWN MEDIUM COARSE SANDY LOAM
30-60" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL, VERY ROCKY, DENSE
60-77" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 60"
ROOTS 25"

26 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 200
0-7" TOPSOIL
7-26" LIGHT BROWN FINE SANDY LOAM
26-37" LIGHT TAN FINE SAND WITH GRAVEL, COBBLES, STONES

NO MOTTLING
NO GW
NO LEDGE

TP 38A
0-10" LEAF LITTER & TOPSOIL
10-26" YELLOW TO GRAY MEDIUM COARSE SANDY LOAM, W/GRAVEL, DAMP
46-80" COULD NOT READ DUE TO GROUNDWATER

STANDING WATER @ 46"
MOTTLING @ 35"
GW 46"
NO LEDGE
ROOTS 34"

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 36"
NO GW
LEDGE @ 62"
ROOTS TO 40"

TP 4
10" TOPSOIL
24" LT. BR. FINE SANDY LOAM
42" BR. TO GRAY SILTY DEPOSIT W/STAINING, INCONSISTENT
75" LT. GRAY MED. SAND, W/GRAVEL, COBBLES
99" DK. GRAY MED. SAND

NO GW
NO REDOX
NO REF.

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 34"
GW 28"
NO LEDGE
ROOTS TO 47"

17 MARTY'S WAY
TP 36
4" TOPSOIL
23" BR. FINE SANDY LOAM, SOME SILT
40" GRAY FINE SANDY LOAM W/SILT
91" GRAY MED. SAND W/GRAVEL, COBBLES

GW 68"
REDOX AT 34"
NO REF.
ROOTS TO 36"

25 MARTY'S WAY
TP 23
0-7" LEAF LITTER & TOPSOIL
7-30" ORANGE BROWN MEDIUM COARSE SANDY LOAM
30-60" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL, VERY ROCKY, DENSE
60-77" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 60"
ROOTS 25"

26 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 200
0-7" TOPSOIL
7-26" LIGHT BROWN FINE SANDY LOAM
26-37" LIGHT TAN FINE SAND WITH GRAVEL, COBBLES, STONES

NO MOTTLING
NO GW
NO LEDGE

TP 38A
0-10" LEAF LITTER & TOPSOIL
10-26" YELLOW TO GRAY MEDIUM COARSE SANDY LOAM, W/GRAVEL, DAMP
46-80" COULD NOT READ DUE TO GROUNDWATER

STANDING WATER @ 46"
MOTTLING @ 35"
GW 46"
NO LEDGE
ROOTS 34"

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 36"
NO GW
LEDGE @ 62"
ROOTS TO 40"

TP 4
10" TOPSOIL
24" LT. BR. FINE SANDY LOAM
42" BR. TO GRAY SILTY DEPOSIT W/STAINING, INCONSISTENT
75" LT. GRAY MED. SAND, W/GRAVEL, COBBLES
99" DK. GRAY MED. SAND

NO GW
NO REDOX
NO REF.

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SATURATED, MOTTLLED
78" COULD NOT READ DUE TO STANDING WATER

MOTTLING @ 34"
GW 28"
NO LEDGE
ROOTS TO 47"

17 MARTY'S WAY
TP 36
4" TOPSOIL
23" BR. FINE SANDY LOAM, SOME SILT
40" GRAY FINE SANDY LOAM W/SILT
91" GRAY MED. SAND W/GRAVEL, COBBLES

GW 68"
REDOX AT 34"
NO REF.
ROOTS TO 36"

25 MARTY'S WAY
TP 23
0-7" LEAF LITTER & TOPSOIL
7-30" ORANGE BROWN MEDIUM COARSE SANDY LOAM
30-60" STRATIFIED GRAY BROWN COARSE SAND & GRAVEL, VERY ROCKY, DENSE
60-77" FRAGMENTED LEDGE ROCK

NO MOTTLING
NO GW
LEDGE @ 60"
ROOTS 25"

26 MARTY'S WAY AS RECORDED BY WENDY BROWN-ARNOLD-BROWN LEDGE LIGHT HEALTH DISTRICT ON JUNE 6, 2018.
TP 200
0-7" TOPSOIL
7-26" LIGHT BROWN FINE SANDY LOAM
26-37" LIGHT TAN FINE SAND WITH GRAVEL, COBBLES, STONES

NO MOTTLING
NO GW
NO LEDGE

TP 38A
0-10" LEAF LITTER & TOPSOIL
10-26" YELLOW TO GRAY MEDIUM COARSE SANDY LOAM, W/GRAVEL, DAMP
46-80" COULD NOT READ DUE TO GROUNDWATER

STANDING WATER @ 46"
MOTTLING @ 35"
GW 46"
NO LEDGE
ROOTS 34"

TP 38B
9" LEAF LITTER & TOPSOIL
24" LIGHT ORANGE BROWN MEDIUM-COARSE SANDY LOAM, DAMP
49" STRATIFIED GRAY BROWN MEDIUM COARSE SANDY LOAM, SAT