

APPROVED BY THE LEDYARD PLANNING AND ZONING COMMISSION AS TO THE COMPLIANCE WITH THE REGULATIONS GOVERNING THE SUBDIVISION OF LAND ALL IMPROVEMENTS SHALL BE COMPLETED BY CHAIRMAN OR SECRETARY EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE OF -THE LEDYARD PLANNING AND ZONING COMMISSION ON LOT NUMBERS ASSIGNED BY THE ASSESSOR NO PERMIT NECESSARY. (NOT WITHIN A REGULATED AREA) NOT APPLICABLE AT THIS TIME. (WITHIN A REGULATED AREA; NO REGULATED ACTIVITY PROPOSED AT THIS TIME.) WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS OR THE TOWN ENGINEER FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE OF THE LEDYARD PLANNING AND ZONING COMMISSION CHAIRMAN OR SECRETARY OF THE LEDYARD PLANNING AND ZONING COMMISSION APPROVED BY THE ZONING ENFORCEMENT OFFICER OF THE LEDYARD PLANNING COMMISSION

THE WORD "CERTIFY" IS UNDERSTOOD TO BE AN EXPRESSION OF THE PROFESSIONAL OPINION BY THE LAND SURVEYOR WHICH IS BASED ON HIS OR HER BEST KNOWLEDGE, INFORMATION AND BELIEF. AS SUCH IT CONSTITUTES NEITHER GUARANTEE OR WARRANTY. THE STONE WALLS AND/OR FENCES SHOWN AS BOUNDARIES MAY HAVE IRREGULARITIES OF COURSE BETWEEN PRINCIPAL POINTS OF COURSE INDICATED

ZONING ENFORCEMENT OFFICER

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR. THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN. JOB# 22-007.DWG FBK#327

LEGEND STONE WALL PROPERTY LINE STREET LINE _____ 98 STREET NUMBER

SOILS LEGEND

AfB - AGAWAM FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES

CdC - CANTON AND CHARLTON EXTREMELY STONY FINE SANDY LOAMS, 3 TO 15 PERCENT SLOPES

CrD - CHARLTON-HOLLIS FINE SANDY LOAMS, VERY ROCKY, 15 TO 45 PERCENT SLOPES

HCA - HAVEN SILT LOAM, O TO 3 PERCENT SLOPES

HKC - HINCKLEY GRAVELLY SANDY LOAM, 3 TO 15 PERCENT SLOPES

Rn - RIDGEBURY, LEICESTER AND WHITMAN EXTREMELY STONY FINE SANDY LOAM

| - UDORTHENTS-URBAN LAND COMPLEX

NOTE: BOUNDARY LINES OF ADJOINING PROPERTIES ARE SHOWN FOR GENERAL INFORMATIONAL PURPOSES ONLY AND ARE NOT TO BE CONSTRUED AS BEING ACCURATELY LOCATED OR DEPICTED.

GENERAL NOTES:

1. MAP REFERENCES: A) SUBDIVISION PLAN PREPARED FOR AMER JAVAD 98 STODDARDS WHARF ROAD — (CONN. RTE #214) LEDYARD, CONNECTICUT BOUNDARY SURVEY MAP DATE: 9/12/11 SCALE: 1"=40' SHEET 1 OF 4 ADVANCED SURVEYS, LLC. B) LOT DIVISION PLAN PROPERTY OF PANDE HOLDINGS, LLC 98 STODDARDS

WHARF (CONNECTICUT ROUTE 214) LEDYARD, CONNECTICUT DATE: MAY 10, 2007 SCALE: 1"=40' SHEET NO. 1 OF 2. REVISIONS DATE 5/23/07 STREET ADDRESS, LOCATION MAP & NOTE 12 ADDED.

2. CALL BEFORE YOU DIG AT 1-800-922-4455 BEFORE ANY CONSTRUCTION ACTIVITY. 3. ELEVATIONS SHOWN HEREON ARE BASED ON NATIONAL GEODETIC VERTICAL DATUM.

4. THIS SUBDIVISION WILL BE SERVED BY ON SITE WELLS AND ON SITE SEWAGE SYSTEMS.


5. HOUSES, WELLS, DRIVEWAYS, SEWAGE DISPOSAL SYSTEMS AND EROSION/SEDIMENT SEDIMENT CONTROL MEASURES ARE SHOWN CONCEPTUALLY ONLY. 6. ZONING SETBACKS: LOTS SUBMITTED AS A SET-ASIDE DEVELOPMENT AS DEFINED IN CONNECTICUT GENERAL STATUTES SECTION 8-30g.


MINIMUM FRONT YARD SETBACK 12' MINIMUM SIDE YARD SETBACK 6' MINIMUM REAR YARD SETBACK 15'

7. PASSIVE SOLAR TECHNIQUES AS PRESCRIBED BY LAW HAVE BEEN CONSIDERED IN THE DESIGN OF THIS SUBDIVISION. 8. NO PARKING SIGNS SHALL BE PLACED AS REQUIRED BY DIRECTOR OF PUBLIC WORKS.

9. ACTUAL CONDITIONS THAT DEVELOP OR ARE MORE CLEARLY ASSESSED DURING CONSTRUCTION MAY DICTATE THAT FIELD ADJUSTMENTS, INCLUDING ADDITIONAL DRAINAGE AND SIGHTLINE MEASURES, MAY BE NECESSARY FOR ADEQUATE STORMWATER MANAGEMENT. ADDITIONAL DESIGN EFFORT FOR INSTALLATION OF SUCH MEASURES SHALL BE UNDERTAKEN IN ACCORDANCE WITH DIRECTION FROM THE TOWN.

10. THE TOWN WILL INSTALL THE REQUIRED ROAD SIGNAGE AND MARKINGS, THE COST OF WHICH WILL BE BACKCHARGED TO THE APPLICANT/OWNER.





SHEET INDEX

SHEET 1 - 100 SCALE BOUNDARY MAP; PARCEL HISTORY MAP; LOCATION MAP AND GENERAL NOTES

SHEET 2 - 40 SCALE A-2 PLAN

SHEET 3 - 40 SCALE CONCEPTUAL LAYOUT PLAN

SHEET 4 - DEEP TEST PIT DATA

SHEET 5 - PERCOLATION TEST RESULTS AND SEPTIC SYSTEM DESIGN CRITERIA

SHEET 6 - 40 SCALE PLAN/PROFILE AVERY BROOK CIRCLE

SHEET 7 - 40 SCALE PLAN/PROFILE AVERY BROOK CIRCLE

SHEET 8 - 40 SCALE SIGHTLINE DEMONSTRATION PLAN

SHEET 9 - EROSION AND SEDIMENT CONTROL NARRATIVE AND DETAILS

SHEET 10 - CONSTRUCTION DETAILS

PLAN SHOWING RESUBDIVISION

PROPERTY OF AVERY BROOK HOMES LLC

94, 96, 98 AND 100 STODDARDS WHARF ROAD

A.K.A.

REVISED: DECEMBER 13, 2022

CONNECTICUT ROUTE 214 RECEIVED LEDYARD, CONNECTICUT (22 2023

SCALES AS SHOWN LAND USE DEPARTMEN

JULY 2022 REVISED: OCTOBER 31, 2022


SHEET 1 OF 10

THIS SURVEY AND MAP HAS BEEN PREPARED IN ACCORDANCE WITH SECTIONS 20-300b-1 THRU 20-300b-20 OF THE REGULATIONS OF CONNECTICUT STATE AGENCIES — "MINIMUM STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT" AS ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. IT IS A BOUNDARY SURVEY BASED ON AN RESURVEY CONFORMING TO HORIZONTAL ACCURACY CLASS "D".

TO MY KNOWLEDGE AND BELIEF, THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.

TITLE: LAND SURVEYOR CT No. 14208

DATE: JULY 7, 2022




GRAPHIC SCALE

(IN FEET) 1 inch = 100 ft.

DIETER & GARDNER LAND SURVEYORS • PLANNERS P.O. BOX 335 1641 CONNECTICUT ROUTE 12 GALES FERRY, CT. 06335

(860) 464-7455

EMAIL: DIETER.GARDNER@YAHOO.COM






NOTE: BOUNDARY LINES OF ADJOINING PROPERTIES ARE SHOWN FOR GENERAL INFORMATIONAL PURPOSES ONLY AND ARE NOT TO BE CONSTRUED AS BEING ACCURATELY LOCATED OR DEPICTED.



LAND SURVEYORS • PLANNERS 1641 CONNECTICUT ROUTE 12 P.O. BOX 335 GALES FERRY, CT. 06335 (860) 464-7455 EMAIL: DIETER.GARDNER@YAHOO.COM

HOMES WILL HAVE ROOF DRAINAGE TIE INTO STORMTECH SC-740 CHAMBER TO INFILTRATE 1" STORM



1. PROVIDE STORMTECH CHAMBERS TO CAPTURE 1" RAINFALL FROM THE ROOF OF THE HOME. 2. KEEP ALL TRAFFIC OFF UNITS AFTER CONSTRUCTION.

3. INSTALL CHAMBERS IN ACCORDANCE WITH STORMTECH DESIGN MANUAL. $ROOF = 26' \times 36' = 936 \text{ S.f.}$

936 S.F. X 0.083 = 77.68 C.F.

26 HOUSES X 936 = 24,336 S.F 24,336 S.F. X 0.083 = 2,020 C.F.


SEPTIC SYSTEM REVISIONS OF JANAURY 13, 2023

LOTS 1, 2, 7, 14, 15, 16, 20, 19, 21, 22, 24 AND 26 GST 6236 LOTS 3, 4, 5, 8, 9, 10, 11, 12, 17, 18, 23 AND 25 SHOWING PRIMARY SEPTIC SYSTEM AS GST 6212

LOTS 6 AND 13 SHOWING PRIMARY SEPTIC SYSTEMS AS GST 6218

NOTE: FOOTING DRAINS NOT REQUIRED OR PROPOSED.

GRAPHIC SCALE



PLAN SHOWING RESUBDIVISION

PROPERTY OF

AVERY BROOK HOMES LLC

94, 96, 98 AND 100

STODDARDS WHARF ROAD A.K.A.

CONNECTICUT ROUTE 214

LEDYARD, CONNECTICUT

SCALE: 1"=40'

JULY 2022 REVISED: OCTOBER 31, 2022 REVISED: DECEMBER 5, 2022

REVISED: DECEMBER 13, 2022 REVISED: JANUARY 19, 2023 REVISED: FEBRUARY 13, 2023

THIS SURVEY AND MAP HAS BEEN PREPARED IN ACCORDANCE WITH SECTIONS 20-300b-1 THRU 20-300b-20 OF THE REGULATIONS OF CONNECTICUT STATE AGENCIES - "MINIMUM STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT" AS ENDORSED BY CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. IT IS A BOUNDARY SURVEY BASED ON A RESURVEY CONFORMING TO HORIZONTAL ACCURACY CLASS "D" AND TOPOGRAPHIC ACCURACY T-2. TO MY KNOWLEDGE AND BELIEF, THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.

TITLE: LAND SURVEYOR CT No. 14208

DATE: JULY 7, 2022

SHEET 3 OF 10

APPROVED BY	THE LEDYARD PLANNING AND ZON	NING COMMISSION AS TO TH
	WITH THE REGULATIONS GOVERNING	
	MENTS SHALL BE COMPLETED BY _	
		DATE
CHAIRMA	N OR SECRETARY	DATE
EROSION AND	SEDIMENT CONTROL PLAN CERTIFI	ED BY VOTE OF -
THE LEDYARD	PLANNING AND ZONING COMMISSION	ON ON DATE
LOT NUMBERS	S ASSIGNED BY THE ASSESSOR	
AS	SESSOR	DATE
IWWC	ADDITION WON !!	
111110	APPLICATION#	
	APPROVED,	
	NO PERMIT NECESSARY. (NOT WI NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS	(WITHIN A REGULATED AREA
	NOT APPLICABLE AT THIS TIME.	(WITHIN A REGULATED AREA
WETLANDS C	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS	(WITHIN A REGULATED AREA
APPROVED BY	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE OFFICER THE DIRECTOR OF PUBLIC WORKS	(WITHIN A REGULATED AREASED AT THIS TIME.) DATE
APPROVED BY	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE OFFICER THE DIRECTOR OF PUBLIC WORKS	(WITHIN A REGULATED AREA SED AT THIS TIME.) DATE
APPROVED BY FOR PUBLIC V PUBLIC WORKS EROSION AND	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE OFFICER THE DIRECTOR OF PUBLIC WORKS WAY LAYOUT.	(WITHIN A REGULATED AREA SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
APPROVED BY FOR PUBLIC WORKS PUBLIC WORKS PROSION AND FOR THE LEDYA	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE OFFICER THE DIRECTOR OF PUBLIC WORKS WAY LAYOUT. S DIRECTOR/TOWN ENGINEER SEDIMENT CONTROL PLAN CERTIFIE RD PLANNING AND ZONING COMMISS SECRETARY OF THE LEDYARD PLAN	(WITHIN A REGULATED AREA SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE ED BY VOTE SSION
APPROVED BY FOR PUBLIC WORKS EROSION AND OF THE LEDYA CHAIRMAN OR AND ZONING OF	NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE OFFICER THE DIRECTOR OF PUBLIC WORKS WAY LAYOUT. S DIRECTOR/TOWN ENGINEER SEDIMENT CONTROL PLAN CERTIFIE RD PLANNING AND ZONING COMMISS SECRETARY OF THE LEDYARD PLAN	(WITHIN A REGULATED AREA SED AT THIS TIME.) DATE OATE DATE DATE DATE DATE DATE DATE DATE DATE DATE DATE

DIETER & GARDNER LAND SURVEYORS . PLANNERS 1641 CONNECTIOUT ROUTE 12 P.O. BOX 335 GALES FERRY, CT. 06335

(860) 464-7455 EMAIL: DIETER.GARDNER@YAHOO.COM

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR. THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN. JOB#22-007.DWG FBK#327

TP 1 0-45" FILL-DISTURBED LOAM, ROCKS, BRICK 11-37" BROWN FINE TO MED. SANDY LOAM 37-96" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES NO WATER LEDGE @ 45" NO MOTTLING NO WATER NO LEDGE 0-16" DISTURBED SOIL & FILL 16-50" LIGHT TAN FINE SAND 0-11" TOPSOIL W/GRAVEL & ROCKS 11-37" BROWN FINE TO MED. SANDY LOAM NO MOTTLING NO WATER 37-89" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES LEDGE @ 50" NO MOTTLING NO WATER NO LEDGE TP 3 0-10" TOPSOIL 10-28" LIGHT BROWN FINE SANDY LOAM 28-87" LIGHT TAN FINE SAND W/GRAVEL COBBLES, LARGE STONES TP 18 0-9" TOPSOIL 9-29" YELLOW TO BROWN FINE SANDY LOAM NO MOTTLING NO WATER NO LEDGE 29-103" TAN TO OLIVE MED. TO COARSE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 4 0-11" TOPSOIL 11-34" LIGHT BROWN FINE SANDY LOAM 34-90" LIGHT TAN/GRAY FINE SAND W/ TP 19 GRAVEL, SOME COBBLES 0-14" TOPSOIL 14-36" BROWN FINE SANDY LOAM MOTTLING @ 64" W/SILT WATER @ 80" 36-84" TAN/GRAY COARSE SAND NO LEDGE W/GRAVEL MOTTLING @ 40" TP 5 0-16" TOPSOIL WATER @ 43" NO LEDGE 16-45" LIGHT BROWN SILT LOAM, SOME FINE SAND 45-94" TAN/GRAY FINE TO MED. SAND W/ GRAVEL, TP 20 MOTTLING @ 33"? WATER @ 33" 0-17" TOPSOIL 17-31" BROWN FINE SANDY LOAM NO LEDGE W/SILT 31-83" TAN/GRAY COARSE SAND W/GRAVEL AND FEW COBBLES TP 6 0-9" TOPSOIL MOTTLING @ 43" WATER @ 46" 9-37" BROWN FINE TO VERY FINE SANDY LOAM 37-84" TAN/GRAY FINE TO MED. SAND W/ NO LEDGE GRAVEL, FEW COBBLES MOTTLING @ 46" WATER @ 50" NO LEDGE 0-17" SANDY FILL & DISTURBED 17-24" TOPSOIL 24-33" BROWN MED. SANDY LOAM TP 7 0-7" TOPSOIL 33-88" TAN/BROWN FINE MED. SAND 7-30" BROWN FINE TO MED. SANDY LOAM W/GRAVEL AND COBBLES 30-77" TAN COARSE SAND W/GRAVEL NO MOTTLING AND COBBLES NO WATER NO LEDGE NO MOTTLING NO WATER NO LEDGE TP 22 0-19" FILL 19-32" TOPSOIL TP 8 0-10" TOPSOIL 32-53" BROWN MED. SANDY LOAM 53-103" TAN TO BROWN MED. TO FINE 10-34" LIGHT BROWN FINE SANDY LOAM SAND W/GRAVEL AND COBBLES 34-64" ORANGE/TAN COARSE SAND W/GRAVEL NO MOTTLING 64-95" TAN/GRAY FINE TO MED. SAND NO WATER NO LEDGE MOTTLING @ 73" WATER @ 83" TP 23 0-17" SANDY FILL AND DISTURBED TP 9 0-15" TOPSOIL 17-24" TOPSOIL 24-33" BROWN MED. SANDY LOAM 15-31" BROWN FINE SANDY LOAM 31-96" TAN MED. TO COARSE SAND AND 33-88" TAN TO BROWN MED. SAND GRAVEL, FEW COBBLES W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE NO MOTTLING NO WATER NO LEDGE TP 10 0-11" TOPSOIL TP 24 0-8" TOPSOIL 11-23" BROWN FINE SANDY LOAM 8-46" BROWN FINE TO MED. SANDY LOAM, 23-84" TAN TO GRAY MED. TO COARSE SAND W/ SOME COBBLES GRAVEL AND COBBLES 46-92" TAN TO GRAY COARSE SAND NO MOTTLING NO WATER W/GRAVEL AND COBBLES NO LEDGE MOTTLING @ 60" WATER 64" UPHILL, 32" DOWNHILL NO LEDGE 0-11" TOPSOIL 11-34" BROWN FINE TO MED. SANDY LOAM 34-96" TAN TO GRAY MED. TO COARSE SAND W/ TP 25 0-10" TOPSOIL GRAVEL AND COBBLES 10-29" BROWN FINE TO MED. SANDY LOAM, NO MOTTLING NO WATER SOME SILT 29-75" BROWN TO GRAY MED. TO COARSE NO LEDGE SAND W/GRAVEL AND COBBLES MOTTLING @ 33" WATER 33", 30" DOWNHILL TP 12 0-12" TOPSOIL 12-29" BROWN FINE TO MED. SANDY LOAM 29-95" BROWN TO TAN MED. TO COARSE SAND W/ GRAVEL, SOME COBBLES TP 26 0-7" TOPSOIL NO MOTTLING NO WATER 7-36" YELLOW TO BROWN FINE TO MED. NO LEDGE SILTY LOAM W/TRACE FINE SAND 36-82" BROWN TO GRAY FINE TO MED. SAND W/GRAVEL AND COBBLES, SOME SILT MOTTLING @ 26" WATER @ 26" TP 13 0-13" TOPSOIL NO LEDGE 13-25" BROWN FINE TO MED. SANDY LOAM 25-91" TAN TO BROWN MED. TO COARSE SAND AND GRAVEL, SOME COBBLES TP 27 0-11" TOPSOIL NO MOTTLING 11-24" BROWN FINE TO MED. SANDY LOAM NO WATER 24-39" TAN FINE TO MED. SAND NO LEDGE 39-87" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER TP 14 0-8" TOPSOIL NO LEDGE 8-26" BROWN FINE TO MED. SANDY LOAM

GRAVEL AND COBBLES STRATIFIED

12-32" BROWN FINE TO MED. SANDY LOAM

GRAVEL AND COBBLES

32-99" TAN TO GRAY MED. TO FINE SAND W/

NO MOTTLING NO WATER NO LEDGE

TP 29 0-12" TOPSOIL

NO LEDGE

12-34" BROWN FINE SANDY LOAM (DEPTH VARIES) 34-98" TAN TO MED. TO FINE SAND W/GRAVEL AND GRAVEL, STRATIFIED NO WATER NO LEDGE 0-7" TOPSOIL NO LEDGE 0-8" TOPSOIL NO WATER NO LEDGE TP 33 0-10" TOPSOIL NO MOTTLING NO WATER NO LEDGE TP 34 0-12" TOPSOIL NO WATER NO LEDGE TP 35 0-9" TOPSOIL NO MOTTLING NO WATER NO LEDGE 0-8" TOPSOIL NO MOTTLING NO WATER NO LEDGE 0-9" TOPSOIL 9-39" LIGHT BROWN TO TAN. NO MOTTLING NO WATER NO LEDGE TP 38 0-8" TOPSOIL NO MOTTLING NO WATER NO LEDGE 0-5" TOPSOIL 41-83" TAN TO MED. SAND W/ NO MOTTLING NO WATER NO LEDGE 0-8" TOPSOIL NO LEDGE 0-9" TOPSOIL NO WATER NO LEDGE TP 42 0-5" TOPSOIL TP 28
0-12" TOPSOIL
12-32" LIGHT BROWN FINE TO MED. SANDY LOAM
32-96" LIGHT TAN FINE TO MED. SAND W/ NO WATER NO LEDGE TP 43 0-8" TOPSOIL AROUND HOLE

NO MOTTLING

NO WATER

NO LEDGE

0-12" TOPSOIL

NO MOTTLING SAND W/GRAVEL AND COBBLES NO WATER NO LEDGE 0-13" TOPSOIL 7-31" YELLOW TO BROWN FINE TO VERY FINE SANDY LOAM 13"-23 BROWN FINE TO VERY FINE SANDY LOAM 31-100" TAN FINE TO MED. SAND W/GRAVEL 23-37" GRAY TO TAN VERY FINE SAND W/SILT AND COBBLES 37-93" BROWN TO GRAY COARSE SAND W/ GRAVEL AND SOME COBBLES MOTTLING @ 37" NO WATER NO LEDGE 0-15" TOPSOIL 15-39" GRAY TO TAN VERY FINE SANDY W/SILT 8-34" BROWN FINE SANDY LOAM 39-51" GRAY FINE TO MED. SAND W/SILT & HEAVILY 34-82" TAN TO GRAY MED. TO FINE SAND W/GRAVEL MOTTLED THROUGHOUT AND COBBLES 51-108" BROWN TO TAN COARSE SAND W/ GRAVEL AND SOME COBBLES OLD FILTER FABRIC AND GRAVEL @ 20" MOTTLING @ 39" WATER @ 96" NO LEDGE 0-10" TOPSOIL 10-34" BROWN FINE SANDY LOAM 10-22" BROWN FINE TO MED. SANDY LOAM W/SILT 34-75" TAN TO GRAY MED. TO FINE SAND W/GRAVEL 22-41" LIGHT BROWN TO ORANGE SILTY LOAM,
TRACE FINE SAND
41-98" BROWN TO GRAY COARSE SAND W/GRAVEL
AND SOME COBBLES AND COBBLES NO MOTTLING WATER @ 96" NO LEDGE TP 48 0-10" TOPSOIL 12-44" YELLOW TO BROWN FINE TO VERY FINE SANDY LOAM 44-89" TAN TO BROWN MED. SAND W/GRAVEL 10-28" BROWN FINE TO VERY FINE SANDY LOAM TO SILT 28-106" BROWN TO GRAY MED. TO COARSE SAND AND COBBLES W/GRAVEL AND COBBLES NO MOTTLING NO WATER-WET AT BOTTOM NO LEDGE TP 49 0-10" TOPSOIL 9-21" BROWN FINE SANDY LOAM 10-24" BROWN FINE TO VERY FINE SANDY LOAM 21-47" TAN TO BROWN MED. SAND W/GRAVEL, 24-52" LIGHT YELLOW TO BROWN VERY FINE SAND W/SILT 52-99" BROWN TO GRAY COARSE SAND WITH FEW COBBLES 47-110" TAN TO BROWN, MED. SAND W/GRAVEL. GRAVEL, FEW COBBLES FEW COBBLES POSSIBLE MOTTLING @ 52" WATER @ 90" NO LEDGE 0-10" TOPSOIL 8-34" BROWN FINE SANDY LOAM 10-24" BROWN FINE TO VERY FINE SANDY LOAM 34-94" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES 24-41" LIGHT YELLOW TO TAN VERY FINE SAND. 41-111" TAN TO BROWN COARSE SAND W/GRAVEL AND SOME COBBLES NO MOTTLING WATER @ 106" NO LEDGE 0-10" TOPSOIL FINE TO VERY FINE, SANDY LOAM 10-20" LIGHT BROWN FINE TO VERY FINE 39-100" LIGHT TAN FINE TO MED. SANDY LOAM SAND W/GRAVEL AND COBBLES 20-42" LIGHT YELLOW TO BROWN VERY FINE SAND W/TRACE SILT 42-101" BROWN TO TAN COARSE SAND WITH NO MOTTUNG GRAVEL, SOME COBBLES NO MOTTLING NO WATER NO LEDGE 8-34" BROWN FINE SANDY LOAM TP 52 0-13" TOPSOIL 34-90" TAN TO GRAY MED. TO FINE SAND 13-38" BROWN FINE TO VERY FINE SANDY LOAM W/GRAVEL AND COBBLES 38-90" BROWN TO TAN COARSE TO MED. SAND WITH SOME GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 5-41" LIGHT BROWN FINE SANDY LOAM 0-13" TOPSOIL 13-32" BROWN FINE TO MED. SANDY LOAM W/GRAVEL AND COBBLES GRAVEL AND COBBLES 83"-104" OLIVE TO BROWN FINE SAND, SOME GRAVEL 32-92" BROWN TO TAN COARSE TO MED. SAND W/GRAVEL AND MANY COBBLES NO MOTTLING NO WATER NO LEDGE 0-11" TOPSOIL 8-32" BROWN FINE TO MED. SANDY LOAM 32-58" TAN TO GRAY SILT WITH
PATCHY ORANGE REDOX INCONSISTENT AROUND 11-32" BROWN FINE TO VERY FINE SANDY LOAM 32-95" BROWN TO TAN COARSE TO MED. SAND W/GRAVEL AND SOME COBBLES 58-99" TAN TO GRAY MED, TO FINE SAND NO MOTTLING W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 9-29" BROWN FINE TO MED. SANDY LOAM 0-14" TOPSOIL 29-52" TAN TO GRAY SILT FINE SAND, STAINED 52-101" TAN TO GRAY, FINE TO MED. SAND 14-22" BROWN FINE TO VERY FINE SANDY LOAM 22-37" LIGHT BROWN FINE TO VERY FINE SAND W/SILT NO MOTTLING W/GRAVEL AND COBBLES 37-110" TAN MED. SAND W/GRAVEL, FEW COBBLES NO MOTTLING NO WATER NO LEDGE 5-14" LIGHT BROWN FINE TO VERY FINE SANDY LOAM 0-15" TOPSOIL 14-50" ORANGE TO GRAY SILT, STAINED 15-43" LIGHT BROWN SILT LOAM , SOME FINE SAND 43-110" TAN MED. SAND SOME GRAVEL FEW COBBLES 50-105" TAN TO BROWN FINE TO MED. NO MOTTLING SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 8-33" BROWN FINE SANDY LOAM 33-45" TAN TO GRAY SILT INCONSISTENT 8-27" LIGHT BROWN FINE TO VERY FINE SANDY LOAM 27-104" TAN TO BROWN MED. TO COARSE SAND 45-83" TAN TO MED. TO FINE SAND W/GRAVEL W/GRAVEL, SOME COBBLES AND COBBLES

NO MOTTLING

NO WATER

NO LEDGE

WITNESSED AND RECORDED BY WENDY BROWN-ARNOLD RS,/REHS AND ALEX WILBOUR LEDGE LIGHT HEALTH DISTRICT ON 5/2/22, 5/5/22 AND 5/23/2022 AND WENDY BROWN-ARNOLD RS,/REHS ON JUNE 14, 2022.

0-6" TOPSOIL

6-14" BROWN FINE TO MED. SANDY LOAM 12"-32" LIGHT BROWN FINE TO VERY FINE SANDY LOAM 14-42" TAN TO GRAY SILT INCONSISTENT AROUND HOLE 32-98" TAN TO BROWN MED. TO COARSE SAND WITH GRAVEL, SOME COBBLES 42-102" TAN TO GRAY MED. TO FINE NO MOTTLING NO WATER NO LEDGE TP 59 0-11" TOPSOIL 11-23" BROWN FINE TO VERY FINE SANDY LOAM 23-93" BROWN TO TAN COARSE TO MED. SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 60 0-10" TOPSOIL 10-23" BROWN FINE TO VERY FINE SANDY LOAM 23-97" BROWN TO TAN COARSE TO MED. SAND WITH GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 0-8" TOPSOIL 8-28" BROWN VERY FINE SANDY LOAM 28-99" TAN TO BROWN COARSE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 62 0-9" TOPSOIL 9-24" LIGHT BROWN VERY FINE SANDY LOAM 24-96" BROWN TO TAN COARSE TO MED. SAND W/GRAVEL AND COBBLES NO WATER NO LEDGE 0-8" TOPSOIL 8-26" BROWN FINE TO MED. SANDY LOAM 26-91" BROWN TO TAN COARSE TO MED. SAND, W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 64 0-10" TOPSOIL 10-31" BROWN FINE SANDY LOAM 31-91" BROWN TO TAN COARSE TO MED. SAND W/SOME SILT GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 0-13" TOPSOIL 13-30" LIGHT BROWN FINE TO VERY FINE SANDY LOAM 30-100" TAN TO BROWN COARSE SAND WITH GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 66 0-10" TOPSOIL 10-28" BROWN FINE SANDY LOAM 28-90" TAN TO GRAY MED. TO COARSE SAND W/SOME GRAVEL NO MOTTLING NO WATER NO LEDGE 0-14" TOPSOIL 14-25" LIGHT BROWN FINE TO VERY FINE SANDY LOAM 25-108" TAN TO BROWN MED. TO COARSE SAND W/GRAVEL AND COBBLES NO MÔTTLING NO WATER NO LEDGE 0-11" TOPSOIL 11-29" BROWN FINE TO MED. SANDY LOAM 29-80" TAN TO GRAY MED. TO COARSE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 69 0-12" TOPSOIL 12-36" YELLOW TAN FINE TO VERY FINE SANDY LOAM 36-93" TAN TO BROWN MED. TO FINE SAND W/GRAVEL, SOME COBBLES NO WATER NO LEDGE TP 70 0-14" TOPSOIL 14-36" BROWN FINE TO MED. SANDY LOAM

36-91" TAN MED. TO FINE SAND

NO MOTTLING

0-8" TOPSOIL

NO MOTTLING

NO WATER

NO LEDGE

NO WATER

NO LEDGE

W/GRAVEL AND COBBLES

8-36" BROWN FINE TO MED. SANDY LOAM

36-96" TAN TO GRAY MED. TO FINE SAND W/ GRAVEL AND COBBLES

TP 72 0-8" TOPSOIL 8-32" BROWN FINE TO MED. SANDY LOAM 32-91" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 73 0-13" TOPSOIL 13-28" BROWN FINE SANDY LOAM 28-37" YELLOW TAN FINE TO VERY FINE SANDY LOAM 37-90" TAN TO BROWN FINE TO MED. SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE 0-6" TOPSOIL 6-39" BROWN FINE SANDY LOAM 39-99" TAN TO BROWN FINE TO MED. SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 75 0-10" TOPSOIL 10-29" LIGHT BROWN FINE SANDY LOAM 29-96" TAN TO OLIVE/BROWN FINE TO MED. SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 76 0-10" TOPSOIL 10-34" LIGHT BROWN FINE SANDY LOAM 34-96" TAN TO OLIVE/BROWN FINE TO MED. SAND W/GRAVEL AND COBBLES STRATIFIED NO MOTTLING NO WATER NO LEDGE 0-11" TOPSOIL 11-36" BROWN FINE TO MED. SANDY LOAM 36-101" BROWN TO TAN MED. TO FINE SAND WITH GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 78 0-15" TOPSOIL 15-46" BROWN FINE TO MED. SANDY LOAM 46-106" BROWN TO TAN MED. FINE SAND W/ SOME GRAVEL NO MOTTLING NO WATER NO LEDGE TP 79 0-11" TOPSOIL 11-38" BROWN FINE TO MED. SANDY LOAM 38-90" TAN TO GRAY MED. TO FINE SAND WITH GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 80 0-12" TOPSOIL 12-33" BROWN FINE TO MED. SANDY LOAM 33-95" TAN TO GRAY MED. TO FINE SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 81 0-13" TOPSOIL 13-40" BROWN FINE TO MED. SANDY LOAM 40-96" TAN TO GRAY MED. SAND W/GRAVEL AND COBBLES NO MOTTLING NO WATER NO LEDGE TP 82 0-9" SAND AND GRAVEL FILL 9-18" TOPSOIL 18-52" LIGHT BROWN FINE TO VERY FINE SANDY LOAM, SOME SILT 52-101" TAN TO BROWN FINE TO MED. SAND, SOME GRAVEL NO MOTTLING NO WATER NO LEDGE

PLAN SHOWING DEEP TEST PIT DATA RESUBDIVISION PROPERTY OF AVERY BROOK HOMES LLC 94, 96, 98 AND 100 STODDARDS WHARF ROAD A.K.A. CONNECTICUT ROUTE 214 LEDYARD, CONNECTICUT JULY 2022

TP 83 0-9" TOPSOIL

NO MOTTLING NO WATER

TP 84 0-11" TOPSOIL

NO MOTTLING WATER @ .79"

TP 85 0-12" TOPSOIL

NO MOTTLING

NO MOTTLING

LEDGE-NONE TO 89"

NO WATER

LEDGE-NONE TO 98"

NO WATER

LEDGE-NONE TO 92"

LEDGE-NONE TO 104"

TRACE SILT

9-31" BROWN FINE SANDY LOAM

11-38" BROWN FINE SANDY LOAM

12-33" BROWN FINE SANDY LOAM

30-98" TAN COARSE SAND W/GRAVEL AND COBBLES

0-8" TOPSOIL 8-30" BROWN FINE SANDY LOAM

30-89" TAN COARSE SAND W/GRAVEL AND COBBLES

38-92" TAN TO BROWN MED-COARSE

SAND W/GRAVEL AND COBBLES

31-104" TAN-BROWN COARSE SAND

WITH GRAVEL AND COBBLES

26-91" TAN MED. TO FINE SAND/GRAVEL

AND COBBLES

10-39" BROWN FINE SANDY LOAM

AND COBBLES

39-99" TAN TO OLIVE MED. TO COARSE SAND/GRAVEL

NO MOTTLING NO WATER

TP 15 0-10" TOPSOIL

NO MOTTLING

NO WATER

NO LEDGE

NO LEDGE

SHEET 4 OF 10

		and the second s	PERCO	OLATION TESTS PERFORMED ON MA	Y 26 & 27, JUNE 3 AND JUNE 10	, 2022 BY DIETER & GARDNER, INC. (JO	ODY TERRY AND MATT EMILYTA)		
LOT 1 27" DEEP TIME 8: 59 9: 04 9: 09 9: 14 9: 19 9: 24 9: 29 9: 34 9: 39 9: 44 9: 49 PERC RATE:	READING 2" 6 3/4" 9" 11" 12 1/2" 14" 15 1/2" 17" 18 1/4" 19 1/4" 20 1/4"	WATER QUALITY BASIN 29" DEEP TIME READING 8: 51 4" 8: 56 10" 9: 01 13 3/4" 9: 06 16" 9: 11 18" 9: 16 20" 9: 21 21" 9: 26 22" 9: 31 23" 9: 36 24" 9: 41 25" PERC RATE: 1"/5 MINS.	WATER QUALITY BASIN 30" DEEP TIME READING 9: 00 2 1/2" 9: 05 7 1/2" 9: 10 11" 9: 15 13 1/2" 9: 20 16" 9: 25 17 1/2" 9: 30 19 1/2" 9: 35 20 1/2" 9: 40 21 1/2" 9: 45 22 1/2" PERC RATE: 1"/5 MINS.	LOT 2 26" DEEP TIME READING 9: 02 2 1/4" 9: 07 13 1/2" 9: 12 19" 9: 17 22 1/2" 9: 22 24 1/2" 9: 27 26" 9: 32 DRY PERC RATE: 1"/3.3 MINS.	LOT 2 26" DEEP TIME READING 9: 55 2" 10: 00 8 1/2" 10: 05 13" 10: 10 17" 10: 15 19 1/2" 10: 20 22" 10: 25 24" 10: 30 25" 10: 35 26" 10: 40 DRY	LOT 2 29" DEEP TIME READING 1: 30 4" 1: 35 20" 1: 40 23" 1: 45 24 1/2" 1: 50 25 1/2" 1: 55 26 1/2" 2: 00 27 1/2" 2: 05 28 1/2" 2: 10 DRY	LOT 3 30" DEEP TIME READING 1: 32 4" 1: 37 13" 1: 42 18" 1: 47 20 1/2" 1: 52 23" 1: 57 24" 2: 02 25" 2: 07 25 3/4" 2: 12 26 3/4" 2: 17 27 3/4" PERC RATE: 1"/5 MINS.	LOT 4 30" DEEP TIME READING 1: 34 3" 1: 39 9 1/2" 1: 44 13" 1: 49 15 1/2" 1: 54 18" 1: 59 20" 2: 04 21 1/2" 2: 09 23" 2: 14 24 1/2" 2: 19 26" PERC RATE: 1"/3.3 MINS.	LOT 5 29" DEEP TIME READING 1: 41 4" 1: 46 10" 1: 51 13" 1: 56 15 1/2" 2: 01 17 1/2" 2: 06 19" 2: 11 20 1/2" 2: 16 22" 2: 21 23 1/2" 2: 26 25" 2: 31 26 1/2" PERC RATE: 1"/3.3 MINS.
LOT 6 27" DEEP TIME 9:13 9:18 9:23 9:28 9:33 9:38 9:43 9:48 9:53 9:58 10:03 PERC RATE:	READING 4" 11 1/2" 16" 18" 20" 21 1/2" 22" 23 1/2" 24 1/2" 25 1/2" DRY 1"/5 MINS.	LOT 7 27" DEEP TIME READING 9:10 4" 9:15 14 1/2" 9:20 17 1/2" 9:25 21" 9:30 22" 9:35 23" 9:40 24" 9:45 25" 9:50 26" 9:55 DRY	LOT 7 27" DEEP TIME READING 9:18 3" 9:23 7" 9:28 10" 9:33 11 3/4" 9:38 13" 9:43 14 1/4" 9:48 15 1/2" 9:53 16 1/2" 9:58 17 7/8" 10:03 19 1/2" PERC RATE: 1"/3 MINS.	LOT 8 30" DEEP TIME READING 11: 28 4" 11: 33 10" 11: 38 12 1/2" 11: 43 14 1/2" 11: 48 16 1/2" 11: 53 17 1/4" 11: 58 19" 12: 03 20 1/2" 12: 08 21 1/8" PERC RATE: 1"/3 MINS.	LOT 9 32" DEEP TIME READING 11: 24 3 1/2" 11: 29 17 1/2" 11: 34 21" 11: 39 23 1/2" 11: 44 25 1/2" 11: 49 27 1/2" 11: 54 29" 11: 59 30 1/2" 12: 04 DRY PERC RATE: 1"/3.3 MINS.	LOT 9 30" DEEP TIME READING 10: 41 9" 10: 46 12 1/2" 10: 51 15" 10: 56 17" 11: 01 19" 11: 06 19 1/2" 11: 11 20 1/2" 11: 16 21 1/2" 11: 21 22 1/2" 11: 26 23 1/2" PERC RATE: 1"/5 MINS.	LOT 10 30" DEEP TIME READING 10: 39 7" 10: 44 11" 10: 49 15" 10: 54 19 1/2" 10: 59 20 1/2" 11: 04 22" 11: 09 23" 11: 14 24" 11: 19 25" 11: 24 25 3/4" PERC RATE: 1"/6.7 MINS.	LOT 11 28" DEEP TIME READING 10: 45 3" 10: 50 12" 10: 55 14 1/4" 11: 00 15 1/4" 11: 10 19 1/4" 11: 15 21" 11: 20 22 1/4" 11: 25 23 1/4" 11: 30 24 1/2" 11: 35 25 3/4"	
			TERO TATEL TYO MINO.	TERO NATE. 1 / 3 WING.	PENO NATE. 1 / 3.3 MINS.	TENO NATE. 175 MINS.	TENO NATE. 1 70.7 MINS.	PERC RATE: 1"/4 MINS.	
LOT 12 28" DEEP TIME 10: 37 10: 42 10: 47 10: 52 10: 57 11: 02 11: 07 11: 12 11: 17 11: 22 11: 27	READING 3" 6 3/4" 9 1/4" 12 1/2" 15" 17" 19" 20" 21" 22 1/8" 23 1/8"	LOT 13 27" DEEP TIME READING 8: 48 2" 8: 53 9" 8: 58 14" 9: 03 18" 9: 08 20" 9: 13 22" 9: 18 23" 9: 18 23" 9: 23 24" 9: 28 25" 9: 33 26" 9: 38 DRY	LOT 14 30" DEEP TIME READING 8: 41 4" 8: 46 8 1/4" 8: 51 10 1/4" 8: 56 12 1/2" 9: 01 15" 9: 06 17" 9: 11 18" 9: 16 19" 9: 21 20" 9: 26 21" 9: 31 22"	LOT 15 29" DEEP TIME READING 8: 43 5" 8: 48 10 3/4" 8: 53 15" 8: 58 17 1/2" 9: 03 19 1/2" 9: 08 21" 9: 13 22" 9: 18 23" 9: 23 23 3/4" 9: 28 24 1/2" 9: 33 25 1/2"	LOT 16 26" DEEP TIME READING 8: 40 5 1/2" 8: 45 9 1/2" 8: 50 11 1/2" 8: 55 14" 9: 00 15 1/2" 9: 05 16 1/2" 9: 10 17 3/4" 9: 15 18 1/2" 9: 20 19 1/2" 9: 25 20 1/2" 9: 30 21 1/2"	LOT 17 29" DEEP TIME READING 1: 50 4 1/4" 1: 55 11 7/8" 2: 00 15 1/2" 2: 05 18" 2: 10 21" 2: 15 23" 2: 20 25" 2: 25 27" 2: 30 28 7/8" 2: 35 DRY	LOT 18 30" DEEP TIME READING 1: 30 2 1/2" 1: 35 9 1/2" 1: 40 13 1/2" 1: 45 15" 1: 50 17 1/2" 1: 55 20" 2: 00 21 1/2" 2: 05 22 1/2" 2: 10 23 1/2" 2: 15 24 1/2"	LOT 19 29" DEEP TIME READING 10: 49 3" 10: 54 11" 10: 59 15" 11: 04 18 1/2" 11: 09 20 1/2" 11: 14 22" 11: 19 23 1/2" 11: 24 25" 11: 29 26 1/2"	LOT 19 30" DEEP TIME READING 1: 27 2 1/2" 1: 32 8 1/4" 1: 37 13" 1: 42 15 1/2" 1: 47 18" 1: 52 19 1/2" 1: 57 21 1/2" 2: 02 23" 2: 07 24 1/2" 2: 12 26"
PERC RATE:	1"/5 MINS.	PERC RATE: 1"/5 MINS.	PERC RATE: 1"/5 MINS.	PERC RATE: 1"/5 MINS.	PERC RATE: 1"/5 MINS.	PERC RATE: 1"/2.7 MINS	S. PERC RATE: 1"/5 MINS.	PERC RATE: 1"/3.3 MINS.	PERC RATE: 1"/3.3 MINS.
LOT 20 28" DEEP TIME 1: 38 1: 43 1: 48 1: 53 1: 58 2: 03 2: 08 2: 13 2: 18 2: 23 2: 28	READING 5" 11" 13 1/2" 16" 18" 19" 20 1/8" 21 1/2" 22 1/2" 23 1/2" 24 1/2"	LOT 21 30" DEEP TIME READING 10: 18 2 1/2" 10: 23 12" 10: 28 15 1/2" 10: 33 19 1/2" 10: 38 21" 10: 43 22 1/2" 10: 48 24" 10: 53 25" 10: 58 25 3/4" 11: 03 26 3/4"	LOT 22 29" DEEP TIME READING 11: 46 3" 11: 51 6 1/2" 11: 56 9" 12: 01 12" 12: 06 13 1/2" 12: 11 14 1/2" 12: 16 16" 12: 21 17 1/2" 12: 26 18 1/2" 12: 31 19 1/2" 12: 36 20 1/2"	LOT 22 28" DEEP TIME READING 10:15 3" 10:20 11 1/2" 10:25 16 1/2" 10:30 21" 10:35 24" 10:40 25 1/2" 10:45 27" 10:50 DRY	LOT 23 28" DEEP TIME READING 11: 23 3" 11: 28 11 3/4" 11: 33 15" 11: 38 18" 11: 43 21 1/2" 11: 48 24" 11: 53 26" 11: 58 DRY	LOT 23 29" DEEP TIME READING 11: 45 3" 11: 50 7 3/4" 11: 55 11 1/2" 12: 00 13 3/4" 12: 05 16" 12: 10 18" 12: 15 20" 12: 20 21" 12: 25 22 1/4" 12: 30 23 1/2" 12: 35 25"	LOT 24 28" DEEP TIME READING 12: 27 3" 12: 32 7 1/2" 12: 37 11 1/2" 12: 42 14" 12: 47 16" 12: 52 18" 12: 57 19" 1: 02 20" 1: 07 21" 1: 12 22"	LOT 25 29" DEEP TIME READING 12: 30 3" 12: 35 12" 12: 40 17 1/2" 12: 45 20" 12: 50 23" 12: 55 25" 1: 00 26 1/2" 1: 05 28" 1: 10 DRY	LOT 26 30" DEEP TIME READING 11: 43 3 1/2" 11: 48 8" 11: 53 10" 10: 58 13" 12: 03 14 1/2" 12: 08 16" 12: 13 17" 12: 18 18 1/2" 12: 23 20" 12: 28 21"
PERC RATE:		PERC RATE: 1"/6 MINS.	PERC RATE: 1"/5 MINS.	PERC RATE: 1"/3.3 MINS.	PERC RATE: 1"/2.5 MIN		PERC RATE: 1"/5 MINS.	PERC RATE: 1"/3.3 MINS.	PERC RATE: 1"/5 MINS.

APPROVED BY THE LEDYARD PLANNING AND ZON	ING COMMISSION AS TO THE
COMPLIANCE WITH THE REGULATIONS GOVERNING	THE SUBDIVISION OF LAND.
ALL IMPROVEMENTS SHALL BE COMPLETED BY _	
	DATE
CHAIRMAN OR SECRETARY	DATE
EROSION AND SEDIMENT CONTROL PLAN CERTIFIE	ED BY VOTE OF -
THE LEDYARD PLANNING AND ZONING COMMISSION	ON ON DATE
LOT NUMBERS ASSIGNED BY THE ASSESSOR	
ASSESSOR	DATE
IWWC APPLICATION#	
APPROVED,	
NO PERMIT NECESSARY. (NOT WI	THIN A REGULATED AREA)
NO PERMIT NECESSARY. (NOT WI NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS	(WITHIN A REGULATED AREA;
NOT APPLICABLE AT THIS TIME.	(WITHIN A REGULATED AREA;
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT.	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIE	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIE	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIE	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIES OF THE LEDYARD PLANNING AND ZONING COMMISE CHAIRMAN OR SECRETARY OF THE LEDYARD PLAN	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE ED BY VOTE SSION
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIES OF THE LEDYARD PLANNING AND ZONING COMMISE CHAIRMAN OR SECRETARY OF THE LEDYARD PLAN	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE ED BY VOTE SSION NNING
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOS WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT.	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE ED BY VOTE SSION NNING DATE
NOT APPLICABLE AT THIS TIME. NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIES OF THE LEDYARD PLANNING AND ZONING COMMISS CHAIRMAN OR SECRETARY OF THE LEDYARD PLAN AND ZONING COMMISSION	(WITHIN A REGULATED AREA; SED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE ED BY VOTE SSION NNING DATE

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR.
THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF
THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND
SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN.

JOB#22-007.DWG FBK#327



DIETER & GARDNER

LAND SURVEYORS • PLANNERS

1641 CONNECTICUT ROUTE 12

P.O. BOX 335

GALES FERRY, CT. 06335

(860) 464-7455

EMAIL: DIETER.GARDNER@YAHOO.COM

SANITARY DESIGN CRITERIA

- A. ALL PRÍMARY AND SEPTIC SYSTEM DESIGNS ARE LAYED OUT FOR THREE—BEDROOM HOMES. NO TUBS OVER 100 GALLONS IN SIZE OR GARBAGE DISPOSAL INTO SEPTIC SYSTEM PLANNED.
- B. THREE BEDROOM HOMES AT A PERC RATE OF 10.0 MIN/INCH OR LESS REQUIRES 495 S.F. OF EFFECTIVE LEACHING AREA.
- C. GST 6212, 6218 AND 6236 LEACHING SYSTEM SELECTED FOR LEACHING SYSTEM DESIGN.
 MINIMUM REQUIRED AREA IS 495 S.F.

6212 SYSTEM REQUIRES 40 L.F. 6218 SYSTEM REQUIRES 36 L.F. 6236 SYSTEM REQUIRES 20 L.F.

- HF = HYDRAULIC FACTOR BASED ON GRADIENT AND DEPTH TO RESTRICTION
- FF = FLOW FACTOR, 1.5 FOR THREE BEDROOM HOME DESIGN
 PF = PERC FACTOR, 1.0 PERCOLATION RATE UP TO 10.0 MIN/INCH.

MLSS TABLE

T NUMBER DESIGN BITS CRADIENT RESTRICTION HE

LOT NUMBER	DESIGN PITS	GRADIENT	RESTRICTION	HF	FF	PF	MLSS	SYSTEM
1	1, 2, 3 & 4	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 6236
2	9, 10, 11 & 12	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
3	13 & 14	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621:
4	15 & 16	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621:
5	17 & 18	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
6	21 & 22	MLSS	NOT	APPLICABLE	1.5	1.0		36 L.F. GST 621
7	85 & 86	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
8	27 & 28	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
9	29, 30, 31 & 32	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
10	33 & 34	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
11	35 & 36	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
12	37 & 38	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
13	81 & 82	MLSS	NOT	APPLICABLE	1.5	1.0		36 L.F. GST 621
14	39 & 40	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
. 15	41 & 42	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
16	43 & 44	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
17	51 & 52	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
18	53 & 54	MLSS	NOT	APPLICABLE	1.5	1.0		.40 L.F. GST 621
19	55 & 56	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
, 20	47 & 48	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
21	61 & 62	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
22	69 & 70	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
23	75 & 76	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
24	73 & 74	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623
25	65, 66, 67 & 72	MLSS	NOT	APPLICABLE	1.5	1.0		40 L.F. GST 621
26	63 & 64	MLSS	NOT	APPLICABLE	1.5	1.0		20 L.F. GST 623

PLAN SHOWING

PERCOLATION TEST DATA,

SEPTIC SYSTEM DESIGN CRITERIA

AND

MINIMUM LEACHING SYSTEM SPREAD
RESUBDIVISION

DDODEDEL OF

PROPERTY OF

AVERY BROOK HOMES LLC

94, 96, 98 AND 100


STODDARDS WHARF ROAD

A.K.A.

CONNECTICUT ROUTE 214

LEDYARD, CONNECTICUT


JULY 2022
REVISED: OCTOBER 31, 2022
REVISED: FEBRUARY 13, 2023




JOB#22-007.DWG FBK#327

SHEET 6 OF 10

AFFROVED BY THE DEDIAND FLAMMING AND ZONE	IG COMMISSION AS TO THE
COMPLIANCE WITH THE REGULATIONS GOVERNING	THE SUBDIVISION OF LAND
ALL IMPROVEMENTS SHALL BE COMPLETED BY	DATE
CHAIRMAN OR SECRETARY	DATE
EROSION AND SEDIMENT CONTROL PLAN CERTIFIED	BY VOTE OF -
THE LEDYARD PLANNING AND ZONING COMMISSION	ON DATE
All the state of t	
LOT NUMBERS ASSIGNED BY THE ASSESSOR	
ASSESSOR	DATE
IWWC APPLICATION#	
APPROVED.	
NO PERMIT NECESSARY. (NOT WITH	HIN A REGULATED AREA)
NOT APPLICABLE AT THIS TIME. (VITHIN A REGULATED AREA
	VITHIN A REGULATED AREA
NOT APPLICABLE AT THIS TIME. (VITHIN A REGULATED AREA
NOT APPLICABLE AT THIS TIME. (VITHIN A REGULATED AREA
NOT APPLICABLE AT THIS TIME. (1 NO REGULATED ACTIVITY PROPOSE	WITHIN A REGULATED AREA ED AT THIS TIME.)
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS	WITHIN A REGULATED AREA ED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER	WITHIN A REGULATED AREA ED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS	WITHIN A REGULATED AREA ED AT THIS TIME.) DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER	WITHIN A REGULATED AREA DATE DATE OR THE TOWN ENGINEER DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED	WITHIN A REGULATED AREA ED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED	WITHIN A REGULATED AREA ED AT THIS TIME.) DATE OR THE TOWN ENGINEER DATE DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED OF THE LEDYARD PLANNING AND ZONING COMMISSION.	DATE OR THE TOWN ENGINEER DATE DATE DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED OF THE LEDYARD PLANNING AND ZONING COMMISS CHAIRMAN OR SECRETARY OF THE LEDYARD PLAN	DATE OR THE TOWN ENGINEER DATE DATE DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED	DATE OR THE TOWN ENGINEER DATE DATE DATE DATE DATE
NOT APPLICABLE AT THIS TIME. (IN NO REGULATED ACTIVITY PROPOSE WETLANDS OFFICER APPROVED BY THE DIRECTOR OF PUBLIC WORKS FOR PUBLIC WAY LAYOUT. PUBLIC WORKS DIRECTOR/TOWN ENGINEER EROSION AND SEDIMENT CONTROL PLAN CERTIFIED OF THE LEDYARD PLANNING AND ZONING COMMISS CHAIRMAN OR SECRETARY OF THE LEDYARD PLAN	DATE DATE OR THE TOWN ENGINEER DATE DATE DATE DATE DATE DATE DATE





STONE WALL

PROPERTY LINE

STREET LINE

EXISTING CONTOUR

PROPOSED CONTOUR

UTILITY POLE

LOT NUMBER

PROPOSED CATCH BASIN

WF 1


EDGE OF WETLANDS & FLAG NUMBER

HAYBALES/SILT FENCE/WOODCHIPS



DIETER & GARDNER
LAND SURVEYORS • PLANNERS
P.O. BOX 335
1641 CONNECTICUT ROUTE 12
GALES FERRY, CT. 06335
(860) 464-7455
EMAIL: DIETER.GARDNER@YAHOO.COM

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR.
THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF
THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND
SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN.
JOB#22-007.DWG FBK#327




PLAN / PROFILE
SHOWING
PROPERTY OF

AVERY BROOK HOMES LLC
STODDARDS WHARF ROAD
LEDYARD, CONNECTICUT
SCALE: 1"=40' HORIZ.

1"=4' VERT.

JULY 2022
REVISED: OCTOBER 31, 2022
REVISED: DECEMBER 13, 2022
REVISED: FEBRUARY 13, 2023





LEGEND STONE WALL 00000000 PROPERTY LINE STREET LINE EXISTING CONTOUR PROPOSED CONTOUR UTILITY POLE

LAND SURVEYORS • PLANNERS

DIETER & GARDNER P.O. BOX 335 1641 CONNECTICUT ROUTE 12 GALES FERRY, CT. 06335 (860) 464-7455 EMAIL: DIETER.GARDNER@YAHOO.COM

SIGHTLINE DEMONSTRATION PLAN PROPERTY OF AVERY BROOK HOMES LLC STODDARDS WHARF ROAD LEDYARD, CONNECTICUT SCALE: 1"=40' HORIZ. 1"=4' VERT.

JULY 2022 REVISED: OCTOBER 31, 2022

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR.
THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF
THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND
SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN.
JOB#22-007.DWG FBK#327

EROSION & SEDIMENT CONTROL PLAN

CONSTRUCTION OF THE ROAD AND DRAINAGE.

PURPOSE AND DESCRIPTION OF PROJECT. THE PURPOSE OF THIS PROJECT IS TO SUBDIVIDE 9.21 ACRES OF LAND TO CREATE 26 RESIDENTIAL BUILDING LOTS. EACH LOT WILL BE SERVICED BY ON SITE WELL AND SEPTIC SYSTEM.

APPROXIMATELY 1330 LINEAR FEET OF ROAD WILL BE CONSTRUCTED. THE PAVEMENT WIDTH IS 22 FEET. THE TOTAL AREA OF NEW PAVEMENT ASSOCIATED WITH THE ROAD CONSTRUCTION WILL BE 30,400± SQUARE FEET. ROAD DRAINAGE HAS BEEN DESIGNED BY A PROFESSIONAL ENGINEER, AND INCLUDES IN PLACES CURBED PAVEMENT AND CATCH BASINS WITH 2 FOOT SUMP DEPTHS. THE UPLANDS ARE GENTLY SLOPING AND MOSTLY OLD PASTURE. THE UPLAND SOILS ON THE PROJECT SITE INCLUDE WELL DRAINED CANTON HINCKLEY AND AGAWAM SOILS.

IT IS ANTICIPATED THAT ONCE WORK ON THE PUBLIC IMPROVEMENTS BEGINS, IT WILL CONTINUE UNTIL THE PROJECT IS COMPLETED. IT IS ANTICIPATED THAT THE ROAD CONSTRUCTION WILL BE COMPLETED WITHIN ONE YEAR OF COMMENCEMENT.

PFTFR GARDNER 860-464-7455 (OR OWNER AT TIME OF CONSTRUCTION) SHALL BE RESPONSIBLE FOR OVERSEEING THE INSTALLATION AND PROPER MAINTÈNANCE OF ANY EROSION & SEDIMENT CONTROL MEASURES EMPLOYED IN IMPLEMENTING

TOTAL AREA OF THE PROJECT SITE AND THE TOTAL AREA OF THE SITE THAT IS EXPECTED TO BE DISTURBED BY ROAD AND DRAINAGE CONSTRUCTION ACTIVITIES. THE TOTAL PROJECT AREA IS 9.21 ACRES OF WHICH 0.9± ACRES WILL BE DISTURBED TO FACILITATE THE

ESTIMATE OF TOTAL AREA TO BE DISTURBED 3.9± ACRES FOR HOME/DRIVE AND SEPTIC CONSTRUCTION. PLANNED START AND COMPLETION DATES FOR THE PROJECT.

IT IS ANTICIPATED THAT THE PROJECT WILL COMMENCE DURING FALL/WINTER OF 2022/2023 AND BE COMPLETED IN THE FALL OF 2023.

DESIGN CRITERIA, CONSTRUCTION DETAILS AND MAINTENANCE PROGRAM FOR THE EROSION & SEDIMENT CONTROL MEASURES TO BE USED. SILT FENCE AND SILT FENCE BACKED WITH HAY BALES FOR STRUCTURAL SUPPORT WILL BE USED. ALL SILT FENCE SEDIMENT BARRIERS SHALL BE MAINTAINED SUCH THAT SEDIMENTS WILL BE REMOVED WHEN REACHING A HEIGHT OF

0.5 FEET. BREACHES IN SILT FENCE SHALL BE REPAIRED IMMEDIATELY. THE SILT FENCE SHALL BE INSPECTED AT LEAST WEEKLY AND AFTER EACH RAINFALL OF 0.5 INCH IN A 24 HOUR PERIOD. CONSTRUCTION ENTRANCE DESIGN AND MAINTENANCE CRITERIA FROM 2002 CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL, ENTRANCE. THE CONSTRUCTION ENTRANCES WILL BE CONSTRUCTED OF ANGULAR STONE IN A SIZE AND GRADATION CORRESPONDING TO ASTM C-33, SIZE NO. 2 OR 3, OR DOT STANDARD SPECIFICATIONS

SECTION M.01.01 SIZE #3. THE CONSTRUCTION ENTRANCE WILL BE 12 FEET WIDE AND 50 FEET LONG. CONSTRUCTION: CONSTRUCTION ENTRANCES AREA WILL BE CLEARED AND GRUBBED. AREAS WILL THEN BE ROUGH GRADED. A 4-INCH LAYER OF CRUSHED STONE WILL BE SPREAD AS DEPICTED IN THE DETAILS.

MAINTENANCE: THE CONSTRUCTION ENTRANCE WILL BE MAINTAINED IN A CONDITION THAT WILL MITIGATE TRACKING AND WASHING OF SEDIMENT ONTO PAVED SURFACES. THE CONSTRUCTION ENTRANCE WILL BE TOP DRESSED AS NEEDED TO PROVIDE FUNCTIONALITY. ADDITIONAL LENGTH MAY BE ADDED IF ON-SITE CONDITIONS WARRANT SUCH EXTENSION. ANY ACCUMULATED OR SPILLED SEDIMENTS WILL BE CLEANED IMMEDIATELY, AND DISPOSED OF IN A MANNER WHICH IS CONSISTENT WITH THE INTENT OF THIS EROSION & SEDIMENT CONTROL PLAN.

STOCKPILE MANAGEMENT WILL BE DONE IN ACCORDANCE WITH THE 2002 CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL (CHAPTER 4). TOPSOIL STOCKPILES WILL BE LOCATED AS DEPICTED ON THE PLANS, AND WILL BE TREATED AS DISTURBED GROUND, I.E.: SURROUNDED BY SILT FENCE, AND SEEDED TO GRASS AFTER ALL THE TOPSOIL TO BE STRIPPED IS PLACED IN THE STOCKPILE. STOCKPILE SLOPES SHALL NOT EXCEED 2:1.

TOPSOILING SHALL TAKE PLACE AS AREAS ARE BROUGHT TO GRADE. THE TOPSOIL THAT SHALL BE SPREAD IS OF NATURAL ORIGIN AND WILL BE TAKEN FROM THE TOPSOIL STOCKPILE(S) REFERRED TO ABOVE. STONES LARGER THAN 2 INCHES IN DIAMETER AND OTHER DEBRIS WILL BE REMOVED FROM THE TOPSOIL WITH A RAKE, TOPSOIL SHALL BE SPREAD AT A MINIMUM DEPTH OF 4 INCHES OVER ALL DISTURBED AREAS. IN ORDER TO "BOND" THE TOPSOIL TO THE SUBSOIL. THE SUBGRADE WILL BE LOOSENED BY "TRACKING" WITH A BULLDOZER IMMEDIATELY BEFORE APPLYING TOPSOIL. TOPSOIL WILL NOT BE PLACED IF THE SUBGRADE OR THE TOPSOIL IS FROZEN OR TOO WET. HEAVY RUBBER-TIRED VEHICLES WILL BE EXCLUDED FROM THE NEWLY TOPSOILED AREAS TO PREVENT EXCESSIVE COMPACTION WHICH COULD HINDER SEED GERMINATION AND SEEDLING GROWTH.

PERMANENT SEEDING WILL BE DONE AS DISTURBED AREAS ARE BROUGHT TO GRADE AND TOPSOILED AS LONG AS SUCH SEEDING IS DONE BETWEEN APRIL 1 AND JULY OR AUGUST 15 THROUGH OCTOBER 31. WITHIN 7 DAYS AFTER TOPSOIL IS APPLIED THE APPROPRIATE SEED MIX WILL BE BROADCAST AT THE PRESCRIBED RATE FOR THAT PARTICULAR MIX. THE SELECTED SEED MIX WILL BE FROM THE 2002 CONNECTICUT GUIDELINES FOR EROSION AND SEDIMENT CONTROL, FIGURE PS-3. PRIOR TO SEEDING, FERTILIZER WILL BE APPLIED AT THE RATE OF 7.5 PER 1.000 SQUARE FEET (10-10-10 OR EQUIVALENT), AND GROUND LIMESTONE WILL BE APPLIED AT THE RATE OF 200 POUNDS PER 1,000 SQUARE FEET. THE LIME AND FERTILIZER WILL BE LIGHTLY WORKED TO A DEPTH OF 3 TO 4 INCHES. SEED SHALL BE APPLIED UNIFORMLY USING A CYCLONE SEEDER (HYDROSEEDING MAY BE USED IN LIEU OF CONVENTIONAL SEEDING METHODS.) HAY MULCH WILL BE APPLIED AT THE RATE OF 100 POUNDS (APPROXIMATELY 2 BALES) PER 1,000 SQUARE FEET. WHERE SLOPES EXCEED 10 PERCENT. JUTE NETTING SHALL BE USED TO ANCHOR THE HAY MULCH IN PLACE. ANY SUCH NETTING WILL BE INSTALLED TO MANUFACTURER'S RECOMMENDATIONS.

MAINTENANCE: THE SEEDBED WILL BE INSPECTED AT LEAST ONCE PER WEEK, AND WITHIN 24 HOURS OF A RAINFALL N AN AMOUNT EXCEEDING 0.5 INCHES IN 24 HOURS, IN ANY AREAS THAT SUSTAIN DAMAGE, THE TOPSOIL WILL BE REAPPLIED AND SMOOTHED, AND RESEEDED AS DESCRIBED ABOVE. THE NEWLY ESTABLISHED GRASS WILL NOT BE MOWN UNTIL IT REACHES A HEIGHT OF 6 INCHES. MOWING WILL NOT TAKE PLACE WHEN THE GROUND SURFACE IS WET. THE FIRST MOWING WILL TAKE 33 TO 50 PERCENT OF THE GRASS HEIGHT (I.E.: NOT BELOW 3 INCHES). MULCH MATERIALS WILL NOT BE REMOVED, BUT WILL BE ALLOWED TO DISINTEGRATE OVER TIME

WHERE BARE GROUND NEEDS TO BE PROTECTED FOR RELATIVELY SHORT PERIODS, OR WHERE THE SEEDING SEASONS FOR PERMANENT SEEDINGS CAN NOT BE ADHERED TO, TEMPORARY SEEDING MAY BE USED. THE RECOMMENDED SEED MIX WILL VARY UPON CIRCUMSTANCES. BUT SHALL BE IN COMPLIANCE WITH THE 2002 CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL, FIGURE TS-2, TEMPORARY SEEDING RATES AND DATES. WHERE THE SEASON PRECLUDES ANY TYPE OF SEEDING, AN ANCHORED MULCH WILL BE EMPLOYED TO PROTECT BARE SOIL AREAS.

CTION SEQUENCE. PRIOR TO THE COMMENCEMENT OF ANY EARTH DISTURBANCES. THE DEVELOPER AND HIS CONTRACTOR SHALL MEET WITH TOWN STAFF FOR A PRECONSTRUCTION CONFERENCE. 1) INSTALL CONSTRUCTION ENTRANCE AS SHOWN ON PLAN.

2) INSTALL EROSION AND SEDIMENT CONTROL.


- 3) CONSTRUCT THE STORMWATER QUALITY BASIN. TOPSOIL WILL BE APPLIED TO THE BASIN SIDESLOPES IMMEDIATELY AFTER CONSTRUCTION, AND THE SIDESLOPES WILL BE SEEDED INSTALL SEDIMENT BARRIERS ALONG THE ROAD AND IN THE AREA OF THE BASIN AS DEPICTED ON THE PLANS.
- 4) STRIP TOPSOIL FROM THE ROADWAY AND STOCKPILE TOPSOIL ACCORDING TO THE PLAN. SEED STRIPPED AREAS THAT ARE NOT TO BE WORKED FOR 30 DAYS IMMEDIATELY WITH PERENNIAL RYEGRASS AT THE RATE OF 40 LBS./ACRE.
- 5) GRADE THE ROAD TO ATTAIN THE PLANNED SUBGRADE PROFILE AND GRADE SIDESLOPES TO PLAN.
- 6) APPLY TOPSOIL AND PERMANENT SEED MIX AND APPLY AND ANCHOR MULCH TO ALL FINISHED SLOPES.
- 7) INSTALL ALL DRAINAGE STARTING AT THE OUTFALL AND PROCEEDING UPGRADIENT. THE CONTRACTOR WILL ENSURE THAT ADEQUATE PROTECTION IS PROVIDED AT THE OUTLET OF THE DRAINAGE SYSTEM SO THAT SEDIMENTS WILL BE PREVENTED FROM MIGRATING OFF THE SITE. NO WATER WILL BE ALLOWED TO ENTER THE DRAINAGE SYSTEM UNTIL THE OUTLET IS PROTECTED. ALL DRAINAGE COMPONENTS WILL BE CHECKED ON A REGULAR BASIS AND CLEANED AS NEEDED TO MAINTAIN PROPER FUNCTION.
- 8) PLACE, GRADE AND COMPACT THE SUBGRADE AGGREGATE TO ESTABLISH THE ROADWAY BASE. TOPSOIL AND GRADE ALL SLOPES/DISTURBED AREAS WITHIN 2 FEET OF THE OUTSIDE OF THE PROPOSED
- 9) LAY DOWN FIRST COURSE OF BITUMINOUS PAVEMENT.
- 10) INSTALL CURBING (WHERE REQUIRED).
- 11) APPLY TOP COURSE OF BITUMINOUS PAVEMENT.
- 12) REMOVE SILT FENCE AFTER TOPSOIL STABILIZED.

DISPOSAL OF SEDIMENTS - ANY SEDIMENT REMOVED FROM ANY EROSION AND SEDIMENT CONTROL MEASURE AS PART OF SITE MAINTENANCE SHALL BE DISPOSED OF IN A MANNER CONSISTENT WITH THE INTENT OF THIS PLAN. NO SEDIMENT SHALL BE DEPOSITED IN ANY WETLAND AREA.


FIELD CHANGES - IF FIELD MODIFICATIONS OF PLANNED MEASURES ARE NEEDED TO PROPERLY ADDRESS ANY EROSION OR SEDIMENTATION SITUATION, SUCH CHANGES MAY BE MADE ONLY AFTER NOTIFYING TOWN STAFF. ADDITIONAL NON-STRUCTURAL MEASURES MAY BE ADDED WITHOUT PRIOR NOTIFICATION.

1, EXCAVATE A TRENCH 4" 2. PLACE & STAKE STRAW DEEP & THE WIDTE OF BALES, TWO STAKES A STRAW BALE PER BALE. BACKFILL FLOW 3. WEDGE LOOSE STRAW 4. BACKFILL & COMPACT BETWEEN BALES TO THE EXCAVATED SOIL ON CREATE A CONTINUOUS THE UPHILL SIDE OF THE BARRIER. BARRIER TO PREVENT


CONSTRUCTION OF A STRAW BALE BARRIER NOT TO SCALE



FILTER FABRIC SEDIMENT BARRIER NOT TO SCALE



TEMPORARY CONSTRUCTION ENTRANCE NOT TO SCALE



CATCH BASIN INLET PROTECTION NOT TO SCALE

STORMWATER QUALITY BASIN CONSTRUCTION NOTES:

NOT MORE THAN 50% PASSING THE #200 SIEVE

PRIOR TO CONSTRUCTION OF THE PROPOSED EMBANKMENTS.

THE FOLLOWING SEED MIX SHALL BE USED IN THESE AREAS.

STORMWATER QUALITY BASIN OPERATION AND MAINTENANCE NOTES:

AND VOIDS LEFT FROM THEIR REMOVAL SHALL BE REPAIRED.

STORMWATER SYSTEM OPERATION AND MAINTENANCE NOTES:

SUMPS AND TO INSURE EFFICIENT TSS REMOVAL FROM STORMWATER

DELETERIOUS MATTER.

VARIETY LBS/ACRE

STABILIZED AS REQUIRED.

OUTLETS TO PREVENT CLOGGING.

REDTOP

BENT GRASS

CREEPING RED FESCUE 20

TOTAL 37

ON-SITE BORROW MATERIAL MAY BE USED IF SUITABLE DEPOSITS ARE FOUND.

1. STORMWATER QUALITY BASIN EMBANKMENTS SHALL BE CONSTRUCTED OF SILTY SAND AND/OR CLAYEY MATERIALS.

FMBANKMENT FILL SHALL CONTAIN AT LEAST 15% BY WEIGHT OF MATERIAL PASSING THE #200 SIEVE AND

2. EMBANKMENT FILL SHALL HAVE NO STONES LARGER THAN 6" IN THEIR GREATEST DIMENSION, NO STONES

- MODIFIED PROCTOR. THE MAXIMUM LOOSE LIFT THICKNESS OF EMBANKMENT FILL SHALL BE 12".

2. DURING THE FIRST YEAR OF OPERATION, THE BASIN SHALL BE INSPECTED ON WEEKLY BASIS

NOXIOUS WEEDS SHALL BE REMOVED. PERFORM ANY MOWING OPERATIONS REQUIRED.

HIS/HER SATISFACTION AND SHALL PROVIDE SUCH CERTIFICATION TO THE TOWN.

BE REPAIRED PROMPTLY. ANY DEBRIS SHALL BE REMOVED AND DISPOSED OF. SEDIMENTATION THAT WOULD

DESIGN GRADES. DISTURBED AREAS SHALL BE RESTABILIZED AS REQUIRED AFTER REMOVAL OF SEDIMENT.

- INLETS AND OUTLETS SHALL BE INSPECTED FOR SCOUR DAMAGE AND EROSION AND REPAIRED AS REQUIRED.

- REMOVE SEDIMENT FROM CATCH BASIN SUMPS WHEN SEDIMENT REACHES HALF THE DEPTH OF THE SUMP.

3. ALL FILL MATERIAL SHALL BE FREE OF TOPSOIL, ROOTS, STUMPS, ORGANICS, FROZEN MATERIAL AND OTHER

LARGER THAN 3" IN THEIR GREATEST DIMENSION SHALL BE ALLOWED WITHIN 2 FEET OF STRUCTURES OR PIPES.

4. ALL EMBANKMENT MATERIAL SHALL BE COMPACTED TO 95% MINIMUM RELATIVE COMPACTIONS DETERMINED BY ASTM D1557

5. ALL TOPSOIL, ORGANICS, ROOTS AND OTHER DELETERIOUS MATTER SHALL BE REMOVED FROM THE EXISTING GROUND SURFACE

SEED AND MULCH, SUITABLE HYDROSEEDING EQUIPMENT MAY BE USED FOR APPLICATION OF SEED, MULCH AND/OR FERTILIZER.

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL MAINTENANCE AND INSPECTIONS PRIOR TO COMPLETION OF THE ROADWAY.

24 HOURS AFTER A STORM EVENT OF 2.0 INCHES OR GREATER. QUARTERLY INSPECTIONS SHALL INCLUDE THE FOLLOWING ITEMS:

INTERFERE WITH PROPER OPERATION OF THE BASIN SHALL BE REMOVED AND DISPOSED OF AND THE AREA RESTORED AND

3. AFTER THE BASIN HAS BEEN IN OPERATION FOR ONE YEAR, INSPECTIONS SHALL BE PERFORMED QUARTERLY OR WITHIN

- INSPECT EMBANKMENTS FOR ANY WOODY GROWTH. ALL TREES, VINES AND OTHER WOODY PLANTS SHALL BE REMOVED

- ANY EVIDENCE OF PIPING OR SEEPAGE AT THE TOE OF EMBANKMENTS OR AROUND INLET/OUTLET STRUCTURES SHALL BE

INVESTIGATED BY A QUALIFIED PROFESSIONAL ENGINEER AND REPORTED TO THE TOWN. REQUIRED REPAIRS TO MAINTAIN THE PROPER FUNCTION OR REPAIR POTENTIAL STRUCTURAL DEFICIENCIES IN THE BASIN SHALL BE IMPLEMENTED WITHIN ONE MONTH OF DISCOVERY OF THE PROBLEM OR AT DISCRETION OF THE RESPONSIBLE PROFESSIONAL ENGINEER PERFORMING

THE INVESTIGATION OR DESIGNING SUCH REPAIRS. THE ENGINEER SHALL CERTIFY THAT ALL REPAIRS ARE PERFORMED TO

-PROVIDE ANNUAL STREET SWEEPING, PREFERABLY AFTER FINAL SNOW MELT TO ALLEVIATE SEDIMENT BUILDUP IN CATCH BASIN

- REMOVE ACCUMULATED TRASH AND LEAVES FROM CATCH BASIN GRATES TO INSURE ADEQUATE GRATE INFLOW CAPACITIES.

-INSPECT CATCH BASINS FOR TRASH AND DEBRIS BI-ANNUALLY. REMOVE ACCUMULATED SEDIMENT AND DEBRIS FROM PIPE INLETS AND

- INSPECT EMBANKMENTS FOR ANY ANIMAL BURROWS. ALL BURROWS AND VOIDS SHALL BE REPAIRED IMMEDIATELY. - ACCUMULATED SEDIMENT SHALL BE REMOVED FROM THE BASIN FOREBAY AND OTHER AREAS TO RESTORE ORIGINAL.

OR WITHIN 24 HOURS AFTER A RAINFALL EVENT OF 0.5 INCH OR GREATER. ANY EROSION OF EMBANKMENTS OR OUTLET AREAS SHALL

6. ALL EMBANKMENTS AND DISTURBED AREAS OF THE STORMWATER QUALITY BASIN SHALL BE PERMANENTLY STABILIZED WITH 4" LOAM,

PLAN SHOWING EROSION AND SEDIMENT CONTROL NARRATIVE AND DETAILS RESUBDIVISION PROPERTY OF AVERY BROOK HOMES LLC 94, 96, 98 AND 100 STODDARDS WHARF ROAD A.K.A. CONNECTICUT ROUTE 214

> JULY 2022 REVISED: OCTOBER 31, 2022

LEDYARD, CONNECTICUT

LAND SURVEYORS • PLANNERS P.O. BOX 335 1641 CONNECTICUT ROUTE 12

DIETER & GARDNER GALES FERRY, CT. 06335 (860) 464-7455 FAX (860) 464-5028

EMAIL: DIETER.GARDNER@SNET.NET

THIS DRAWING IS THE PROPERTY OF THE LAND SURVEYOR. THIS PLAN AND REPRODUCTIONS, ADDITIONS OR REVISIONS OF THIS PLAN ARE NOT VALID WITHOUT THE EMBOSSED SEAL AND SIGNATURE OF THE LAND SURVEYOR WHO PREPARED THIS PLAN. JOB# 22-077.DWG

APPROVED BY THE LEDYARD PLANNING AND ZONING COMMISSION AS TO THE

COMPLIANCE WITH THE REGULATIONS GOVERNING THE SUBDIVISION OF LAND.

NO PERMIT NECESSARY. (NOT WITHIN A REGULATED AREA)

NO REGULATED ACTIVITY PROPOSED AT THIS TIME.)

APPROVED BY THE DIRECTOR OF PUBLIC WORKS OR THE TOWN ENGINEER

NOT APPLICABLE AT THIS TIME. (WITHIN A REGULATED AREA;

EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE OF

THE LEDYARD PLANNING AND ZONING COMMISSION ON

LOT NUMBERS ASSIGNED BY THE ASSESSOR

APPLICATION#

WETLANDS OFFICER

FOR PUBLIC WAY LAYOUT.

AND ZONING COMMISSION

LEDYARD PLANNING COMMISSION

ZONING ENFORCEMENT OFFICER

PUBLIC WORKS DIRECTOR/TOWN ENGINEER

EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE


OF THE LEDYARD PLANNING AND ZONING COMMISSION

CHAIRMAN OR SECRETARY OF THE LEDYARD PLANNING


APPROVED BY THE ZONING ENFORCEMENT OFFICER OF THE

ALL IMPROVEMENTS SHALL BE COMPLETED BY _

CHAIRMAN OR SECRETARY



TYPICAL PAVED COMMON DRIVEWAY CROSS-SECTION NOT TO SCALE



FLARED END

10'-0"

SECTION VIEW

PREFORMED SCOUR HOLE NOT TO SCALE FOR FLARED END UNIT

18" _{6"} 24"

HAND PLACED

DIETER & GARDNER

LAND SURVEYORS • PLANNERS

P.O. BOX 335

1641 CONNECTICUT ROUTE 12


GALES FERRY, CT. 06335

(860) 464-7455 EMAIL: DIETER.GARDNER@YAHOO.COM

RIPRAP (NOT DUMPED)


-INV PER PLAN


6'-0"




1. IF PIPE IS PLACED IN OR ON LEDGE, ALL LEDGE WITHIN 12' OF PIPE SHALL BE REMOVED AND REPLACED WITH PIPE BEDDING.

DRAINAGE PIPE TRENCH NOT TO SCALE








PIPE PER PLAN

12" MODIFIED RIPRAPT-


FE UNIT- USE MODIFIED RIPRAP (5")


6" GRAVEL BASE -

FILTER FABRIC -



NOT TO SCALE





APPROVED BY THE LEDYARD PLANNING AND ZONING COMMISSION AS TO THE COMPLIANCE WITH THE REGULATIONS GOVERNING THE SUBDIVISION OF LAND

NO PERMIT NECESSARY. (NOT WITHIN A REGULATED AREA)

NO REGULATED ACTIVITY PROPOSED AT THIS TIME.)

APPROVED BY THE DIRECTOR OF PUBLIC WORKS OR THE TOWN ENGINEER

EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE

OF THE LEDYARD PLANNING AND ZONING COMMISSION

CHAIRMAN OR SECRETARY OF THE LEDYARD PLANNING

APPROVED BY THE ZONING ENFORCEMENT OFFICER OF THE

NOT APPLICABLE AT THIS TIME. (WITHIN A REGULATED AREA;

DATE

DATE

DATE

ALL IMPROVEMENTS SHALL BE COMPLETED BY _____

THE LEDYARD PLANNING AND ZONING COMMISSION ON

LOT NUMBERS ASSIGNED BY THE ASSESSOR

APPLICATION;

WETLANDS OFFICER

FOR PUBLIC WAY LAYOUT.

AND ZONING COMMISSION


LEDYARD PLANNING COMMISSION

ZONING ENFORCEMENT OFFICER

PUBLIC WORKS DIRECTOR/TOWN ENGINEER

EROSION AND SEDIMENT CONTROL PLAN CERTIFIED BY VOTE OF

CHAIRMAN OR SECRETARY



<u>D-BOX OUTLET</u> EXTENDED DETENTION UNDERDRAIN OUTLET NOT TO SCALE

PLAN SHOWING CONSTRUCTION DETAILS RESUBDIVISION PROPERTY OF AVERY BROOK HOMES LLC 94, 96, 98 AND 100 STODDARDS WHARF ROAD A.K.A. CONNECTICUT ROUTE 214 LEDYARD, CONNECTICUT

> JULY 2022 REVISED: OCTOBER 31, 2022 REVISED: DECEMBER 13, 2022

