From: LYNN WILKINSON

To: <u>Elizabeth Burdick</u>; <u>Town Council Group</u>

**Subject:** Cashman/GFI Water Use

**Date:** Sunday, November 10, 2024 6:45:11 PM

11/10/2024

Lynn S Wilkinson 57 Terry Road Gales Ferry CT 06335 Ledyard Planning and Zoning Commissioners

Zoning Commissioners

Liz Burdick, Ledyard

Director Land Use and\Panning

Ledyard CT

Dear Commission and Ms. Burdick,

I am writing to express my concerns regarding water usage for the Cashman/GFI proposed quarry. According to their presentations, water spray would be used to mitigate dust during blasting, as well as from piles of stored material. I believe there was discussion of whether that would affect the public water supply, and I am not sure if there was any resolution to that question.

As you know, water is an issue this fall.

https://www.ctinsider.com/weather/article/ct-weather-fire-19858322.php https://www.ctpost.com/weather/article/ct-weather-drought-19897450.php

Can you imagine how many gallons would be used on this site if the operation was currently running? With accelerating climate change altering weather patterns, there is no guarantee that this drought is a one-off event.

I hope you will consider this as you deliberate the many issues around the effects of a decade-long blasting operation in our town Lynn Wilkinson