

Anna Wynn

From: Smith, Brian R. <BSMITH@RC.com>
Sent: Tuesday, July 15, 2025 3:05 PM
To: Carroll, Wilson T.
Cc: Anna Wynn; Hannah Gienau; Elizabeth Burdick; Jeff Bord
Subject: RE: IWWC#25-5SITE: New Exhibits
Attachments: 2025.07.15 - Wetlands Response Letter.pdf; 2025.07.15 Wetlands Hearing Exhibits Gales Ferry.pdf

Dear Attorney Carroll:

For tonight's public hearing please find Bohler Engineering's response to the CLA letter that we received today and Bohler's Engineering's attached exhibits that were just conveyed to the Town of Ledyard land use staff.

Sincerely,

Brian R. Smith (he/him/his)

Robinson & Cole LLP

One State Street

Hartford, CT 06103

Direct 860.275.8224 | Fax 860.275.8299

bsmith@rc.com | [Bio](#) | [V-Card](#)

Robinson+Cole

Boston | Hartford | New York | Washington, DC | Providence | Miami | Austin

Stamford | Wilmington | Philadelphia | Los Angeles | Albany | www.rc.com

From: Jeff Bord <jbord@bohlereng.com>

Sent: Tuesday, July 15, 2025 2:49 PM

To: land.use.asst@ledyardct.org; Elizabeth Burdick <planner@ledyardct.org>; Hannah Gienau <zoning.official@ledyardct.org>

Cc: Smith, Brian R. <bsmith@rc.com>

Subject: IWWC#25-5SITE: New Exhibits

CAUTION:

EXTERNAL EMAIL

Good afternoon, I have attached a formal response letter to the 3rd party comments we received earlier today. Along with the exhibits we are prepared to share this evening. All are the same from previous meeting, except for the last page which is a compilation of all borings and test pit locations performed to date.

We will be prepared to discuss in more detail tonight.

Thank you.

Jeff Bord, P.E.

Associate

o 860-333-8900 / jbord@bohlereng.com

BOHLER //

This transmittal may be a confidential R+C attorney-client communication or may otherwise be privileged or confidential. If it is not clear that you are the intended recipient, you are hereby notified that you have received this transmittal in error; any review, dissemination, distribution, or copying of this transmittal is strictly prohibited. If you suspect that you have received this communication in error, please notify us immediately by telephone at 1-860-275-8200, or e-mail at it-admin@rc.com, and immediately delete this message and all its attachments.
