



# GALES FERRY INTERMODAL STERLING FACILITY

1761 ROUTE 12  
GALES FERRY, CONNECTICUT 06335

MARCH 07, 2023  
REVISED: APRIL 6, 2023  
REVISED: MAY 1, 2023  
REVISED: JUNE 21, 2023




LOCATION MAP  
SCALE: 1"=±2,000'



PROPERTY MAP, ZONING, AND ADJACENT FEATURES

SCALE IN FEET  
0 250 500 750



DRAWING INDEX		
SHEET NO.	DRAWING	TITLE
1	-	COVER SHEET
2	C-1	NOTES, LEGEND, AND ABBREVIATIONS
3	#2010063	PROPERTY SURVEY
4	C-2	OVERALL SITE PLAN
5	C-3	SITE PREPARATION AND DEMOLITION PLAN
6	C-4	SITE LAYOUT PLAN
7	C-5	GRADING AND DRAINAGE PLAN
8	C-6	UTILITY PLAN
9	C-7	SUBSURFACE SEWAGE DISPOSAL SYSTEM PLAN
10	C-8	SUBSURFACE SEWAGE DISPOSAL SECTIONS, DETAILS & NOTES
11	C-9	SOIL EROSION AND SEDIMENT CONTROL PLAN
12	L-1	LANDSCAPING PLAN
13	C-10	PHOTOMETRIC AND LIGHTING PLAN
14	C-11	COASTAL AREA MANAGEMENT PLAN
15	C-12	SITE DETAILS 1
16	C-13	SITE DETAILS 2
17	C-14	SITE DETAILS 3
18	C-15	SOIL EROSION AND SEDIMENT CONTROL DETAILS
19	C-16	SIGHTLINE DEMONSTRATION PLAN

Property Owner / Applicant:

GALES FERRY INTERMODAL LLC  
549 SOUTH STREET  
QUINCY, MA 02169



Prepared By:

Engineer:  
Loureiro Engineering Associates, Inc.  
100 Northwest Drive · Plainville, Connecticut 06062  
Phone: 860-747-6181 · Fax: 860-747-8822  
An Employee Owned Company · www.Loureiro.com  
Engineering · Construction · EH&S · Energy  
Waste · Facility Services · Laboratory



PZC PERMIT # _____	DATE OF APPROVAL _____	EXPIRATION DATE _____
PZC CHAIRMAN OR SECRETARY _____	DATE _____	



**SURVEY NOTES**

- THIS PLAN IS BASED ON MAP REFERENCE A AND B.
- REFERENCE IS MADE TO THE TOWN OF LEDYARD, CT LAND EVIDENCE RECORDS VOLUME 621 AT PAGE 981 FOR THE SUBJECT PROPERTY.
- THE SUBJECT PROPERTY IS LOCATED ENTIRELY WITHIN THE "I" INDUSTRIAL ZONE DISTRICT.
- "NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP NEW LONDON COUNTY, CONNECTICUT ALL JURISDICTIONS PANEL 354, TOWN OF LEDYARD, MAP NUMBER 09011C0354G EFFECTIVE DATE JULY 18, 2011 FEDERAL EMERGENCY MANAGEMENT AGENCY" INDICATES THE SUBJECT PROPERTY IS LOCATED IN ZONE AE (EL 12) AND ZONE X.
- THE SUBJECT PROPERTY IS SHOWN ON THE TOWN OF LEDYARD, CT TAX ASSESSOR MAP 61 BLOCK 2120 AS LOT 1761 WHICH HAS ASSIGNED STREET ADDRESSES OF 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335.
- UNDERGROUND UTILITIES MUST BE FIELD VERIFIED PRIOR TO ANY EXCAVATION.
- INLAND WETLANDS WERE DELINEATED IN THE FIELD BY JMM WETLAND CONSULTING SERVICES, LLC AND LOCATED BY LOUREIRO ENGINEERING ASSOCIATES, INC., GROTON, CONNECTICUT.
- LIMITS OF FLOOD ZONE SHOWN ON PROPOSED PLAN ARE FROM FEMA NFIP MAP NUMBER 09011C0354G, EFFECTIVE DATE JULY 18, 2011.
- LIMITS OF NATURAL DIVERSITY DATA BASE AREAS SHOWN ON THE OVERALL SITE PLAN ARE FROM THE CONNECTICUT DEPARTMENT OF ENERGY & ENVIRONMENTAL PROTECTION BUREAU OF NATURAL RESOURCES WILDLIFE DIVISION LEDYARD, CT MAP, DATED DECEMBER 2022.

**MAP REFERENCES**

- PROPERTY SURVEY, PROPERTY OF TRINSEO LLC, #1737 & #1761 MILITARY HIGHWAY (ROUTE 12), LEDYARD, GALES FERRY, CT, PREPARED FOR: JAY CASHMAN, INC., 549 SOUTH STREET, QUINCY, MA, SCALE: 1"=100', DATE: 5/10/2022, BY CHA.
- PROPERTY AND TOPOGRAPHIC SURVEY, #1737 & #1761 MILITARY HIGHWAY (ROUTE 12), LEDYARD, GALES FERRY, CT, PREPARED FOR: STYRON LLC "ALLYN'S POINT PLANT", BY CME, DATED SEPT. 2, 2010. THE FOLLOWING NOTES ARE FROM THIS MAP REFERENCE:
  - THE TYPE OF SURVEY PERFORMED IS A PERIMETER AND TOPOGRAPHIC SURVEY CONFORMING TO THE STANDARDS OF ACCURACY FOR A HORIZONTAL CLASS A-2 AND IS A RESURVEY OF THE SUBJECT PROPERTY.
  - VERTICAL INFORMATION DEPICTED HEREON CONFORMS TO VERTICAL CLASS T-3 STANDARDS OF ACCURACY. CONTOURS, PHYSICAL FEATURES AND OTHER INFORMATION WAS DERIVED FROM AERIAL MAPPING DONE BY GOLDEN AERIAL SURVEYS, INC. MAPPING SCALE 1"=40' PHOTO SCALE: 1"=500' PHOTO DATE: 04-27-2001
  - THIS SURVEY WAS PREPARED TO DEPICT THE BOUNDARY AND EXISTING CONDITIONS OF THE SUBJECT PROPERTY.
  - THE PROPERTY SURVEY, SHEET 1 OF 2, PREPARED BY CHA DATED 5/10/2022 - NOTE 6 STATES THE PURPOSE OF THE INDUSTRIAL ZONE REFERENCING SECTION 4.5A OF THE ZONING REGULATIONS. THE REGULATIONS HAVE SINCE BEEN UPDATED AND THE NEW "PURPOSE" IS: TO ENCOURAGE THE ADOPTION, CONTINUOUS AND EXPANSION OF MANUFACTURING, RESEARCH, AND INDUSTRIAL USES IN A WAY THAT PROTECTS OUR NATURAL ASSETS.
  - DRAINAGE IN THE ROUTE 12 RIGHT-OF-WAY FROM THE CONNECTICUT STATE HIGHWAY DEPARTMENT RIGHT OF WAY MAP, TOWN OF LEDYARD, NORWICH-GROTON ROAD, FROM ALLYN'S BROOK NORTHERLY TO LEDYARD-PRESTON TOWN LINE, MAP NUMBER 71-16, DATED NOVEMBER 5, 1957.

**SITE NOTES:**

- THE APPLICANT/OWNER IS GALES FERRY INTERMODAL LLC OF 549 SOUTH STREET, QUINCY, MA.
- THE APPLICANT IS PROPOSING TO CONSTRUCT A 6,000 SF INDUSTRIAL BUILDING AS WELL AS A 10,000 SF INDUSTRIAL BUILDING WITH A FUTURE 10,000 SF ADDITION, WHICH WILL BE UTILIZED BY THE APPLICANT, AND/OR ITS AFFILIATES, FOR STORAGE AND REPAIR OF MARINE EQUIPMENT AND APPURTENANCES WHICH ARE UTILIZED BY THE APPLICANT'S AFFILIATES IN CONJUNCTION WITH ITS MARINE CONTRACTING AND DREDGING OPERATIONS.
- OTHER USES ON THE SITE CURRENTLY INCLUDE MANUFACTURING OF STYROFOAM PRODUCTS BY AMERICAS STYRENICS, A TENANT OF THE PROPERTY.
- THE PURPOSE OF THESE PLANS IS FOR REVIEW BY THE LEDGE LIGHT HEALTH DISTRICT FOR COMPLIANCE WITH THE PUBLIC HEALTH CODE AND THE TOWN OF LEDYARD PLANNING & ZONING COMMISSION FOR A SPECIAL PERMIT APPLICATION FOR THE NEW INDUSTRIAL BUILDING. THESE PLANS ARE FOR PERMIT PURPOSES ONLY AND ARE NOT TO BE USED FOR CONTRACT DOCUMENTS.
- FOR EXACT BUILDING DIMENSIONS, SEE BUILDING PLANS PROVIDED.
- THE SUBJECT PROPERTY IS LOCATED WITHIN THE "I" INDUSTRIAL ZONE. THE PARCEL DOES LIE WITHIN THE COASTAL AREA MANAGEMENT ZONE. A PORTION OF THE SITE IS WITHIN THE FEMA AE (EL 12) AND ZONE X WHILE THE PROPOSED BUILDING IS LOCATED OUTSIDE OF ANY FEMA FLOOD ZONES.
- LOT COVERAGE CALCULATIONS:
  - ALLOWED @ 70% = 70% X 6,882,480 SF = 4,817,736 SF
  - PROVIDED: 2,091,741 (EXISTING) + 72,996 (PROPOSED) / 6,882,480 SF = 31.4 %
- PARKING CALCULATIONS FOR NEW INDUSTRIAL BUILDING:
  - REQUIRED:
    - 1 SPACE PER EMPLOYEE ON MAX SHIFT PLUS 1 SPACE PER FLEET VEHICLE
    - 10,000 SF BUILDING:
      - 1 SPACE PER EMPLOYEE ON MAX SHIFT X 10 EMPLOYEES PLUS 1 SPACE PER FLEET VEHICLE X 7 FLEET VEHICLES = 17 SPACES REQUIRED
    - 6,000 SF BUILDING:
      - 1 SPACE PER EMPLOYEE ON MAX SHIFT X 3 EMPLOYEES PLUS 1 SPACE PER FLEET VEHICLE X 2 FLEET VEHICLES = 5 SPACES REQUIRED
    - TOTAL REQUIRED = 17 + 5 = 22
  - PROPOSED:
    - 22 SPACES
  - NOTE: OTHER ON-SITE BUILDINGS AND USES WERE NOT EVALUATED FOR PARKING REQUIREMENTS.
- THERE SHALL BE NO ACTIVITY WITHIN THE WETLAND OR 100 FOOT INLAND WETLAND UPLAND REVIEW AREA UNLESS OTHERWISE PERMITTED AND AS SHOWN ON THESE PLANS.
- ANY MODIFICATION TO THE PLANS, INCLUDING ANY RECONFIGURATION OF THE PROPOSED FLOOR PLAN, IMPOSED BY ANOTHER FEDERAL, STATE OR LOCAL AGENCY SHALL REQUIRE ADDITIONAL REVIEW BY TOWN STAFF OR THE COMMISSION, WHICHEVER IS APPROPRIATE.
- THE CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS INCLUDING A CONNECTICUT D.O.T. ENCROACHMENT PERMIT FOR ALL WORK WITHIN THE D.O.T. RIGHT-OF-WAY PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL OBTAIN, REVIEW AND ADHERE TO ALL REQUIREMENTS AND ANY CONDITIONS OF APPROVAL OF THE TOWN OF LEDYARD.
- NO SIGNAGE IS PROPOSED WITH THIS APPLICATION. ANY FUTURE SIGNAGE SHALL MEET THE ZONING REGULATIONS REQUIREMENTS AND WILL REQUIRE THE NECESSARY PERMITS.
- ANY EXTERIOR LIGHTING SHALL BE FULL CUTOFF AND SHALL BE SHIELDED TO DIRECT LIGHT AND GLARE AWAY FROM ALL ADJOINING PROPERTIES.
- ALL PROPOSED PAVEMENT MARKINGS SHALL BE INSTALLED IN THE LOCATIONS SHOWN WITH DURABLE WHITE PAVEMENT MARKING PAINT AND IN ACCORDANCE WITH THE MANUAL FOR UNIFORM TRAFFIC CONTROL DEVICES (M.U.T.C.D.). THE HANDICAP PARKING SYMBOLS SHALL BE WHITE WITH STANDARD HANDICAP BLUE BACKGROUNDS. ALL TRAFFIC CONTROL SIGNS SHALL CONFORM TO M.U.T.C.D. STANDARDS.
- NEW SIDEWALKS, RAMPS AND DRIVEWAYS SHALL BE INSTALLED TO PROVIDE SMOOTH TRANSITION FOR PEDESTRIANS AND VEHICLES.
- ALL CURB/HANDICAP RAMP DESIGNS SHALL CONFORM TO ANSI STANDARDS OR ADA ACT OF 1991, WHICHEVER IS MOST RESTRICTIVE.
- ALL JOINTS BETWEEN EXISTING AND NEW PAVEMENT SHALL BE PROPERLY SAWCUT, TACK COATED AND SEALED AS APPLICABLE. ALL PROPOSED JOINTS SHALL BE FLUSH AND MATCH EXISTING GRADES. SAWCUT LINES MAY BE MODIFIED AS NECESSARY TO MEET CONSTRUCTION REQUIREMENTS UPON REVIEW AND APPROVAL BY THE DESIGN ENGINEER.
- ALL EXISTING CURBING, PAVEMENT, ETC. DISTURBED AS A RESULT OF CONSTRUCTION ACTIVITIES SHALL BE REPLACED/RESTORED TO ORIGINAL CONDITION BY THE CONTRACTOR.
- ALL TRAFFIC CONTROL SIGNS AND PAVEMENT MARKINGS SHALL CONFORM TO THE LATEST EDITION OF "MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES" STANDARDS.

**UTILITY NOTES:**

- UNDERGROUND UTILITY LOCATIONS ARE APPROXIMATE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY LOCATIONS PRIOR TO CONSTRUCTION. CONTRACTOR SHALL CONTACT "CALL BEFORE YOU DIG" AT 1-800-922-4455 PRIOR TO INITIATION OF THIS PROJECT. IF UTILITIES DIFFER FROM THOSE SHOWN ON THIS PLAN, ENGINEER SHALL BE NOTIFIED.
- SCHEMATIC UNDERGROUND UTILITIES (ELECTRIC, TELEPHONE, COMMUNICATIONS, WATER) ARE SHOWN ON THESE PLANS FOR INFORMATIONAL PURPOSES ONLY. FINAL LOCATIONS WILL BE DETERMINED BY RESPECTIVE UTILITY AUTHORITIES AND INSTALLATION SHALL CONFORM TO UTILITY AUTHORITY POLICIES AND PRACTICES.
- ALL NEW UTILITIES, INCLUDING CATV, WILL BE LOCATED UNDERGROUND.
- ELECTRIC, TELEPHONE AND COMMUNICATION SERVICES SHALL CONFORM TO THE POLICIES AND PRACTICES OF THE APPROPRIATE UTILITY AUTHORITIES.
- UTILITY SERVICE SIZES, MATERIALS, AND INSTALLATIONS SHALL BE APPROVED AND INSPECTED BY THE APPROPRIATE UTILITY COMPANY.
- PROVIDE MINIMUM VERTICAL SEPARATION OF 12" FROM WATER MAIN TO DRAINAGE PIPING AND 18" TO SEWER PIPING.
- LOCATION AND SIZE OF ALL BUILDING UTILITY CONNECTIONS SHALL BE COORDINATED WITH BUILDING ARCHITECTURAL PLANS AND APPROPRIATE UTILITY AUTHORITY.
- WATER LINE INSTALLATION NOTES:
  - DOMESTIC AND FIRE PROTECTION WATER SERVICES SHALL BE SIZED BASED ON DEMAND AND COORDINATED WITH GROTON UTILITIES, THE PROVIDER THROUGH THE TOWN OF LEDYARD WPCA.
  - SITE MUST BE AT SUBGRADE BEFORE WATER UTILITIES CAN BE INSTALLED.
  - ALL WATER MAIN AND SERVICE INSTALLATIONS SHALL CONFORM TO THE CITY OF GROTON, DEPARTMENT OF UTILITIES, WATER MAIN AND SERVICE CONSTRUCTION SPECIFICATIONS, WITH MOST CURRENT REVISIONS.
  - APPROVED BACKFLOW PREVENTERS ARE REQUIRED ON ALL FIRE SPRINKLER AND DOMESTIC WATER LINES.
  - MINIMUM COVER OVER TOP OF WATER LINES SHALL BE 4.5' FROM FINISHED GRADE.
  - NO BACKFILLING OF PIPE SHALL BE DONE UNTIL A DESIGNATED REPRESENTATIVE OF THE CITY OF GROTON, DEPARTMENT OF UTILITIES HAS MADE AN INSPECTION AND INSTALLATION HAS BEEN APPROVED.
  - PIPE SEPARATIONS:
    - 10' MINIMUM BETWEEN WATER AND SEWER
    - 10' MINIMUM BETWEEN WATER AND BUILDINGS
    - 5' MINIMUM BETWEEN WATER AND CATCH BASINS OR DRAIN PIPES
  - WATER LINE GATE VALVES TO BE "OPEN LEFT, CLOSE RIGHT".
  - NEW WATER LINES TO BE CHLORINATED, PRESSURE TESTED, WATER QUALITY SAMPLED, AND FLUSHED PER CITY OF GROTON, DEPARTMENT OF UTILITIES REQUIREMENTS PRIOR TO BEING PLACED INTO SERVICE.
  - MINIMUM 6' SEPARATION BETWEEN ELECTRIC AND ALL OTHER PIPES SUCH AS WATER, SEWER AND DRAINS.
  - ALL UTILITIES AND ON-SITE STORM DRAINAGE SHALL BE STRUCTURALLY SUPPORTED TO MINIMIZE DISRUPTION FROM SETTLEMENT OF UNDERLYING SOIL.

**STORMWATER MANAGEMENT SYSTEM MAINTENANCE PLAN:**

- GENERAL
  - THE ACCESS DRIVE AND PARKING AREAS SHOULD BE SWEEPED AT LEAST ONCE PER YEAR, PREFERABLY AFTER THE END OF THE WINTER SANDING SEASON.
- CATCH BASINS AND MANHOLES
  - A CONNECTICUT-LICENSED HAULER SHALL PUMP THE SUMPS OF ON-SITE CATCH BASINS AND MANHOLES, AND SHALL DISPOSE OF THE PUMPING LEGALLY. ROAD SAND MAY BE REUSED FOR WINTER SANDING, BUT MAY NOT BE STORED ON-SITE. AS PART OF THE HAULING CONTRACT, THE HAULER SHALL NOTIFY THE PROPERTY OWNER IN WRITING WHERE THE MATERIAL IS BEING DISPOSED.
  - EACH CATCH BASIN SHALL BE INSPECTED EVERY FOUR MONTHS, WITH ONE INSPECTION OCCURRING DURING THE MONTH OF APRIL. ANY DEBRIS OCCURRING WITHIN ONE FOOT FROM THE BOTTOM OF EACH SUMP SHALL BE REMOVED BY VACUUM "VACTOR" TYPE OF MAINTENANCE EQUIPMENT.
- STORMTECH UNDERGROUND INFILTRATION/DETENTION SYSTEM
  - THE ISOLATOR ROWS SHALL BE CLEANED AT THE END OF CONSTRUCTION ONCE THE CONTRIBUTEING AREAS ARE FULLY STABILIZED. FOR THE FIRST YEAR OF OPERATION FOLLOWING CONSTRUCTION, THE CHAMBER ROWS SHALL BE INSPECTED ONCE EVERY 6 MONTHS.
  - AFTER THE FIRST YEAR OF OPERATION, THE CHAMBERS SHALL BE INSPECTED A MINIMUM OF ONCE PER YEAR. IF UPON VISUAL INSPECTION IT IS FOUND THAT SEDIMENT HAS ACCUMULATED, A STADIA ROD SHOULD BE INSERTED TO DETERMINE THE DEPTH OF THE SEDIMENT. WHEN THE AVERAGE DEPTH OF ACCUMULATION EXCEEDS 3", A CLEAN-OUT SHOULD BE PERFORMED AND PROPERLY DISPOSED OFF-SITE. CLEAN-OUT SHOULD BE ACCOMPLISHED USING A JETVAC PROCESS.
  - A DETAILED MAINTENANCE LOGBOOK SHALL BE KEPT ON-SITE FOR THE UNITS BY THE PROPERTY OWNER/MANAGER. INFORMATION IS TO INCLUDE, BUT NOT BE LIMITED TO, THE DATE OF INSPECTION, RECORD OF SEDIMENT DEPTH, GENERAL OBSERVATIONS, AND DATE OF CLEANING PERFORMED.
- HYDRODYNAMIC SEPARATOR
  - THE SEPARATOR SHALL BE CLEANED PERIODICALLY DURING CONSTRUCTION, AND AT THE END OF CONSTRUCTION ONCE THE LANDSCAPED AREAS ARE FULLY STABILIZED.
  - FOR THE FIRST YEAR OF OPERATION FOLLOWING CONSTRUCTION, THE SEPARATOR SHALL BE INSPECTED ONCE EVERY 4 MONTHS FOR THE MONTHS OF NOVEMBER, MARCH, AND JULY. A GRADUATED MEASURING DEVICE SHALL BE INSERTED INTO MANHOLE AND MEASUREMENTS OF ANY ACCUMULATIONS WILL BE RECORDED. CLEANING WILL OCCUR WHEN DEBRIS HAS ACCUMULATED TO A DEPTH OF 20" OR GREATER.
  - AFTER THE FIRST YEAR OF OPERATION, THE SEPARATOR SHALL BE INSPECTED A MINIMUM OF TWICE PER YEAR IN THE SAME MANNER AS DESCRIBED ABOVE. WHEN THE DEPTH OF ACCUMULATION REACHES 20", A CLEAN-OUT SHOULD BE PERFORMED AND SEDIMENT PROPERLY DISPOSED OF OFF-SITE. DEBRIS WILL BE REMOVED BY VACUUM "VACTOR" TYPE OF EQUIPMENT. THE MANHOLE SHOULD THEN BE PRESSURE WASHED TO REMOVE REMAINING SEDIMENT AND DEBRIS AND THE WATER SHOULD THEN BE VACUUMED OUT. ONCE CLEANING IS COMPLETE THE MANHOLE SHOULD BE REFILLED WITH WATER.
  - A DETAILED MAINTENANCE LOGBOOK SHALL BE KEPT FOR THE UNIT. INFORMATION IS TO INCLUDE THE DATE OF INSPECTION, RECORD OF GRIT DEPTH, CONDITION OF TANK, OBSERVATION OF ANY FLOATABLE DEBRIS, AND DATE OF CLEANING PERFORMED.

**DRAINAGE TEST PIT RESULTS**

OBSERVED BY LOUREIRO ENGINEERING ASSOCIATES ON JUNE 2, 2023

TEST PIT 'TP-G1'  
 0'-28" DARK BROWN SILT, ORGANICS  
 28"-31" LIGHT BROWN SILTY SAND, SOME GRAVEL  
 31"-98" LIGHT GREY FINE TO MEDIUM SAND, SOME COBBLES, TRACE MOLLUSK SHELLS

GROUNDWATER @ 98"  
 NO MOTTLING  
 PERMEABILITY SAMPLE TAKEN @ 62"

TEST PIT 'TP-G2'  
 0'-32" DARK BROWN SILT, ORGANICS  
 32"-35" LIGHT BROWN SILTY SAND, SAND GRAVEL  
 35"-105" LIGHT GREY FINE TO MEDIUM SAND, SOME COBBLES

GROUNDWATER @ 105"  
 NO MOTTLING  
 PERMEABILITY SAMPLE TAKEN @ 50"

ZONING DATA TABLE		
'I' INDUSTRIAL ZONE USE - COMMERCIAL		
ITEM	REQUIRED	PROVIDED
LOT AREA	200,000 SQ FT (4.59 AC)	6,882,480 SQ FT (158 AC)
FRONTAGE	200 FT	3700 ± FT
LOT WIDTH	200 FT	> 200 FT
FRONT SETBACK	35 FT	309.51 FT
SIDE SETBACK	25 FT	160.20 FT
REAR SETBACK	25 FT	116.8 ± FT
LOT COVERAGE (%) (SEE SITE NOTE 5)	70% (4,817,736 SQ FT)	31.4 % ( 2,164,737 SQ FT)
BUILDING HEIGHT	65 FT	32 ± FT. (SEE ARCHITECTURAL PLANS)
PARKING (# OF SPACES) (SEE SITE NOTE 6)	22 SPACES	22 SPACES
WATER SUPPLY	MUNICIPAL	
SANITARY DISPOSAL	ONSITE SSDS	

**LEGEND**

- |          |   |      |                        |
|----------|---|------|------------------------|
| AC       | ACRES                                   | ---  | EXISTING CONTOUR       |
| BIT CONC | BITUMINOUS CONCRETE                     | ---  | EXISTING INDEX CONTOUR |
| TC       | TOP OF CURB                             | x6.1 | NEW SPOT GRADE         |
| CHD      | CONNECTICUT HIGHWAY DEPARTMENT MONUMENT | —    | NEW CONTOUR            |
| BC       | BOTTOM OF CURB                          | —    | NEW INDEX CONTOUR      |
| C.O.     | CLEAN OUT                               | —    | BUILDING SETBACK LINE  |
| CL&P     | CONNECTICUT LIGHT & POWER               | —    | MUNICIPAL WATER        |
| LLR      | LEDYARD LAND RECORDS                    | —    | UNDERGROUND ELECTRIC   |
| FF       | FINISHED FLOOR                          | ☑    | CATCH BASIN W/ E&S     |
| INV      | INVERT                                  | —    | SEDIMENT FENCE         |
| M/L      | MORE OR LESS                            | ⊕    | SIGN                   |
| MIN      | MINIMUM                                 | ⊙    | UTILITY POLE           |
| N/F      | NOW OR FORMERLY                         | ⊕    | DECIDUOUS TREE         |
| SF       | SQUARE FEET                             | ⊕    |                        |
| TYP      | TYPICAL                                 | ⊕    |                        |
- SOIL TYPE - TAKEN FROM NATURAL RESOURCES CONSERVATION SERVICE, WEBSOIL SURVEY, NATIONAL COOPERATIVE SOIL SURVEY

PZC PERMIT # _____	DATE OF APPROVAL _____	EXPIRATION DATE _____
PZC CHAIRMAN OR SECRETARY _____	DATE _____	


V:\CT\GALES FERRY\DATE 12-17-2023\CT 04 LOCAL PERMIT FOR STEELING BUILDING\DWG\CAD\NOTES\LEGEND AND ABBREVIATIONS.dwg, 6/21/2023, 6:01 PM by: RES/ARMBE/mbard, 6/21/2023, 11:34 PM


SCALE  
NOT TO SCALE  
DRAWN BY  
ESP  
APPROVED BY  
SRM

DATE  
04/06/2023  
DATE  
04/06/2023

RESPONSE TO REVIEW COMMENTS  
REVISED PER UPDATED LAYOUT  
REVISED PER UPDATED LAYOUT  
REV.

DATE  
06/21/2023  
05/01/2023  
04/06/2023  
DATE





NOTES, LEGEND, AND ABBREVIATIONS

GALES FERRY INTERMODAL LLC  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
GALES FERRY INTERMODAL LLC  
349 SOUTH STREET, QUINCY, MA 02468

DRAWING  
**C-1**

SHEET NO. 2 NO. OF SHEETS 19



PREPARED FOR:

JAY CASHMAN, INC.

549 SOUTH STREET  
QUINCY, MA

PROPERTY OF

TRINSEO LLC  
#1737 & 1761 MILITARY  
HIGHWAY (ROUTE 12)  
LEDYARD, GALES FERRY, CT

PROPERTY SURVEY

Designed By: --- Drawn By: CB Checked By: CB

Issue Date: 5/10/2022 Project No: 076625 Scale: 1" = 100'

Drawing No.:

SHEET 1 OF 2

**MAP REFERENCES**

- "RIGHT OF WAY AND TRACK MAP OPERATED BY THE NORWICH AND WORCESTER R.R. CO. OPERATED BY THE NEW YORK NEW HAVEN AND HARTFORD R.R. CO. FROM WORCESTER TO GROTON STATION 3379+20 TO STATION 3405+60 TOWN OF LEDYARD, STATE OF CONN. SCALE 1"=50' DATE: JUNE 30, 1915 REVISED THROUGH OCTOBER 9, 1947, OFFICE OF VALUATION ENGINEER, BOSTON MASS. MAP NO. V.5063 / 129.
- "RIGHT OF WAY AND TRACK MAP OPERATED BY THE NORWICH AND WORCESTER R.R. CO. OPERATED BY THE NEW YORK NEW HAVEN AND HARTFORD R.R. CO. FROM WORCESTER TO GROTON STATION 3405+60 TO STATION 32+00. TOWN OF LEDYARD, STATE OF CONN. SCALE 1"=50' DATE: JUNE 30, 1915, OFFICE OF VALUATION ENGINEER, BOSTON MASS. MAP NO. V.5063 / 130.
- "RIGHT OF WAY AND TRACK MAP OPERATED BY THE NORWICH AND WORCESTER R.R. CO. OPERATED BY THE NEW YORK NEW HAVEN AND HARTFORD R.R. CO. FROM WORCESTER TO GROTON STATION 32+00 TO STATION 58+40 TOWN OF LEDYARD, STATE OF CONN. SCALE 1"=50' DATE: JUNE 30, 1915 REVISED THROUGH APRIL 11, 1951, OFFICE OF VALUATION ENGINEER, BOSTON MASS. MAP NO. V.5063 / 131.
- "RIGHT OF WAY AND TRACK MAP OPERATED BY THE NORWICH AND WORCESTER R.R. CO. OPERATED BY THE NEW YORK NEW HAVEN AND HARTFORD R.R. CO. FROM WORCESTER TO GROTON STATION 58+40 TO STATION 84+80 TOWN OF LEDYARD, STATE OF CONN. SCALE 1"=50' DATE: JUNE 30, 1915 REVISED THROUGH APRIL 11, 1951, OFFICE OF VALUATION ENGINEER, BOSTON MASS. MAP NO. V.5063 / 132.

**MAP REFERENCES-CONTINUED**



- "NORWICH AND WORCESTER RAILROAD REAL ESTATE & RIGHT OF WAY DEPARTMENT LAND IN LEDYARD, CONN. TO BE CONVEYED TO THE DOW CHEMICAL COMPANY" SCALE 1"=200' DATE: SEPTEMBER 1950 REVISED THROUGH OCTOBER 1950. ON FILE AS MAP NO. 8A.
- "LOCATION OF THE RIGHT OF WAY OF THE CONNECTICUT LIGHT & POWER COMPANY ACROSS THE PROPERTY OF THE DOW CHEMICAL COMPANY, TOWN OF LEDYARD, COUNTY OF NEW LONDON, STATE OF CONNECTICUT" SCALE 1"=200' DATE: APRIL 17, 1951.
- "MAP OF PROPERTY OWNED BY THE DOW CHEMICAL COMPANY LOCATED AT ALLYN'S POINT ON THE WEST SIDE OF ROUTE 12 AND EAST OF THE NEW YORK NEW HAVEN & HARTFORD RAILROAD CO. LEDYARD, CONN." SCALE: 1"=100' DATE: JULY 1952 REVISED AUGUST 1953, G.L. BILDERBECK CONSULTING ENGINEERS, NEW LONDON, CONN.
- "MAP SHOWING PROPERTY OWNED BY DOW CHEMICAL COMPANY, ALLYN'S POINT, LEDYARD, CONN." SCALE: 1"=100' DATE: DECEMBER 1953, G.L. BILDERBECK, CONSULTING ENGINEERS, NEW LONDON, CONN. ON FILE AS MAP NO. 43A.

**MAP REFERENCES-CONTINUED**

- "CONNECTICUT STATE HIGHWAY DEPARTMENT RIGHT OF WAY MAP TOWN OF LEDYARD GROTON-NORWICH ROAD FROM ALLYN'S BROOK NORTHERLY TO LEDARD-PRESTON TOWN LINE" SCALE 1"=40' DATE: NOVEMBER 5, 1957, SHEETS 1 THROUGH 3 OF 9 PROJECT NUMBER: 71-16. THESE MAPS SUPERSEDE PROJECT 71-05, SHEET 3 REVISED AUGUST 25, 1967.
- "CONNECTICUT STATE HIGHWAY DEPARTMENT RIGHT OF WAY MAP TOWN OF LEDYARD GROTON-NORWICH ROAD FROM ALLYN'S BROOK NORTHERLY TO LEDARD-PRESTON TOWN LINE" SCALE 1"=40' DATE: NOVEMBER 5, 1957, SHEETS 1 THROUGH 4 OF 4, PROJECT NUMBER 71-15. THESE MAPS SUPERSEDE PROJECT 71-04, SHEET 1 REVISED THROUGH MAY 17, 2004.
- "PLAN SHOWING LANDS NOW AND FORMERLY OF H. WINTHROP HUIERLUBT LEDYARD, CONNECTICUT" SCALE 1"=100' DATE: OCTOBER 1964, GEORGE H. DIETER, LAND SURVEYOR, ON FILE AS MAP # 226.
- "PLAN OF PROPERTY TO BE CONVEYED TO THE TOWN OF LEDYARD BY THE DOW CHEMICAL COMPANY, TOWN OF LEDYARD, CONN." SCALE: 1"=100' DATE: APRIL 1972, CHANDLER, PALMER & KING, NORWICH, CONN.

**MAP REFERENCES-CONTINUED**

- "PLAN SHOWING PARCELS OF LAND WITH BUILDINGS PROPERTY OF JAMES L. LEWIS AND ALICE L. LEWIS, PENTWAY AT WEST END CHAPMAN LANE LEDYARD, CONNECTICUT" SCALE 1"=20' DATE JUNE 1976, GEORGE H. DIETER, LAND SURVEYOR, ON FILE AS MAP # 672.
- "TOPOGRAPHICAL PLAN, PLAN OF A PORTION OF DOW CHEMICAL CO. ALLYN'S POINT PLANT GALES FERRY, CONN." SCALE: 1"=40' DATE: JULY 9, 1984 REVISIONS THROUGH AUGUST 28, 1984, CHANDLER, PALMER & KING, NORWICH, CONN.
- "MONUMENTED PROPERTY SURVEY MAP DEPICTING LAND OF GALES FERRY MARINA, INC. A PORTION OF LAND OF JAMES L. LEWIS AND LUCILLE A. LUPINACCI, CHAPMAN LANE, GALES FERRY, LEDYARD, CONNECTICUT" SCALE: 1"=40' DATE: MARCH 26, 1994 REVISED APRIL 19, 1994, DAVID L. STEIN, LAND SURVEYOR, WESTBROOK, CONNECTICUT, ON FILE AS MAP #1753.
- COMPILED PLAN MAP SHOWING EASEMENT AREA TO BE GRANTED TO THE YANKEE GAS SERVICES COMPANY ACROSS THE PROPERTY OF DOW CHEMICAL COMPANY (ALLYN'S POINT PLANT) #1761 ROUTE 12 GALES FERRY-LEDYARD CONNECTICUT SCALE: 1"=60' SHEET 1 OF 1 DATE: 03-04-2010 YANKEE FILE #E0048, BY CME ASSOCIATES, INC. ON FILE AS MAP #2629.



**NOTE**  
THE MATHEMATICAL CLOSING LINE FROM POINT "A" TO POINT "B" IS NORTH 01°11'52" EAST 743.02 FEET

**NOTE**  
THE MATHEMATICAL CLOSING LINE FROM POINT "B" TO POINT "C" IS NORTH 46°29'46" EAST 2064.65 FEET

**NOTE**  
PROPERTY LINE IS THE HIGH WATER MARK 3225±

**NOTE**  
DELTA = 02°57'34"  
ARC LENGTH = 293.38'  
RADIUS = 5680.15'


**NOTE**  
APPROXIMATE CENTER OF PROPERTY  
LAT: 41.440528381 N  
LONG: 72.082364265 W

**NOTE**  
DELTA = 20°58'52"  
ARC LENGTH = 625.69'  
RADIUS = 1701.28'  
CHORD = 518°51'30" W 622.19'

CURVE	DELTA	RADIUS	LENGTH	CHORD
C1	01°40'06"	1372.69'	39.97'	S2°6'47"40"W 39.97'
C2	09°12'25"	1392.69'	223.79'	S32°13'30"W 223.55'
C3	08°58'01"	5680.15'	888.96'	N37°03'13"E 888.05'
C4	30°01'19"	489.65'	256.57'	S13°02'17"W 253.64'

LINE	LENGTH	BEARING
L1	20.01'	S62°12'50"E
L2	28.38'	S04°59'07"W
L3	68.40'	S00°34'40"E
L4	19.01'	N17°55'36"E
L5	15.23'	N34°38'46"E
L6	78.87'	N28°09'31"E
L7	101.72'	S53°35'06"E
L8	85.28'	S33°34'13"W
L9	94.90'	N49°16'42"W

**LEGEND**




- NOTES**
- THIS SURVEY HAS BEEN PREPARED PURSUANT TO THE REGULATIONS OF CONNECTICUT STATE AGENCIES SECTIONS 20-200-1 THROUGH 20-200-20 AND THE STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT AS PREPARED AND ADOPTED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. ON SEPTEMBER 26, 1996.
  - THE TYPE OF SURVEY PERFORMED IS A PERIMETER AND TOPOGRAPHIC SURVEY CONFORMING TO THE STANDARDS OF ACCURACY FOR A HORIZONTAL CLASS A-2 AND IS A RESURVEY OF THE SUBJECT PROPERTY.
  - PHYSICAL FEATURES AND OTHER INFORMATION WAS DERIVED FROM AERIAL MAPPING DONE BY GOLDEN AERIAL SURVEYS, INC. MAPPING SCALE: 1"=40' PHOTO SCALE: 1"=500' PHOTO DATE: 04-27-2001 AND BY ON THE GROUND SURVEY WORK PERFORMED IN MAY, 2010.
  - ADDITIONAL FIELD WORK WAS PERFORMED IN SEPTEMBER, 2019 TO VERIFY SITE CONDITIONS AND LOCATE CHANGES.
  - THIS SURVEY WAS PREPARED TO DEPICT THE BOUNDARY AND EXISTING CONDITIONS OF THE SUBJECT PROPERTY.
  - THE SUBJECT PARCEL WAS CONVEYED TO TRINSEO LLC THROUGH A CONVEYANCE RECORDED IN VOLUME 532, PAGE 347 OF THE LEDYARD LAND RECORDS.
  - SEE SHEET 2 FOR ADDITIONAL NOTES.
  - THE SUBJECT PARCEL IS SHOWN ON THE TOWN OF LEDYARD TAX ASSESSOR MAP No. 61 & 76 AS LOT 1761 & 1737 OF BLOCK 2120
  - TOTAL AREA OF PROPERTY = 158.201± ACRES (6,891,237.787± SQUARE FEET).
  - SITE IS LOCATED IN ZONE I (INDUSTRIAL). THE PURPOSE OF THE I DISTRICT IS "TO ENCOURAGE THE ADOPTION, CONTINUATION AND EXPANSION OF MANUFACTURING, RESEARCH, AND INDUSTRIAL USES CONSISTENT WITH THE RURAL CHARACTER AND NATURAL RESOURCE CONSTRAINTS OF LEDYARD." PER SECTION 4.9A OF THE TOWN OF LEDYARD ZONING REGULATIONS.
  - VERTICAL INFORMATION IS REFERENCED TO NGVD 29.
  - A PORTION OF THIS PROPERTY LIES WITHIN FLOOD ZONE AE-ELEVATION 12 AS SHOWN ON FIRM, FLOOD INSURANCE RATE MAP COMMUNITY: THE TOWN OF LEDYARD, CONNECTICUT NEW LONDON COUNTY PANEL 354 OF 554 COMMUNITY NUMBER 090157 MAP 090110354G EFFECTIVE DATE: JULY 18, 2011.
  - ABOVEGROUND AND UNDERGROUND UTILITY STRUCTURES AND FACILITY LOCATIONS DEPICTED AND NOTED HEREON ARE THE RESULT OF OBSERVED EVIDENCE.


TO MY KNOWLEDGE AND BELIEF, THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.

CRAIG P. BIGGER, L.S. #70413

5/10/2022 DATE








V:\CT\GALES FERRY\ROUTE 12\271010002\04 LOCAL PERMIT FOR STERLING BUILDINGS\0401\0401 SITE LAYOUT PLAN.dwg, OVERALL SITE PLAN Sheet: 04/06/2023 11:24 AM by: ESAMIR.BENI@ct.gov, 04/06/2023 11:34 AM


PZC PERMIT #	DATE OF APPROVAL	EXPIRATION DATE
PZC CHAIRMAN OR SECRETARY	DATE	



<b>OVERALL SITE PLAN</b> <b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335 <b>GALES FERRY INTERMODAL LLC</b> 389 SOUTH STREET, DANBURY, CT 06810	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: 8px;">SCALE</td> <td>1" = 100'</td> </tr> <tr> <td style="font-size: 8px;">DRAWN BY</td> <td>ESP</td> </tr> <tr> <td style="font-size: 8px;">DATE</td> <td>04/06/2023</td> </tr> <tr> <td style="font-size: 8px;">APPROVED BY</td> <td>SRM</td> </tr> <tr> <td style="font-size: 8px;">DATE</td> <td>04/06/2023</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: 8px;">DRAWING NO.</td> <td>0451C2.016</td> </tr> <tr> <td style="font-size: 8px;">NO. OF SHEETS</td> <td>19</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: 8px;">PZC PERMIT #</td> <td>DATE OF APPROVAL</td> <td>EXPIRATION DATE</td> </tr> <tr> <td>PZC CHAIRMAN OR SECRETARY</td> <td>DATE</td> <td></td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: 8px;">REV.</td> <td style="font-size: 8px;">DATE</td> <td style="font-size: 8px;">DESCRIPTION OF REVISION</td> </tr> <tr> <td>1</td> <td>04/06/2023</td> <td>REVISED PER UPDATED LAYOUT</td> </tr> <tr> <td>2</td> <td>05/01/2023</td> <td>REVISED PER UPDATED COMMENTS</td> </tr> <tr> <td>3</td> <td>06/21/2023</td> <td>RESPONSE TO REVIEW COMMENTS</td> </tr> </table>	SCALE	1" = 100'	DRAWN BY	ESP	DATE	04/06/2023	APPROVED BY	SRM	DATE	04/06/2023	DRAWING NO.	0451C2.016	NO. OF SHEETS	19	PZC PERMIT #	DATE OF APPROVAL	EXPIRATION DATE	PZC CHAIRMAN OR SECRETARY	DATE		REV.	DATE	DESCRIPTION OF REVISION	1	04/06/2023	REVISED PER UPDATED LAYOUT	2	05/01/2023	REVISED PER UPDATED COMMENTS	3	06/21/2023	RESPONSE TO REVIEW COMMENTS
SCALE	1" = 100'																																
DRAWN BY	ESP																																
DATE	04/06/2023																																
APPROVED BY	SRM																																
DATE	04/06/2023																																
DRAWING NO.	0451C2.016																																
NO. OF SHEETS	19																																
PZC PERMIT #	DATE OF APPROVAL	EXPIRATION DATE																															
PZC CHAIRMAN OR SECRETARY	DATE																																
REV.	DATE	DESCRIPTION OF REVISION																															
1	04/06/2023	REVISED PER UPDATED LAYOUT																															
2	05/01/2023	REVISED PER UPDATED COMMENTS																															
3	06/21/2023	RESPONSE TO REVIEW COMMENTS																															

Loureiro Engineering Associates, Inc.  
 Water & Facility Services & Laboratory  
 1000 Main Street, Danbury, CT 06810  
 Tel: 860-797-8822  
 Fax: 860-797-8823  
 An Employee-Owned Company • www.loureiro.com  
 © Loureiro Engineering Associates, Inc. All Rights Reserved 2023






V:\CT\GALES FERRY\ROUTE 12, 1761\045122.06\LOCAL PERMIT FOR STEELING BUILDINGS\SCHEMATIC PREPARATION AND DEMOLITION PLAN.dwg (Rev. 02/12/2023 11:31 AM BY: ESEABNER) Project: 045122.06

<b>SITE PREPARATION AND DEMOLITION PLAN</b>	
SCALE: 1" = 40' DRAWING NO.: 045122.06 DATE: 04/06/2023 DRAWN BY: ESP APPROVED BY: SRM	PZC PERMIT # _____ DATE OF APPROVAL _____ EXPIRATION DATE _____ PZC CHAIRMAN OR SECRETARY _____ DATE _____
<b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335 <b>GALES FERRY INTERMODAL LLC</b> 389 SOUTH STREET, DANIELSON, CT 06248	
DRAWING NO. <b>C-3</b> NO. OF SHEETS 19	

**Loureiro**  
 Water • Facility Services • Laboratory  
 Loureiro Engineering Associates, Inc.  
 An Employee Owned Company • www.loureiro.com  
 100 Phone: 860-747-0101 • Fax: 860-747-8827  
 © Loureiro Associates, Inc. All Rights Reserved 2023

REV.	DESCRIPTION OF REVISION	DATE
1	REVISED PER UPDATED LAYOUT	04/06/2023
2	REVISED PER UPDATED LAYOUT	05/01/2023
3	RESPONSE TO REVIEW COMMENTS	06/21/2023





V:\CT\GALES FERRY\ROUTE 12, 1761\045122\04 LOCAL PERMIT FOR STERLING BUILDING\DWG\CAD\SITE LAYOUT PLAN.DWG, Job: SITE LAYOUT PLAN, Date: 02/12/2023 11:24 AM by: E5A88888, Pwd: 6212023 11:15 AM

<b>SITE LAYOUT PLAN</b> <b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335 <b>GALES FERRY INTERMODAL LLC</b> 383 SOUTH STREET, DANBURY, CT 06810		SCALE 1" = 30' DRAWING NO. 045122.06 DATE 04/06/2023 DRAWN BY ESP APPROVED BY SRM	DATE 04/06/2023 DATE 04/06/2023 REV. 1 REV. 2 REV. 3 DESCRIPTION OF REVISION REVISED PER UPDATED LAYOUT REVISED PER UPDATED LAYOUT RESPONSE TO REVIEW COMMENTS	DATE 04/06/2023 DATE 05/01/2023 DATE 06/21/2023 APPR. SRM SRM SRM
---	--	--	--	--




**Loureiro**  
 Loureiro Engineering Associates, Inc.  
 Water • Facility Services • Laboratory  
 Environmental • Construction • EHS • Energy  
 1761 Route 12, Gales Ferry, CT 06335  
 Phone: 860-747-0181 Fax: 860-747-8827  
 An Employee-Owned Company • www.loureiro.com  
 © Loureiro Engineering Associates, Inc. All Rights Reserved 2023

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
 PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

DRAWING  
**C-4**  
 SHEET NO. 6 NO. OF SHEETS 19





V:\CT\GALES FERRY\ROUTE 12\1761\045122\045122.DWG LOCAL PERMIT FOR STERLING BUILDING EXPANSION GRADING AND DRAINAGE PLAN DWG 11.28.24 BY: ESTABRER/REH/04/17/2023 11:36 AM

<p><b>GRADING AND DRAINAGE PLAN</b></p> <p><b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335</p> <p><b>GALES FERRY INTERMODAL LLC</b> 359 SOUTH STREET, DANBURY, CT 06810</p>	<p>SCALE: 1"=30'</p> <p>CROWN NO. 045122.06</p> <p>DATE: 04/06/2023</p> <p>DRAWN BY: ESP</p> <p>APPROVED BY: SRM</p>
<p>PZC PERMIT # _____ DATE OF APPROVAL _____ EXPIRATION DATE _____</p> <p>PZC CHAIRMAN OR SECRETARY _____ DATE _____</p>	
<p><b>C-5</b></p>	<p>NO. OF SHEETS: 19</p>



**Loureiro**  
Water & Facility Services & Laboratory


Loureiro Engineering Associates, Inc.  
1000 Main Street, Danbury, CT 06810  
Tel: 860-747-0111 Fax: 860-747-8827  
www.loureiro.com  
© Loureiro Engineering Associates, Inc. All Rights Reserved 2023

RESPONSE TO REVIEW COMMENTS 06/21/2023 REVISED PER UPDATED LAYOUT	REV. 3
REVISED PER UPDATED LAYOUT 05/01/2023	REV. 2
REVISED PER UPDATED LAYOUT 04/06/2023	REV. 1

DATE: 04/06/2023 DRAWN BY: ESP APPROVED BY: SRM	DATE: 04/06/2023 APPROVED BY: SRM
---	--------------------------------------








V:\C\GALES FERRY\ROUTE 12\_1761\04512.06 LOCAL PERMIT FOR STEELING BUILDINGS\UTILITY PLAN.DWG: Pub. PROJECT AREA UTILITY PLAN Saved: 02/12/2023 9:08 PM by: GMBARON@GDOT.COM Date: 02/12/2023 11:36 AM

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
 PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_



REV.	DESCRIPTION OF REVISION	DATE
3	RESPONSE TO REVIEW COMMENTS	06/21/2023
2	REVISED PER UPDATED LAYOUT	05/01/2023
1	REVISED PER UPDATED LAYOUT	04/06/2023




**Loureiro**  
 Water • Facility Services • Laboratory  
 Loureiro Engineering Associates, Inc.  
 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
 Tel: 860-747-4148 Fax: 860-747-8822  
 An Employee Owned Company • www.loureiro.com  
 © Loureiro Associates, Inc. All Rights Reserved 2023

SCALE	DATE
1" = 30'	04/06/2023
CONV. NO.	DATE
04512.06	04/06/2023
DRAWN BY	APPROVED BY
ESP	SRM

**UTILITY PLAN**  
**GALES FERRY INTERMODAL**  
 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
**GALES FERRY INTERMODAL LLC**  
 389 SOUTH STREET, DANIELSON, CT 06248





**SUBSURFACE SEWAGE DISPOSAL SYSTEM (SSDS) BASIS OF DESIGN:**

- PLAN REFERENCES AND SITE NOTES
- "PROPERTY AND TOPOGRAPHIC SURVEY PREPARED FOR STYRON LLC "ALLYN'S POINT PLANT" 1737 & 1761 MILITARY HIGHWAY ROUTE 12, GALES FERRY, LEYDARD, CONNECTICUT PREPARED BY CME ASSOCIATES, INC. DATED SEPTEMBER 2, 2010
  - TOWN OF LEYDARD GIS - PUBLIC WATER IS AVAILABLE ON THIS SITE AND ALL ADJACENT PROPERTIES
- BASIS OF DESIGN
- SSDS DESIGN IS IN ACCORDANCE WITH THE CONNECTICUT PUBLIC HEALTH CODE, ON-SITE SEWAGE DISPOSAL REGULATIONS AND TECHNICAL STANDARDS FOR SUBSURFACE SEWAGE DISPOSAL SYSTEMS.
  - DESIGN FLOWS - 20,000 SQUARE FOOT (SF) EQUIPMENT MAINTENANCE GARAGE, 6,000 SF INDUSTRIAL BUILDING NUMBER OF EMPLOYEES - 10. ASSUME TWO SHIFTS AS A REASONABLE FACTOR OF SAFETY ALLOCATING 20 EMPLOYEES AT 25 GALLONS PER DAY (GPD) PER EMPLOYEE. DESIGN FLOW - 500 GPD.
  - SEPTIC TANK REQUIRED - MINIMUM 1,000 GALLONS. SEPTIC TANK PROVIDED - 1,250 HS-20 DESIGNED FOR TRAFFIC AREA.
  - LEACHING SYSTEM DESIGN - USING 48-INCH CONCRETE LEACHING GALLEYS HS-20 DESIGNED FOR TRAFFIC AREA. PERCOLATION RATE = <math>1.5 \text{ GPD/SF}</math> OF EFFECTIVE LEACHING AREA (ELA)  
APPLICATION RATE = <math>1.5 \text{ GPD/SF}</math> OF EFFECTIVE LEACHING AREA (ELA)  
ELA REQUIRED = <math>500 \text{ GPD} / 1.5 \text{ GPD/SF} = 334 \text{ SF}</math>  
LEACHING SYSTEM: 48-INCH HIGH CONCRETE LEACHING GALLEYS = <math>9.2 \text{ SF/LF ELA}</math>  
ELA PROVIDED = NINE 4-FOOT LONG GALLEYS WITH 12-INCHES OF NO. 4 CRUSHED STONE AROUND 36-FOET OF GALLEYS PLUS 2-FOET OF CRUSHED STONE AT THE ENDS  
<math>38\text{-FEET} \times 9.2 \text{ SF/LF ELA} = 349 \text{ SF ELA}</math>
  - ALL FILL AND TOPSOIL WITHIN FIVE FEET SURROUNDING THE LEACHING SYSTEM AREA SHALL BE REMOVED AND REPLACED WITH SUITABLE SELECT FILL AS NEEDED.
  - MLSS:  
AVERAGE DEPTH TO RESTRICTIVE LAYER:  
CATEGORY 2  
NATIVE SOIL = 55"  
55" + 24" OF SELECT FILL = 79" > 60"  
NO MLSS REQUIRED

**SEPTIC SYSTEM KEY**

- (A) 13 L.F. 4" SCH. 40 PVC ASTM D1785 BUILDING SEWER PIPE INSTALLED @ 1/4" PER FT. MIN. SLOPE AND 12" MIN. COVER
  - (B) 1,250-GALLON HS-20 CONCRETE SEPTIC TANK
  - (C) 261 L.F. 4" SDR 35 ASTM D3034 DISTRIBUTION PIPE INSTALLED @ 1% MIN. SLOPE
  - (D) (1) ROW OF 48" HIGH HS-20 CONCRETE LEACHING GALLEYS @ 38 L.F. TOTAL WITH 1' CRUSHED NO. 4 STONE AROUND ALL SIDES
  - (E) 22 L.F. 4" SCH. 40 PVC ASTM D1785 BUILDING SEWER PIPE INSTALLED @ 1/4" PER FT. MIN. SLOPE AND 12" MIN. COVER
  - (F) 1,250-GALLON HS-20 CONCRETE SEPTIC TANK
  - (G) 238 L.F. 4" SDR 35 ASTM D3034 DISTRIBUTION PIPE INSTALLED @ 1% MIN. SLOPE
- REFER TO SYSTEM INVERT TABLE ON THIS SHEET FOR PROPOSED INVERT ELEVATIONS.

**SEPTIC SYSTEM B INVERT SCHEDULE**

BUILDING SEWER INVERT		27.8
SEPTIC TANK STRUCTURE	TOP	28.64
	BOTTOM	23.93
SEPTIC TANK INVERTS	IN	27.35
	OUT	27.10
LEACHING GALLEYS	TOP	23.75
	BOTTOM	19.75
LEACHING GALLEY INVERT		22.92

**SEPTIC SYSTEM F INVERT SCHEDULE**

BUILDING SEWER INVERT		26.00
SEPTIC TANK STRUCTURE	TOP	26.83
	BOTTOM	22.12
SEPTIC TANK INVERTS	IN	25.54
	OUT	25.29

**NO. 4 STONE AGGREGATE**

SIEVE SIZE	PERCENT PASSING (BY WEIGHT)	
2"	100	
1 1/2"	90-100	
1"	20-55	
3/4"	0-15	
1/2"	N/A	
3/8"	0-5	
#4	N/A	
#40	0-3	
#200	0-1 1/2	

**SELECT FILL**

SIEVE SIZE	PERCENT PASSING (BY WEIGHT)	
	WET SIEVE	DRY SIEVE
#4	100	100
#10	70-100	70-100
#40	10-50*	10-75
#100	0-20	0-5
#200	0-5	0-2.5

\* PERCENT PASSING THE #40 SIEVE CAN BE INCREASED TO NO GREATER THAN 75 IF THE PERCENT PASSING THE #100 SIEVE DOES NOT EXCEED 10 AND THE #200 SIEVE DOES NOT EXCEED 5.

SUBSURFACE SEWAGE DISPOSAL SYSTEM PLAN  
 GALE'S FERRY INTERMODAL  
 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
 GALE'S FERRY INTERMODAL LLC  
 389 SOUTH STREET, DANIEL, CT 06248


SCALE: 1" = 20'  
 DRAWN BY: ESP  
 DATE: 04/06/2023  
 APPROVED BY: SRM  
 DATE: 04/06/2023

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
 PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_


SHEET NO. 9 NO. OF SHEETS 19  
 C-7

V:\CT\GALES FERRY\ROUTE 12, 1761\040522\04 LOCAL PERMIT FOR STEELING BUILDING\DWG\CIVILITY PLAN.DWG (Sub: SSDS PLAN Rev. 04/06/2023 11:36 AM)






**A-A SECTION VIEW**  
SCALE: 1"=5'H&V




**B-B SECTION VIEW**  
SCALE: 1"=5'H&V



**1,250 GALLON HS-20 SEPTIC TANK**

TANK DESIGN SPECIFICATIONS CONFORMS TO LATEST: ASTM DESIGNATION C1227

NOTES:  
1. JOINT SEALANT IS BUTYL RUBBER MASTIC TYPE SEAL THAT CONFORMS TO LATEST AASHTO SPEC. M-198.  
2. REINFORCING STEEL DEFORMED BARS CONFORM TO LATEST ASTM SPEC. A615, GRADE 60.  
3. COVER 1/2" UNLESS NOTED.  
4. CONCRETE COMPRESSIVE STRENGTH-5,000 PSI AT 28 DAYS SELF CONSOLIDATING CONCRETE.  
5. METHOD OF MANUFACTURE: WET CAST.  
6. BOTTOM SECTION IS MONOLITHIC.  
7. DESIGNED FOR AASHTO HS-20 LOADING WITH 6" TO 60" OF SOIL COVER.  
8. ALL PIPING PROVIDED AND INSTALLED BY CONTRACTOR.  
9. LIFTING - LIFTING LOOPS IN ROOF SLUNG LIFTING NOTCHED IN BASE SECTION



**ELEV. SECTION**

**1,250 GALLON HS-20 SEPTIC TANK**  
NOT TO SCALE

**PERCOLATION TEST RESULTS**  
CONDUCTED BY LOUREIRO ENGINEERING ASSOCIATES ON MARCH 24, 2023

PT-1 DEPTH: 122"		
TIME (MIN)	MEASURE (INCHES)	RATE (MIN/IN)
0	5.75	---
1	7	0.80
2	8.25	0.80
3	8.75	2.0
4	9.125	2.7
5	9.5	2.7
6	10	2.0
7	10.375	2.7
8	10.75	2.7
9	11	4.0
10	11.5	2.0
11	11.875	2.7
12	12.125	4.0
13	12.375	4.0
14	12.5	8.0
15	13	2.0
16	13.125	8.0
17	13.25	8.0
18	13.5	4.0
19	13.75	4.0
20	14	4.0
21	14.25	4.0

<2" OF WATER REMAINING  
PERC RATE = 4.0 MIN/INCH


PT-2 DEPTH: 108"		
TIME (MIN)	MEASURE (INCHES)	RATE (MIN/IN)
0	11.5	---
1	12.5	1.0
2	13.5	1.0
3	14.375	1.1
4	15.125	1.3
5	15.875	1.3
6	16.375	2.0
7	17	1.6
8	17.5	2.0

PERC RATE = 2.0 MIN/INCH


TEST PIT LOG: TP-51	
OBSERVED BY LOUREIRO ENGINEERING ASSOCIATES AND LEDGE LIGHT HEALTH DISTRICT ON MARCH 7, 2023	
DEPTH	OBSERVATIONS
0-24"	GRAVEL, FILL
24"-68"	DARK BROWN FINE SANDY LOAM. CONCRETE DEBRIS W/ REBAR FOUND
68"-75"	BURIED TOPSOIL LAYER
75"-93"	TAN GREY FINE SANDY LOAM WITH GRAVEL
93"-150"	ORANGE BROWN MEDIUM-COARSE SAND AND GRAVEL W/ COBBLES
*ROOTS TO 93" *GROUNDWATER AT 130" *NO REFUSAL	
TEST PIT LOG: TP-52	
OBSERVED BY LOUREIRO ENGINEERING ASSOCIATES AND LEDGE LIGHT HEALTH DISTRICT ON MARCH 24, 2023	
DEPTH	OBSERVATIONS
0-62"	FILL
62"-84"	ORIGINAL TOPSOIL
84"-111"	DARK BROWN MEDIUM-COARSE SAND WITH GRAVEL AND COBBLES
111"-150"	TAN MEDIUM SAND, SOME GRAVEL
*ROOTS TO 62" *GROUNDWATER AT 130" *NO REFUSAL *NO MOTTLING	
TEST PIT LOG: TP-53	
OBSERVED BY LOUREIRO ENGINEERING ASSOCIATES AND LEDGE LIGHT HEALTH DISTRICT ON MARCH 24, 2023	
DEPTH	OBSERVATIONS
0-79"	FILL
79"-105"	ORIGINAL TOPSOIL
105"-128"	ORANGE BROWN MEDIUM-COARSE SAND WITH GRAVEL AND COBBLES
*ROOTS TO 105" *GROUNDWATER AT 128" *NO REFUSAL *NO MOTTLING	

**SUBSURFACE SEWAGE DISPOSAL SYSTEM (SSDS) CONSTRUCTION NOTES:**


- REFER TO SOIL EROSION AND SEDIMENT CONTROL PLAN FOR EROSION PROTECTION.
- PROCEDURES FOR THE INSTALLATION OF FILL:
  - NO EXCAVATION SHALL OCCUR PRIOR TO NOTIFYING "CALL-BEFORE-YOU-DIG" AT 1-800-922-4455 OR 811.
  - INSTALL EROSION CONTROL ALONG THE DOWN-GRADIENT LIMITS OF FILL IN ACCORDANCE WITH THE SOIL EROSION AND SEDIMENT CONTROL PLAN.
  - STRIP ALL VEGETATION, ORGANIC MATTER AND UNSUITABLE OVERBURDEN INCLUDING THE BURIED TOPSOIL TO A DEPTH OF 75-INCHES BELOW GRADE IN THE AREA OF AND TEN FEET SURROUNDING THE NEW LEACHING SYSTEM. REMOVE ANY UNSUITABLE MATERIAL WHICH MAY INTERFERE WITH THE PROPER FUNCTION OF THE SYSTEM.
  - SCARIFY THE SURFACE IN THE PROPOSED LEACHING SYSTEM AREA PRIOR TO PLACING ANY SELECT FILL MATERIAL. AVOID COMPACTING THE SCARIFIED AREA. FILL SHALL NOT BE PLACED OVER SNOW OR FROZEN GROUND. DISCONTINUE FILL PLACEMENT DURING HEAVY RAINFALL AND A MINIMUM OF 24 HOURS THEREAFTER.
  - SELECT FILL SHALL BE PLACED WITHIN OR ADJACENT TO THE LEACHING SYSTEM PER THE PLAN AND SHALL MEET THE REQUIREMENTS OF SECTION VIII.A OF THE TECHNICAL STANDARDS. SELECT FILL SHALL BE PLACED TO THE TOP OF THE PROPOSED LEACHING GALLEYS AND SHALL EXTEND A MINIMUM OF FIVE FEET LATERALLY IN ALL DIRECTIONS BEYOND THE OUTER PERIMETER OF THE LEACHING SYSTEM AND TO DEPTHS INDICATED IN THE CROSS SECTION. THE SELECT FILL MATERIAL SHALL BE PLACED IN 12" LIFTS AND COMPACTED TO 90% DENSITY.
  - A SIEVE ANALYSIS FROM A SOIL TESTING LABORATORY SHALL BE PROVIDED TO LEDGE LIGHT HEALTH DISTRICT FOR ALL SELECT FILL MATERIAL TO DEMONSTRATE COMPLIANCE WITH THE TECHNICAL STANDARDS.
  - NATIVE SOIL OR COMMON FILL SHALL BE USED AS BACKFILL BEYOND THE LIMITS OF SELECT FILL AND BELOW THE TOPSOIL LAYER.
- NO UTILITIES SHALL BE INSTALLED THROUGH ANY PORTION OF THE LEACHING SYSTEM.
- SEPTIC TANK SHALL BE SET LEVEL ON A MINIMUM OF SIX INCHES OF PROCESSED AGGREGATE OR BROKEN STONE PLACED ON COMPACTED SUBGRADE. BACKFILL AROUND THE TANK SHALL BE PLACED AND COMPACTED IN SIX INCH LIFTS.
- HS-20 SEPTIC TANK SHALL BE EQUIPPED WITH RISERS TO GRADE EQUIPPED WITH CAST IRON MANHOLE COVERS WITH A MINIMUM WEIGHT OF 59 POUNDS EQUIPPED WITH A LOCKING FEATURE.
- THE NEW SSDS SHALL BE STAKED BY A LICENSED SURVEYOR AND A BENCH MARK SHALL BE ESTABLISHED AT THE LOCATION SHOWN ON THE SSDS PLAN.
- THE INSTALLER SHALL SUBMIT TO LEDGE LIGHT HEALTH DISTRICT UPON 30 DAYS OF COMPLETION SCALED OR TIED AS-BUILT DRAWINGS OF ALL SSDS COMPONENTS. THE DRAWING SHALL INCLUDE THE NAME OF THE INSTALLER, DATE AND PROPERTY LOCATION/ADDRESS.
- ALL STORM AND/OR ROOF DRAINS WITHIN 25 FEET OF THE SEPTIC SYSTEM SHALL BE TIGHT PIPE WITH NO FREE-DRAINING BEDDING MATERIAL IN TRENCH.




**TOP VIEW (ROOF SLAB THICKNESS IS 5")**



**SIDE VIEW (WALL THICKNESS IS 3")**



**END VIEW (END SECTION) (WALL THICKNESS IS 3")**



**END VIEW (CENTER SECTION) (WALL THICKNESS IS 3")**

**4'x4'x4' GALLEY HS-20 LEACHING CHAMBER**

GALLEY DESIGN SPECIFICATIONS CONFORMS TO LATEST: ASTM DESIGNATION C913

- NOTES:
- PIPE INLET LOCATIONS HAVE 4" DIAMETER KNOCKOUTS, TYPICAL. CUSTOM KNOCKOUTS CAN BE CAST ON REQUEST.
  - REINFORCING STEEL DEFORMED BARS CONFORM TO LATEST ASTM SPECIFICATION A615.
  - CONCRETE COMPRESSIVE STRENGTH- 4000 PSI AT 28 DAYS.
  - METHOD OF MANUFACTURE: WET CAST.
  - SECTION IS MONOLITHIC.
  - THE GALLEY IS DESIGNED FOR HS-20 LOADING w/18" OF SOIL COVER.

WEIGHT CHART	
PRODUCT	APPROX. WEIGHT
4'x4'x4' GALLEY	2200 LBS.

LEACHING DATA			
FLOW LINE (INCHES)	LEACHING (Gals/LF)	LEACHING (FT <sup>2</sup> /UNIT)	INSIDE CAPACITY (GALLONS)
38	9.2	36.8	330

**48" HIGH HS-20 LEACHING GALLEY**  
NOT TO SCALE

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_

PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

**SUBSURFACE SEWAGE DISPOSAL SECTIONS, DETAILS & NOTES**

SCALE: AS NOTED  
CONTR. NO.: 0451C2.06  
DATE: 3/6/2023  
DRAWN BY: FCC  
APPROVED BY: GFA

**LOUREIRO**  
Engineering & Construction • Energy  
Leaching & Facility Services • Laboratory  
100 Northwood Drive • Plainville, Connecticut 06062  
Tel: 860-747-9088 • Fax: 860-747-8822  
www.loureiro.com  
©Loureiro Engineering Associates, Inc. All rights reserved 2021.

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
**GALES FERRY INTERMODAL LLC**  
349 SOUTH STREET, DANVILLE, MA 01923


DATE: 06/21/2023  
SRM: 05/01/2023  
DATE: 04/06/2023  
APPR. DATE

DESCRIPTION OF REVISION  
1. REVISED PER UPDATED LAYOUT  
2. REVISED PER UPDATED LAYOUT  
3. RESPONSE TO REVIEW COMMENTS

SHEET NO. 10 NO. OF SHEETS 19





V:\CT\GALES FERRY\ROUTE 12, 1761\04512.06 LOCAL PERMIT FOR STEELING BUILDINGS\SOIL EROSION AND SEDIMENT CONTROL PLAN.dwg 04/06/2023 11:32 AM



EROSION AND SEDIMENT CONTROL PLAN  
 CHAIRMAN/VICE CHAIRMAN OF THE ZONING COMMISSION OR ITS AGENT  
 DATE \_\_\_\_\_

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
 PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_


<b>SOIL EROSION AND SEDIMENT CONTROL PLAN</b>		SCALE 1" = 40'												
<b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335		DRAWING NO. 04512.06												
<b>GALES FERRY INTERMODAL LLC</b> 383 SOUTH STREET, DANBURY, CT 06810		DATE 04/06/2023												
DRAWN BY ESP	DATE 04/06/2023	SCALE IN FEET 0 20 40 60												
APPROVED BY SRM	DATE 04/06/2023	NO. OF SHEETS 19												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>REV.</th> <th>DESCRIPTION OF REVISION</th> <th>DATE</th> </tr> <tr> <td>1</td> <td>REVISED PER UPDATED LAYOUT</td> <td>04/06/2023</td> </tr> <tr> <td>2</td> <td>REVISED PER UPDATED LAYOUT</td> <td>05/01/2023</td> </tr> <tr> <td>3</td> <td>RESPONSE TO REVIEW COMMENTS</td> <td>06/21/2023</td> </tr> </table>		REV.	DESCRIPTION OF REVISION	DATE	1	REVISED PER UPDATED LAYOUT	04/06/2023	2	REVISED PER UPDATED LAYOUT	05/01/2023	3	RESPONSE TO REVIEW COMMENTS	06/21/2023	SHEET NO. 11
REV.	DESCRIPTION OF REVISION	DATE												
1	REVISED PER UPDATED LAYOUT	04/06/2023												
2	REVISED PER UPDATED LAYOUT	05/01/2023												
3	RESPONSE TO REVIEW COMMENTS	06/21/2023												
		DATE 04/06/2023												
		DATE 04/06/2023												




V:\CT\GALES FERRY\ROUTE 12, 1761\045122\04 LOCAL PERMIT FOR STEELING BUILDING\LANDSCAPING PLAN.DWG Thu, 04/06/2023 10:24 PM by ESP/ABW/ptm/66 6/21/2023 11:38 AM

PLANT SCHEDULE					
KEY	QTY.	TECHNICAL NAME	COMMON NAME	SIZE	COND.
NS	2	NYSSA SYLVATICA	BLACK GUM	2"-2.5" CAL.	B&B
OV	7	OSTRYA VIRGINIANA	AMERICAN HOPHORNBEAM	2"-2.5" CAL.	B&B
IO	6	ILEX OPACA 'JERSEY PRINCESS'	AMERICAN HOLLY	6'-7' HT.	B&B
JV	17	JUNIPERUS VIRGINIANA	RED CEDAR	5'-6' HT.	B&B
PO	9	PHYSOCARPUS OPULIFOLIUS 'RUBY SPICE'	NINEBARK	3 GAL.	CONT.
SO	22	SYMPHORICARPOS ORBICULATUS	CORALBERRY	3 GAL.	CONT.
AT	20	AMSONIA TABERNAEMONTANA 'BLUE ICE'	BLUE STAR	1 GAL.	CONT.
MB	28	MONARDA BRADBURNIA	EASTERN BEEBALM	1 GAL.	CONT.


- GENERAL NOTES - LANDSCAPING:**
- AS CONSTRUCTION PROGRESSES, FINE GRADE AND SEED OR SOD AS SOON AS POSSIBLE TO REDUCE RUNOFF.
  - ALL PLANTING BEDS TO BE TOPSOILED TO A DEPTH OF 12".
  - IN ALL SHRUB BEDS TO RECEIVE MASS PLANTING, PROVIDE PINE BARK MULCH AS DETAILED. ESTABLISH A NEAT, SMOOTH EDGE BETWEEN MULCH AND LAWN.
  - ADJUSTMENTS IN THE LOCATIONS OF PLANT MATERIALS MAY BE NECESSARY DUE TO LOCATIONS OF UTILITIES. ADJUSTMENTS SHALL BE APPROVED BY THE OWNER'S REPRESENTATIVE.
  - PROVIDE AND INSTALL ALL PLANTS SHOWN ON THE PLANTING PLAN DRAWINGS; THE QUANTITIES IN THE PLANT LIST ARE PROVIDED FOR THE CONTRACTOR'S CONVENIENCE ONLY. IF DISCREPANCIES OCCUR, THE DRAWING SYMBOLS PREVAIL OVER THE PLANT LIST QUANTITIES.



PLANTING DETAIL - TYP



PZC PERMIT #	DATE OF APPROVAL	EXPIRATION DATE
PZC CHAIRMAN OR SECRETARY	DATE	



REV.	DESCRIPTION OF REVISION	DATE
1	REVISED PER UPDATED LAYOUT	04/06/2023
2	REVISED PER UPDATED LAYOUT	05/01/2023
3	RESPONSE TO REVIEW COMMENTS	06/21/2023



**Loureiro**  
 Loureiro Engineering Associates, Inc.  
 Water • Facility Services • Laboratory  
 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
 Tel: 860-747-0181 Fax: 860-747-8827  
 An Employee Owned Company • www.loureiro.com  
 © Loureiro Engineering Associates, Inc. All Rights Reserved 2023

SCALE	NOT TO SCALE
CROWN NO.	045122.06
DATE	04/06/2023
DRAWN BY	ESP
APPROVED BY	SRM
DATE	04/06/2023

**LANDSCAPING PLAN**


**GALES FERRY INTERMODAL LLC**  
 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335

**GALES FERRY INTERMODAL LLC**  
 389 SOUTH STREET, DANBURY, CT 06810


DRAWING NO. **1-1**

SHEET NO. 12 NO. OF SHEETS 19






**TAPERED ALUMINUM LUMINAIRE POLE**  
SCALE: NONE



**LIGHT POLE BASE**  
SCALE: NONE




**POLE MOUNTED LIGHT**  
SCALE: NONE



**WALL PACK LIGHT**  
SCALE: NONE

SYMBOL	LABEL	QUANTITY	MANUFACTURER	CATALOG NUMBER	DESCRIPTION	NUMBER LAMPS	LUMENS PER LAMP	LIGHT LOSS FACTOR	WATTAGE
-	P3-TWX2	9	LITHONIA LIGHTING	TWX2 LED P3 40K	TWX2 LED WITH P3-PERFORMANCE PACKAGE, 4000K	1	5295	0.85	39.1538
U	P2-T3M	11	LITHONIA LIGHTING	DSX1 LED P2 40K T3M MVOLT	DSX1 LED P2 40K T3M MVOLT	1	8641	0.85	70

DESCRIPTION	SYMBOL	AVG	MAX	MIN	MAX/MIN	AVG/MIN
PARKING LOT		+ 1.2 fc	7.6 fc	0.0 fc	N/A	N/A
PARKING LOT (BUILDING FRONT)		+ 1.0 fc	5.2 fc	0.1 fc	52.0:1	10.0:1
PROPERTY LINE		+ 0.0 fc	0.1 fc	0.0 fc	N/A	N/A




V:\CT\GALES FERRY\ROUTE 12, 1761043527.dwg LOCAL PERMIT FOR STEELING BUILDING\DWG\CAD\PHOTOMETRIC AND LIGHTING PLAN.dwg; T:\PHOTOMETRIC AND LIGHTING PLAN.dwg; 02/02/2023 2:31 PM by: ESABARBER.dwg; 02/02/2023 11:38 AM


<p><b>PHOTOMETRIC AND LIGHTING PLAN</b></p> <p><b>GALES FERRY INTERMODAL</b> 1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335</p> <p><b>GALES FERRY INTERMODAL LLC</b> 383 SOUTH STREET, DANBURY, CT 06810</p>	<p>SCALE: 1" = 20'</p> <p>CADWAL NO: 0451C2.06</p> <p>DATE: 04/06/2023</p> <p>DRAWN BY: ESF</p> <p>APPROVED BY: SRM</p>												
<p>STATE OF CONNECTICUT GEORGE F. ANDRUS, JR. GOVERNOR</p> <p>REGISTRATION NO. 10285 LICENSED PROFESSIONAL ENGINEER</p>													
<p><b>Loureiro</b> Water • Facility Services • Laboratory</p> <p>Loureiro Engineering Associates, Inc. 1000 Main Street, Danbury, CT 06810 Tel: 860-747-0141 Fax: 860-747-8827 An Employee Owned Company • www.loureiro.com © Loureiro Engineering Associates, Inc. All Rights Reserved 2023</p>													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>REV.</th> <th>DESCRIPTION OF REVISION</th> <th>DATE</th> </tr> <tr> <td>1</td> <td>REVISED PER UPDATED LAYOUT</td> <td>04/06/2023</td> </tr> <tr> <td>2</td> <td>REVISED PER UPDATED LAYOUT</td> <td>05/01/2023</td> </tr> <tr> <td>3</td> <td>RESPONSE TO REVIEW COMMENTS</td> <td>06/21/2023</td> </tr> </table>		REV.	DESCRIPTION OF REVISION	DATE	1	REVISED PER UPDATED LAYOUT	04/06/2023	2	REVISED PER UPDATED LAYOUT	05/01/2023	3	RESPONSE TO REVIEW COMMENTS	06/21/2023
REV.	DESCRIPTION OF REVISION	DATE											
1	REVISED PER UPDATED LAYOUT	04/06/2023											
2	REVISED PER UPDATED LAYOUT	05/01/2023											
3	RESPONSE TO REVIEW COMMENTS	06/21/2023											
<p>PZC PERMIT # _____ DATE OF APPROVAL _____ EXPIRATION DATE _____</p> <p>PZC CHAIRMAN OR SECRETARY _____ DATE _____</p>													
<p>DRAWING NO. <b>C-10</b></p> <p>SHEET NO. 13 NO. OF SHEETS 19</p>													



NATURAL DIVERSITY DATA  
BASE AREA, LEDYARD, CT,  
DECEMBER 2022 BY CT DEEP




NATURAL DIVERSITY DATA  
BASE AREA, LEDYARD, CT,  
DECEMBER 2022 BY CT DEEP



PROPERTY MAP

### COASTAL RESOURCES

- D - DEVELOPED SHOREFRONT: PORT AND HARBOR AREAS WHICH HAVE BEEN HIGHLY ENGINEERED AND DEVELOPED RESULTING IN THE FUNCTIONAL IMPAIRMENT OR SUBSTANTIAL ALTERATION OF THEIR NATURAL PHYSIOGRAPHIC FEATURES OR SYSTEMS.
- W - WATER: OPEN WATER BODIES SUCH AS BUT NOT LIMITED TO LAKES AND PONDS SUBJECT TO REGULATION UNDER SECTIONS 22A-36 TO 22A-45 OF THE CONNECTICUT GENERAL STATUTES.
- T - REGULATED TIDAL WETLANDS: OFFICIAL STATE DESIGNATED AND REGULATED TIDAL WETLANDS LOCATED WITHIN THE COASTAL BOUNDARY. THE AREAS DEPICTED ON THIS MAP SHALL IN NO WAY SUPERSEDE THE OFFICIAL STATE REGULATED TIDAL WETLAND MAPS AT THE SCALE OF 1:2400.
- COASTAL 'FLOOD' HAZARD AREA: 100 YEAR COASTAL FLOOD HAZARD AREA AS IDENTIFIED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA). ON THOSE COASTAL ISLANDS CURRENTLY UNMAPPED BY FEMA, THE FLOOD HAZARD AREA IS CONSERVATIVELY APPROXIMATED BY THE 10' CONTOUR INTERVAL.
- EM - ESTUARINE EMBAYMENTS: PROTECTED COASTAL WATER BODIES WITH AN OPEN CONNECTION TO THE SOUND INCLUDING TIDAL RIVERS, BAYS, COVES AND LAGOONS.
- SHORELANDS: UPLAND AREAS AT ELEVATIONS IN EXCESS OF THE 100 YEAR STILL WATER FLOOD LEVEL AND LOCATED WITHIN THE COASTAL BOUNDARY.



### COASTAL RESOURCES

1979. PREPARED BY COASTAL AREA MANAGEMENT PROGRAM, CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION PROFESSIONAL ENGINEER No. 10285	
REVISION	DATE
1	04/06/2023
2	05/01/2023
3	06/21/2023

DESCRIPTION OF REVISION  
1. REVISED PER UPDATED LAYOUT  
2. REVISED PER UPDATED LAYOUT  
3. RESPONSE TO REVIEW COMMENTS

SCALE AS NOTED  
SCALE NO. 0451C2.06

DATE 04/06/2023  
DRAWN BY ESP  
APPROVED BY SRM

DATE 04/06/2023

**COASTAL AREA MANAGEMENT PLAN**

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335


**GALES FERRY INTERMODAL, LLC**  
389 SOUTH STREET, GAITHERSBURG, MD 20878

DRAWING  
**C-11**

SHEET NO. 14 NO. OF SHEETS 19

V:\CT\GALES FERRY\ROUTE 12\1761\0451C2.06\LOCAL PERMIT FOR STEELING BUILDING\CONSTRUCTION\COASTAL AREA MANAGEMENT PLAN\Scale# 0451C2.06.dwg, 04/21/2023, 11:39 AM







**DYNAMIC ACCESSIBILITY PARKING SYMBOL®**  
SCALE: NONE




**SIGN DETAIL**  
SCALE: NONE




**DUMPSTER ENCLOSURE DETAIL**  
SCALE: NONE




**CONCRETE DUMPSTER PAD DETAIL**  
SCALE: NONE




**GRAVEL SURFACE X-SECTION**  
SCALE: NONE





**BITUMINOUS CONCRETE PAVING**  
SCALE: NONE




**CONCRETE PAD**  
SCALE: NONE




**PAVEMENT REPLACEMENT DETAIL**  
SCALE: NONE




**SIGN POST**  
SCALE: NONE



**BOLLARD MOUNTED SIGNAGE**  
SCALE: NONE



**GRASS SWALE**  
SCALE: NONE




**STEEL BOLLARD**  
SCALE: NONE

- NOTES:**
- ALLOWABLE DESIGN STRESSES: CLASS "A" CONCRETE BASED ON  $f_c = 3000$  psi. REINFORCEMENT: (ASTM A 615 GRADE 60)  $f_s = 24000$  psi
  - REINFORCEMENT COVER: ALL STEM REINFORCEMENT SHALL HAVE 2" COVER UNLESS OTHERWISE NOTED. ALL FOOTING REINFORCEMENT SHALL HAVE 3" COVER.
  - AFTER EXCAVATION CONTRACTOR SHOULD NOTIFY THE ENGINEER FOR THE INSPECTION OF THE EXISTING SOIL.
  - ALL REINFORCEMENT IN THE STEM, INCLUDING THE FOOTING DOWELS, SHALL BE EPOXY COATED.




**GAS CYLINDER STORAGE LOCKER**  
SCALE: NONE



**1,000 GAL DIESEL STORAGE TANK**  
SCALE: NONE

SCALE		NOT TO SCALE	
DRAWN BY		DATE	
ESF		04/06/2023	
APPROVED BY		DATE	
SRM		04/06/2023	
DESCRIPTION OF REVISION		DATE	
1		REV.	
2		REV.	
3		RESPONSE TO REVIEW COMMENTS	
05/01/2023		SRM	
06/21/2023		SRM	
		APPR.	



**Loureiro Engineering Associates, Inc.**  
Water • Facility Services • Laboratory  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
Tel: 860-747-0118 • Fax: 860-747-8827  
An Employee Owned Company • www.loureiro.com  
© Loureiro Engineering Associates, Inc. All Rights Reserved 2023

SCALE	NOT TO SCALE
DRAWN BY	DATE
ESF	04/06/2023
APPROVED BY	DATE
SRM	04/06/2023

**SITE DETAILS 1**

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335


**GALES FERRY INTERMODAL LLC**  
389 SOUTH STREET, DANIELSON, CT 06248

DESIGNED FOR SHEET C-12

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_


PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_






- NOTES:
1. PRECAST CONCRETE MANHOLE COMPONENTS SHALL CONFORM TO CTDOT STANDARD SHEET HW-507\_10 AS AMENDED.
  2. 4\"/>

**STANDARD PRECAST CONCRETE STORM MANHOLE DETAIL**  
SCALE: NONE




**STORM MANHOLE FRAME & COVER DETAIL**  
SCALE: NONE




- NOTES:
1. PRECAST CONCRETE CATCH BASIN COMPONENTS SHALL CONFORM TO CTDOT FORM 816 STANDARD SPECIFICATION FOR ROADS, BRIDGES AND INCIDENTAL CONSTRUCTION AND CTDOT HIGHWAY STANDARD SHEETS HW-507\_04, AS AMENDED.
  2. THIS DETAIL IS BASED ON CTDOT PRECAST CONCRETE TYPE "C" & "CL" CATCH BASIN COMPONENTS, (UNDER 10' DEEP SHOWN).
  3. REINFORCING STEEL DEFORMED BARS ARE NOT SHOWN AND SHALL CONFORM TO LATEST CTDOT STANDARDS & SUPPLEMENTAL AND ASTM SPECIFICATION A615, GRADE 60, MINIMUM COVER 2" UNLESS OTHERWISE NOTED.
  4. METHOD OF MANUFACTURE SHALL BE WET CAST.
  5. SUMP SECTION SHALL BE MONOLITHIC.
  6. DESIGN LOAD SHALL BE AASHTO H-20.


**TYPE "C" & "C-L" PRECAST CONCRETE CATCH BASIN DETAIL**  
SCALE: NONE



**ROOF DRAIN DOWNSPOUT CONNECTION**  
SCALE: NONE




**STORM DRAIN TRENCH**  
SCALE: NONE



**TYPE "C" & "C-L" CATCH BASIN TOP DETAILS**  
SCALE: NONE



**TYPE "C" & "C-L" PRECAST CONCRETE CATCH BASIN DETAIL**  
SCALE: NONE



**DOUBLE GRATE TYPE II, OUTLET CONTROL STRUCTURE TOP DETAIL**  
SCALE: NONE



**CATCH BASIN TRAP HOOD**  
SCALE: NONE

- NOTES:
1. TRAP HOODS SHALL BE CAST IRON FOR 10", 12", 15" AND 18 PIPE SIZES AND FABRICATED ALUMINUM FOR 21" OR GREATER.
  2. ALL TRAP HOODS SHALL INCLUDE STAINLESS STEEL HOOKS OR HANGERS FOR MOUNTING TO THE CATCH BASIN WALL. BACK PLATES SHALL BE FURNISHED ONLY WHEN REQUESTED.
  3. TRAP HOODS SHALL BE FROM CAMPBELL FOUNDRY, NEENAH FOUNDRY, EAST JORDAN IRON WORKS OR APPROVED EQUAL. DIMENSIONS AND MODEL NUMBERS VARY BASED ON DISCHARGE PIPE SIZE AND MANUFACTURER.
  4. SEE MANUFACTURER FOR INSTALLATION INSTRUCTIONS.

**TYPE "C" & "C-L" PRECAST CONCRETE CATCH BASIN DETAIL**  
SCALE: NONE

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

**STATE OF CONNECTICUT**  
**PROFESSIONAL ENGINEER**  
No. 11285  
EXPIRES 12/31/2023

**Loureiro**  
Water & Utility Services & Laboratory  
Engineering • Construction • EIR • Energy

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
383 SOUTH STREET, SUITE 102, DANBURY, CT 06810  
© Loureiro 2023

SCALE: NOT TO SCALE  
DRAWN BY: ESP  
DATE: 04/06/2023  
APPROVED BY: SRM  
DATE: 04/06/2023

**SITE DETAILS 2**

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
383 SOUTH STREET, SUITE 102, DANBURY, CT 06810

DATE: 06/21/2023  
RESPONSE TO REVIEW COMMENTS  
05/01/2023  
REVISED PER UPDATED LAYOUT  
04/06/2023  
REVISED PER UPDATED LAYOUT  
04/06/2023  
DESCRIPTION OF REVISION  
DATE


DRAWING: **C-13**  
SHEET NO. 16 OF SHEETS 19




\\V:\CALIF. FERRY\ROUTE 12, 1741043527.dwg LOCAL PERMIT FOR STEELING BUILDING\DWG\DETAILS\DETAILS 3.dwg 6/21/2023 10:35 AM BY: ESOABERER Revit: 6/21/2023 11:39 AM

I:\COMMON\CAD\TREATMENT\1 CASCADE\46 STANDARD DRAWINGS\DWG\CS-3.DTL.DWG 6/18/2023 4:23 PM

I:\COMMON\CAD\TREATMENT\1 CASCADE\46 STANDARD DRAWINGS\DWG\CS-4.DTL.DWG 12/22/2019 9:54 AM



PLAN VIEW B-B NOT TO SCALE



ELEVATION A-A NOT TO SCALE

CASCADE separator™


CASCADE SEPARATOR DESIGN NOTES
THE STANDARD CS-3 CONFIGURATION IS SHOWN. ALTERNATE CONFIGURATIONS ARE AVAILABLE AND ARE LISTED BELOW. SOME CONFIGURATIONS MAY BE COMBINED TO SUIT SITE REQUIREMENTS.

Table with 2 columns: CONFIGURATION DESCRIPTION and SITE SPECIFIC DATA REQUIREMENTS. Includes rows for GRATED, INLET, CURB, and CURB INLET configurations.


GENERAL NOTES
1. CONTECH TO PROVIDE ALL MATERIALS UNLESS NOTED OTHERWISE.
2. FOR SITE SPECIFIC DRAWINGS WITH DETAILED STRUCTURE DIMENSIONS AND WEIGHT, PLEASE CONTACT YOUR CONTECH ENGINEERED SOLUTIONS LLC REPRESENTATIVE.




CS-3 CASCADE SEPARATOR STANDARD DETAIL




ELECTRICAL LINE TRENCH SCALE: NONE



WATER LINE TRENCH SCALE: NONE



PLAN VIEW B-B NOT TO SCALE



ELEVATION A-A NOT TO SCALE

CASCADE separator™

CASCADE SEPARATOR DESIGN NOTES
THE STANDARD CS-4 CONFIGURATION IS SHOWN. ALTERNATE CONFIGURATIONS ARE AVAILABLE AND ARE LISTED BELOW. SOME CONFIGURATIONS MAY BE COMBINED TO SUIT SITE REQUIREMENTS.

Table with 2 columns: CONFIGURATION DESCRIPTION and SITE SPECIFIC DATA REQUIREMENTS. Includes rows for GRATED, INLET, CURB, and CURB INLET configurations.

GENERAL NOTES
1. CONTECH TO PROVIDE ALL MATERIALS UNLESS NOTED OTHERWISE.
2. FOR SITE SPECIFIC DRAWINGS WITH DETAILED STRUCTURE DIMENSIONS AND WEIGHT, PLEASE CONTACT YOUR CONTECH ENGINEERED SOLUTIONS LLC REPRESENTATIVE.




CS-4 CASCADE SEPARATOR STANDARD DETAIL

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_
PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

Professional Engineer seal for Loureiro, Inc. License No. 11268. Project title: GALE'S FERRY INTERMODAL. Drawing No. 0451C2.06. Date: 04/06/2023. Scale: NOT TO SCALE. Revision table with 3 entries.






**GENERAL NOTES:**

- CONCRETE WASHOUT AREA(S) SHALL BE INSTALLED PRIOR TO CONCRETE PLACEMENT ON SITE. THE CONCRETE WASHOUT AREA SHALL BE ENTIRELY SELF-CONTAINED.
- THE CONTRACTOR SHALL SUBMIT THE DESIGN, LOCATION AND SIZING OF THE CONCRETE WASHOUT AREA(S) WITH THE PROJECT'S EROSION AND SEDIMENTATION CONTROL PLAN AND SHALL BE APPROVED BY THE ENGINEER.  
LOCATION: WASHOUT AREA(S) ARE TO BE LOCATED AT LEAST 50 FEET FROM ANY STREAM, WETLAND, STORM DRAINS, OR OTHER SENSITIVE RESOURCE. THE FLOOD CONTINGENCY PLAN MUST ADDRESS THE CONCRETE WASHOUT IF THE WASHOUT IS TO BE LOCATED WITHIN THE FLOODPLAIN.  
SIZE: THE WASHOUT MUST HAVE SUFFICIENT VOLUME TO CONTAIN ALL LIQUID AND CONCRETE WASTE GENERATED BY WASHOUT OPERATIONS INCLUDING, BUT NOT LIMITED TO, OPERATIONS ASSOCIATED WITH GROUT AND MORTAR.  
SURFACE DISCHARGE IS UNACCEPTABLE. THEREFORE, HAY BALES OR OTHER CONTROL MEASURES, AS APPROVED BY THE ENGINEER, SHOULD BE USED AROUND THE PERIMETER OF THE CONCRETE WASHOUT AREA FOR CONTAINMENT.
- SIGNS SHOULD BE PLACED AT THE CONSTRUCTION ENTRANCE, AT THE CONCRETE AREA(S) AND ELSEWHERE AS NECESSARY TO CLEARLY INDICATE THE LOCATION OF THE CONCRETE WASHOUT TO OPERATORS OF CONCRETE TRUCKS AND PUMP RIGS. WASHOUT AREA(S) SHOULD BE FLAGGED WITH SAFETY FENCING OR OTHER APPROVED METHOD.
- WASHOUT AREA(S) ARE TO BE INSPECTED AT LEAST ONCE A WEEK FOR STRUCTURAL INTEGRITY, ADEQUATE HOLDING CAPACITY AND CHECKED FOR LEAKS, TEARS, OR OVERFLOWS. (AS REQUIRED BY THE CONSTRUCTION SITE ENVIRONMENTAL INSPECTION REPORT) WASHOUT AREA(S) SHOULD BE CHECKED AFTER HEAVY RAINS.
- HARDENED CONCRETE WASTE SHOULD BE REMOVED AND DISPOSED OF WHEN THE WASTE HAS ACCUMULATED TO HALF OF THE CONCRETE WASHOUT'S DEPTH. THE WASTE CAN BE STORED AT AN UPLAND LOCATION, AS APPROVED BY THE ENGINEER. ALL CONCRETE WASTE SHALL BE DISPOSED OF IN A MANNER CONSISTENT WITH ALL APPLICABLE LAWS, REGULATIONS, AND GUIDELINES.
- PAYMENT FOR THIS ITEM IS TO BE INCLUDED UNDER THE GENERAL COST OF THE WORK FOR THE PROJECT, INCLUDING SITE RESTORATION.

**CONCRETE WASHOUT AREA**

SCALE: NONE


- NOTE:
- CONTRACTOR TO LOCATE, ERECT, AND MAINTAIN.



OUTLET	W1	La	W2
FES-1	3	9	10
FES-2	4	13	13
FES-3	3	7	8

**RIPRAP APRON**

SCALE: NONE




**HAYBALE BARRIER**

SCALE: NONE

**FLARED END SECTION**

SCALE: NONE




CULVERT END SECTIONS CONFORM TO AASHTO-MITTE CLASS III MASSACHUSETTS STANDARD SPECIFICATION FOR HIGHWAYS AND BRIDGES SECTION M6.02.2.  
ASTM AND CONNECTICUT DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATION M6.01.02.  
CULVERT END SECTIONS AVAILABLE WITH BELL JOINT (OUTLET) OR SPIGOT JOINT (INLET).

ORA	A	B	C	D	E	F
18"	6"	20"	4.0 (102)	2.5"	3"	18"
24"	8"	28"	5.5 (140)	3.5"	4"	24"
30"	10"	36"	7.0 (178)	4.5"	5"	30"
36"	12"	44"	8.5 (216)	5.5"	6"	36"
42"	14"	52"	10.0 (254)	6.5"	7"	42"
48"	16"	60"	11.5 (293)	7.5"	8"	48"
54"	18"	68"	13.0 (330)	8.5"	9"	54"
60"	20"	76"	14.5 (368)	9.5"	10"	60"


**SILT FENCE**

SCALE: NONE



**EROSION CONTROL BLANKET DETAIL**


SCALE: NONE



- Notes:
- PREPARE SOIL BEFORE INSTALLING BLANKETS, INCLUDING ANY NECESSARY APPLICATION OF LIME, FERTILIZER, AND SEED. WHEN USING CELL-O-SEED DO NOT SEED PREPARED AREA. CELL-O-SEED MUST BE INSTALLED WITH PAPER SIDE DOWN.
  - BEGIN AT THE TOP OF THE SLOPE BY ANCHORING THE BLANKET IN A 6" (15CM), DEEP X 6" (15CM), WIDE TRENCH WITH APPROXIMATELY 12" (30CM), OF BLANKET EXTENDED BEYOND THE UP-SLOPE PORTION OF THE TRENCH. ANCHOR THE BLANKET WITH A ROW OF STAPLES/STAKES APPROXIMATELY 12" (30CM), APART IN THE BOTTOM OF THE TRENCH. BACKFILL AND COMPACT THE TRENCH AFTER STAPLING. APPLY SEED TO COMPACTED SOIL AND FOLD REMAINING 12" (30CM), PORTION OF BLANKET BACK OVER SEED AND COMPACTED SOIL. SECURE BLANKET OVER COMPACTED SOIL WITH A ROW OF STAPLES/STAKES SPACED APPROXIMATELY 12" (30CM), APART ACROSS THE WIDTH OF THE BLANKET. IN LOOSE SOIL CONDITIONS, THE USE OF STAPLE OR STAKE LENGTHS GREATER THAN 6" (15 CM), MAY BE NECESSARY TO PROPERLY SECURE THE BLANKETS.
  - ROLL THE BLANKETS (A) DOWN OR (B) HORIZONTALLY ACROSS THE SLOPE. BLANKETS WILL UNROLL WITH APPROPRIATE SIDE AGAINST THE SOIL SURFACE. ALL BLANKETS MUST BE SECURELY FASTENED TO SOIL SURFACE BY PLACING STAPLES/STAKES IN APPROPRIATE LOCATIONS AS SHOWN IN THE STAPLE PATTERN GUIDE. WHEN USING OPTIONAL DOT SYSTEM "D", STAPLES/STAKES SHOULD BE PLACED THROUGH EACH OF THE COLORED DOTS CORRESPONDING TO THE APPROPRIATE STAPLE PATTERN.
  - THE EDGES OF PARALLEL BLANKETS MUST BE STAPLED WITH APPROXIMATELY 2"-5" (5CM-12.5CM), OVERLAP DEPENDING ON BLANKET TYPE. TO ENSURE PROPER SEAM ALIGNMENT, PLACE THE EDGE OF THE OVERLAPPING BLANKET (BLANKET BEING INSTALLED ON TOP) EVEN WITH THE COLORED SEAM STITCH "M" ON THE PREVIOUSLY INSTALLED BLANKET.
  - CONSECUTIVE BLANKETS SPICED DOWN THE SLOPE MUST BE PLACED END OVER END (SHINGLE STYLE) WITH AN APPROXIMATE 3" (7.5CM), OVERLAP. STAPLE THROUGH OVERLAPPED AREA, APPROXIMATELY 12" (30CM), APART ACROSS ENTIRE BLANKET WIDTH.


**TEMPORARY CONSTRUCTION ENTRANCE**

SCALE: NONE





**MAINTENANCE OF EROSION CONTROL DEVICES:**

- HAYBALE BARRIERS/GEOTEXTILE SILT FENCES:**
  - INSPECT HAY BALE BARRIERS/GEOTEXTILE SILT FENCE AT LEAST ONCE A WEEK AND WITHIN 24 HOURS AFTER THE END OF A STORM WITH A RAINFALL AMOUNT OF 1/2" OR GREATER TO DETERMINE MAINTENANCE NEEDS.
  - REMOVE SEDIMENT DEPOSITS OR INSTALL A SECONDARY BARRIER/FENCE WHEN SEDIMENT DEPOSITS REACH APPROXIMATELY ONE HALF HEIGHT OF THE BARRIER/FENCE.
  - REPLACE OR REPAIR THE BARRIER/FENCE WITHIN 24 HOURS OF OBSERVED FAILURE. IF REPETITIVE FAILURE OCCURS, CONSULT 2002 GUIDELINES FOR TROUBLESHOOTING FAILURES.
  - MAINTAIN THE HAY BALE BARRIER/SILT FENCE UNTIL THE CONTRIBUTING AREA IS STABILIZED.
  - AFTER UPSLOPE AREAS HAVE BEEN PERMANENTLY STABILIZED, REMOVE STAKES FROM HAY BALES; PULL UP FENCE SUPPORT POSTS AND CUT OFF GEOTEXTILE AT GROUND. UNLESS OTHERWISE REQUIRED, HAY BALES MAY BE LEFT IN PLACE OR BROKEN UP FOR GROUND COVER. IF ACCUMULATED SEDIMENT EXCEEDS 6 INCHES, RE-GRADE OR REMOVE SEDIMENT. STABILIZE ANY DISTURBED SOILS.
- CONSTRUCTION ENTRANCES AND ROADWAYS:**
  - MAINTAIN THE ENTRANCE IN A CONDITION WHICH WILL PREVENT TRACKING AND WASHING OF SEDIMENTS ONTO PAVED SURFACES.
  - PROVIDE PERIODIC TOP DRESSING AND ADDITIONAL STONE OR LENGTH AS NECESSARY.
  - IMMEDIATELY REMOVE ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACKED ONTO PAVED SURFACES. ROADS ADJACENT TO THE CONSTRUCTION SITE SHALL BE LEFT CLEAN EVERY DAY.



**TEMPORARY SOIL STOCKPILE DETAIL**

SCALE: NONE



**NOTES:**

- THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING THE CORRECT SIZE DEVICE FOR EACH INLET. FOR NON-STANDARD CATCH BASINS AND INLETS, THE CONTRACTOR SHALL MEASURE DIMENSIONS IN THE FIELD AND ORDER THE APPROPRIATE SIZE(S).
- THE INLET SEDIMENT CONTROL DEVICE SHALL BE OF HIGH FLOW DESIGN (200 GAL/MIN/FT), AS PER THE MANUFACTURER'S SPECS.
- THE SEDIMENT CONTROL DEVICE SHALL BE INSPECTED DAILY BY THE CONTRACTOR AND CLEANED AND MAINTAINED A MINIMUM ONCE PER MONTH OR WITHIN THE 48 HOURS FOLLOWING A STORM EVENT. THE FILTER SHALL BE REPLACED OR CLEANED WHEN THE BAG BECOMES HALF FULL. THE FILTER SHALL BE CLEANED IN A MANNER WHICH ENSURES THAT ALL SEDIMENT REMAINS ON SITE.
- SUBSTITUTION OF A SHEET OF FILTER FABRIC PLACED OVER THE OPENING OF THE INLET IS NOT APPROVED.
- RECESSED CURB INLET CATCH BASINS MUST BE BLOCKED WHEN USING FILTER FABRIC INLET SACKS, SIZE OF FILTER INLET SACK TO BE DETERMINED BY MANUFACTURER.
- THE FILTER DEVICE SHALL BE MANUFACTURED BY ACF ENVIRONMENTAL OR APPROVED EQUAL.

**CATCH BASIN FILTER (SILT SACK) DETAIL**

SCALE: NONE

EROSION AND SEDIMENT CONTROL PLAN CHAIRMAN/VICE CHAIRMAN OF THE ZONING COMMISSION OR ITS AGENT DATE _____	PZC PERMIT # _____ DATE OF APPROVAL _____ EXPIRATION DATE _____ PZC CHAIRMAN OR SECRETARY _____ DATE _____
---	---

**SOIL EROSION AND SEDIMENT CONTROL DETAILS**

**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
**GALES FERRY INTERMODAL LLC**  
383 SOUTH STREET, DANBURY, CT 06810

DRAWING  
**C-15**  
SHEET NO. 18 NO. OF SHEETS 19




**Loureiro**  
Loureiro Engineering Associates, Inc.  
Water & Facility Services • Energy  
100 Main Street, Danbury, CT 06810  
Tel: 860-747-0101 • Fax: 860-747-8827  
An Employee-Owned Company • www.loureiro.com  
© Loureiro Engineering Associates, Inc. All Rights Reserved 2023

SCALE: NOT TO SCALE  
DRAWN BY: ESP  
DATE: 04/06/2023  
CHECKED BY: SRM  
DATE: 04/06/2023  
CROWN NO. 0451C2.06


NO.	REV.	DESCRIPTION OF REVISION	DATE
1	1	REVISED PER UPDATED LAYOUT	04/06/2023
2	1	REVISED PER UPDATED LAYOUT	05/01/2023
3	1	RESPONSE TO REVIEW COMMENTS	06/21/2023

V:\ACT\GALES FERRY\PROJECT 15-172\040322\06 LOCAL PERMIT FOR STEELING BUILDING\DWG\CONSTRUCTION\SOIL EROSION AND SEDIMENT CONTROL DETAILS.DWG TAD: HESC: DETAILS: Scale: 4:01/2023 10:15:18 PM by: ESP/AMBER RICHMOND: 6/21/2023 11:39 AM






SIGHTLINE PLAN  
1" = 40'



PROFILE - SIGHTLINE TO THE LEFT  
HORIZONTAL SCALE: 1" = 40'  
VERTICAL SCALE: 1" = 4'



PROFILE - SIGHTLINE TO THE RIGHT  
HORIZONTAL SCALE: 1" = 40'  
VERTICAL SCALE: 1" = 4'

**NOTES:**

- 1) EXISTING ROADSIDE VEGETATION WILL BE REMOVED / TRIMMED AS NEEDED TO PROVIDE THE CLEAR SIGHTLINES DEPICTED ON THIS PLAN. REFER TO SITE PREPARATION AND DEMOLITION PLAN.
- 2) TOPOGRAPHY AND ELEVATIONS DEPICTED ON THIS PLAN WERE OBTAINED FROM CTECO 2016 LIDAR.
- 3) INTERSECTION SIGHT DISTANCE (ISD) OF 575' IS BASED UPON RECORDED 85TH PERCENTILE SPEED OF 52 MPH, PROVIDED BY CTDOT.

PZC PERMIT # \_\_\_\_\_ DATE OF APPROVAL \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
PZC CHAIRMAN OR SECRETARY \_\_\_\_\_ DATE \_\_\_\_\_

NO.	REV.	DESCRIPTION OF REVISION	DATE
3		RESPONSE TO REVIEW COMMENTS	06/21/2023
2		REVISED PER UPDATED LAYOUT	05/01/2023
1		REVISED PER UPDATED LAYOUT	04/06/2023



**Loureiro**  
Water • Facility Services • Laboratory  
Loureiro Engineering Associates, Inc.  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
Tel: 860-747-0181 Fax: 860-747-8827  
www.loureiro.com  
© Loureiro Associates, Inc. All Rights Reserved 2023

SCALE	1" = 40'
CAD FILE NO.	0451C2.06
DRAWN BY	TCG
DATE	04/06/2023
APPROVED BY	SRM
DATE	04/06/2023

**SIGHTLINE DEMONSTRATION PLAN**  
**GALES FERRY INTERMODAL**  
1761 ROUTE 12, GALES FERRY, CONNECTICUT 06335  
**GALES FERRY INTERMODAL LLC**  
389 SOUTH STREET, DANBURY, CT 06810

V:\CT\GALES FERRY\ROUTE 12\_1761\0451C2.06\_LOCAL\_PERMIT\_FOR\_STEELING\_BUILDING\DWG\SIGHTLINE DEMONSTRATION PLAN.DWG (1) - SIGHTLINE DEMONSTRATION PLAN Sheet: 6/21/2023 11:35 AM by: ESABARBER (P) (1)